

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name or designation of the mixture	NuovoGold T150BS
Registration number	-
Synonyms	None.
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Identified uses	Base Oil.
Uses advised against	None known.
1.3. Details of the supplier of t	he safety data sheet
MANUFACTURER:	Ergon, Inc.
	P.O. Box 1639
	Jackson, MS 39181 USA
EU Contact:	Ergon International, Inc.
	Drève Richelle 161 Building C
	B-1410 Waterloo, Belgium
Emergency Phone Numbers:	
US Customer Service:	+ 1-800-222-7122
CHEMTREC:	+ 1-800-424-9300 After Business Hours (North America)
	+ 1-703-5273887 (International),
	+32-28083237 (Belgium)
	+33-975181407 (France)
	+49-69643508409 (Germany)
	+39-0245557031 (Italy)
	+34-931768545 (Spain)
E-mail:	sds@ergon.com
Poison Centre (Centre Antipoisons - Belgium):	+32022649636

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	Residual oils (petroleum), hydrotreated
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Supplemental label information	None.
2.3. Other hazards	Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information Chemical name	% CAS-No. / EC REACH Registration No. Index No. Notes No.		
Residual oils (petroleum), hydrotreated	<=100 64742-57-0 01-2119489287-22 649-470-00-4 265-160-8		
Classif	ication: - L		
Composition comments	Note L - Not classified as a carcinogen. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.		
SECTION 4: First aid me	asures		
General information	Contact physician if discomfort continues.		
1.1. Description of first aid me	easures		
Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical advice/attention.		
Skin contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.		
Eye contact	Flush thoroughly with water. If irritation occurs, get medical assistance.		
Ingestion	Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a poison control centre immediately.		
4.2. Most important symptoms and effects, both acute and delayed	Defatting of the skin.		
I.3. Indication of any mmediate medical attention and special treatment needed	Treat symptomatically.		
SECTION 5: Firefighting	measures		
General fire hazards	No unusual fire or explosion hazards noted.		
5.1. Extinguishing media Suitable extinguishing media	Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.		
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.		
5.2. Special hazards arising rom the substance or nixture	No unusual fire or explosion hazards noted.		
5.3. Advice for firefighters Special protective equipment for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.		
Special fire fighting procedures	Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a fire.		
SECTION 6: Accidental r	elease measures		
5.1. Personal precautions, pro	tective equipment and emergency procedures		
For non-emergency personnel	Keep unnecessary personnel away. Do not touch or walk through spilled material. Wear appropriate personal protective equipment.		
For emergency responders	Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protection recommended in Section 8 of the SDS.		
6.2. Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authoriti in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or		

in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

6.3. Methods and material for containment and cleaning up	Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills in original containers for re-use.	
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13.	
SECTION 7: Handling and storage		
7.1. Precautions for safe handling	Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.	

7.2. Conditions for safe Keep away from heat, sparks and open flame.

storage, including any incompatibilities

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Values Material	Туре	Value	Form
NuovoGold T150BS	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL	10 mg/m3	Mist.
-	TWA	5 mg/m3	Mist.
Bulgaria. OELs. Regulation No 13	on protection of workers a	against risks of exposure to	chemical agents at work
Material	Туре	Value	
NuovoGold T150BS	TWA	5 mg/m3	
_	_		

5 mg/m3	
	5 mg/m3

Czech Republic. OELs. Government Decree 361

Material	Туре	Value	Form
NuovoGold T150BS	Ceiling	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	Ceiling	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Denmark. Exposure Limit Value	S		
Material	Туре	Value	Form
NuovoGold T150BS	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TLV	1 mg/m3	Mist.

Residual olis (petroleum), hydrotroneut) (CAS TWA 5 mg/m3 Mist. Profile MAK List (advisory OELS). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG) Yape Value Form NuovoGold TISOBS TVVA 5 mg/m3 Respirable fraction. Components Type Value Form Residual olis (petroleum), hydrotrotatic (CAS TVVA 5 mg/m3 Respirable fraction. Germany, DFG MAK List (advisory OELS). TVVA 5 mg/m3 Respirable fraction. Components Type Value Form Residual olis (petroleum), hydrotrotatic (CAS TVVA 5 mg/m3 Mist. Components Type Value Form NuovoGold TISOBS TVVA 5 mg/m3 Mist. Components Type Value Form NuovoGold TISOBS Celling 5 mg/m3 Mist. Components Type Value Form NuovoGold TISOBS Celling 5 mg/m3 Mist. Components Type Value Form Residual olis (petroleum), hydrotrated (CAS 5 mg/m3 Mist. Components Type Value Form NuovoGold TISOBS TWA 1 mg/m3	Finland. Workplace Exposure Lir Components	nits Type	Value	Form
Compounds in the Work Area (DFG)WaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Respirable fraction.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CASTWA5 mg/m3Respirable fraction.Greece. OELs (Decree No. 90/1999, as amended) MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Mist.ComponentsTypeValueFormNuovoGold T150BSTWA5 mg/m3Mist.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Mist.Hungary, OELs. Joint Decree on Chemical Safety of Workplaces MaterialTypeValueFormNuovoGold T150BSCelling5 mg/m3Mist.GomponentsComponentsTypeValueFormNuovoGold T150BSCelling5 mg/m3Mist.ComponentsTypeValueFormNuovoGold T150BSTWA1 mg/m3Mist.ComponentsTypeValueFormNuovoGold T150BSTWA1 mg/m3Mist.ComponentsTypeValueFormNuovoGold T150BSTWA1 mg/m3Mist.ComponentsTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.Teland. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BS<	hydrotreated (CAS	TWA	5 mg/m3	Mist.
MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Respirable fraction.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Respirable fraction.Greence. OELs (Decree No. 90/1999, as amended)TypeValueFormMaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Mist.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 			Investigation of Health H	azards of Chemical
ComponentsTypeValueFormResidual olis (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Respirable fraction.Resce. OELs (Decree No. 90/1999, as amended) MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Mist.ComponentsTypeValueFormResidual olis (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Mist.Hungary. OELs. Joint Decree on Chemical Safety of Workplaces MaterialFormNovoCoold T150BSCelling5 mg/m3Mist.ComponentsTypeValueFormNovoCoold T150BSCelling5 mg/m3Mist.ComponentsTypeValueFormNovoCoold T150BSCelling5 mg/m3Mist.ComponentsTypeValueFormNovoCoold T150BSTWA1 mg/m3Mist.ComponentsTypeValueFormNovoCoold T150BSTWA1 mg/m3Mist.ComponentsTypeValueFormNovoCoold T150BSTWA1 mg/m3Mist.NuovoCoold T150BSTWA1 mg/m3Mist.StresserFormNuovoCoold T150BSTWA5 mg/m3Inhalable fraction.Tabletorn.MaterialTypeValueFormNuovoCoold T150BSTWA5 mg/m3Inhalable fraction.NuovoCoold T150BSTWA5 mg/m3Inhalable fraction.Tabletorn.Tabletorn.Tabletorn.NuovoCoold T150BSTWA5 mg/m3Inhalable fract		-	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Greece. OELs (Decree No. 90/1999, as amended) Material Type Value Form NuovoGold T150BS TWA S mg/m3 Mist. Components Type Value Form Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Hungary. OELs. Joint Decree on Chemical Safety of Workplaces Material Type Value Form NuovoGold T150BS Celling 5 mg/m3 Mist. Components Type Value Form NuovoGold T150BS TWA 5 mg/m3 Mist. Components Type Value Form NuovoGold T150BS TWA 1 mg/m3 Mist. Components Type Value Form NuovoGold T150BS TWA 1 mg/m3 Mist. Components Type Value Form NuovoGold T150BS TWA 1 mg/m3 Mist. Components Type Value Form NuovoGold T150BS TWA 5 mg/m3 Inhalable fraction. Etal. Occupational Exposure Limits Material Type Value Form NuovoGold T150BS TWA 5 mg/m3 Inhalable fraction. Etaly. Occupational Exposure Limits Material Type Value Form NuovoGold T150BS TWA 5 mg/m3 Inhalable fraction. Etaly. Occupational Exposure Limits Material Type Value Form NuovoGold T150BS TWA 5 mg/m3 Inhalable fraction. Etaly. Occupational Exposure Limits Material Type Value Form NuovoGold T150BS TWA 5 mg/m3 Inhalable fraction. Components Type Value Form Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Latvia. OELS. Cocupational exposure Limit values of chemical substances in work environment Value Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Latvia. OELS. Limit Values for Chemical Substances, General Reguirements Material Type Value Form NuovoGold T150BS STEL 3 mg/m3 Fume and mist.	NuovoGold T150BS	TWA	5 mg/m3	Respirable fraction.
hydroteated (CAS 64742-57-0) Greece. OELs (Decree No. 90/1999, as amended) Material Type Value Form Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Hungary, OELs. Joint Decree on Chemical Safety of Workplaces Material Type Value Form NuovoCold T150BS Celling Smg/m3 Mist. Components Type Value Form NuovoCold T150BS TWA Smg/m3 Mist. Components Type Value Form NuovoCold T150BS TWA 1 mg/m3 Mist. Components Type Value Form NuovoCold T150BS TWA 3 mg/m3 Mist. Components Type Value Form NuovoCold T150BS TWA 5 mg/m3 Mist. Components Type Value Form NuovoCold T150BS TWA 5 mg/m3 Inhalable fraction. Table Occupational Exposure Limits Material Type Value Form NuovoCold T150BS TWA 5 mg/m3 Inhalable fraction. Table Occupational Exposure Limits Table Occupational Exp	Components	Туре	Value	Form
MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Mist.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Mist.Hungary, OELs. Joint Decree on Chemical Safety of Workplaces MaterialTypeValueFormNuovoGold T150BSCelling5 mg/m3Mist.ComponentsTypeValueFormNuovoGold T150BSCelling5 mg/m3Mist.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Iceland. OELs. Regulation 154/1999 on occupational exposure limits MaterialFormNuovoGold T150BSTWA1 mg/m3Mist.ComponentsTypeValueFormNuovoGold T150BSTWA1 mg/m3Mist.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA1 mg/m3Mist.NuovoGold T150BSTWA5 mg/m3Inhalable fraction.Tably. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.Tably. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5	hydrotreated (CAS	TWA	5 mg/m3	Respirable fraction.
ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Mist.Hungary. OELs. Joint Decree on Chemical Safety of Workplaces MaterialFormFormNuovoGold T150BSCelling5 mg/m3Mist.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Mist.ComponentsTypeValueFormNuovoGold T150BSCelling5 mg/m3Mist.ComponentsTypeValueFormNuovoGold T150BSTWA1 mg/m3Mist.ComponentsTypeValueFormNuovoGold T150BSTWA1 mg/m3Mist.ComponentsTypeValueFormNuovoGold T150BSTWA1 mg/m3Mist.ComponentsTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.<	•		Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Hungary. OELs. Joint Decree on Chemical Safety of Workplaces Material Type Value Form NuovoGold T150BS Celling 5 mg/m3 Mist. Components Type Value Form Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Celland. OELs. Regulation 154/1999 on occupational exposure limits Material Type Value Form NuovoGold T150BS TWA 5 mg/m3 Mist. Components Type Value Form Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Treland. OELs. Regulation 154/1999 on occupational exposure limits Material Type Value Form Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Treland. Occupational Exposure Limits Material Type Value Form NuovoGold T150BS TWA 1 mg/m3 Mist. Hydrotreated (CAS 64742-57-0) Treland. Occupational Exposure Limits Material Type Value Form NuovoGold T150BS TWA 5 mg/m3 Inhalable fraction. Italy. Occupational Exposure Limits Material Type Value Form NuovoGold T150BS TWA 5 mg/m3 Inhalable fraction. Italy. Occupational Exposure Limits Material Type Value Form Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Latvia. OELs. Occupational exposure limit values of chemical substances in work environment Components Type Value Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Latvia. OELs. Limit Values for Chemical Substances, General Reguirements Material Type Value Form	NuovoGold T150BS	TWA	5 mg/m3	Mist.
hydrotreated (CAS 64742-57-0) Hungary. OELs. Joint Decree on Chemical Safety of Workplaces Material Type Value Form NuovoGold T150BS Ceiling 5 mg/m3 Mist. Components Type Value Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Tcleand. OELs. Regulation 154/ 1999 on occupational exposure limits Material Type Value Form NuovoGold T150BS TWA 1 mg/m3 Mist. Components Type Value Form Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Tcleand. OELs. Regulation 154/ 1999 on occupational exposure limits Material Type Value Form Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Treland. Occupational Exposure Limits Material Type Value Form NuovoGold T150BS TWA 1 mg/m3 Mist. Type Value Form NuovoGold T150BS TWA 5 mg/m3 Inhalable fraction. Taly. Occupational Exposure Limits Material Type Value Form NuovoGold T150BS TWA 5 mg/m3 Inhalable fraction. Taly. Occupational Exposure Limits Material Type Value Form NuovoGold T150BS TWA 5 mg/m3 Inhalable fraction. Components Type Value Form NuovoGold T150BS TWA 5 mg/m3 Inhalable fraction. Components Type Value Form Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Latvia. Occupational exposure Limit values of chemical substances in work environment Components Type Value Form Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Latvia. OELs. Occupational exposure limit values of chemical substances in work environment Components Type Value Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Latvia. OELs. Limit Values for Chemical Substances, General Requirements Material Type Value Form NuovoGold T150BS STEL 3 mg/m3 Fume and mist.	Components	Туре	Value	Form
NaterialTypeValueFormNuovoGold T150BSCelling5 mg/m3Mist.ComponentsTypeValueResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Iceland. OELs. Regulation 154/1999 on occupational exposure limits MaterialTypeValueNuovoGold T150BSTWA1 mg/m3Mist.ComponentsTypeValueComponentsTypeValueFormNuovoGold T150BSTWA1 mg/m3Mist.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA1 mg/m3Mist.Peland. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Latvia. OELs. Occupational exposure limit values of chemical substances in work environment ComponentsTypeResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Latvia. OELs. Occupational exposure limit values of chemical substancesFormResidual oil	hydrotreated (CAS	TWA	5 mg/m3	Mist.
ComponentsTypeValueResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Iccland. OELs. Regulation 154/1999 on occupational exposure limits MaterialTypeValueFormNuovoGold T150BSTWA1 mg/m3Mist.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA1 mg/m3Mist.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA1 mg/m3Mist.Ireland. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.Italy, occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.Italy, occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.Latvia. OELs. Occupational exposure limit values of chemical substances in work environment ComponentsTypeValueResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.Latvia. OELs. Occupational exposure limit values of chemical substances in work environment ComponentsType				Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Iceland. OELs. Regulation 154/1999 on occupational exposure limits MaterialTypeValueFormNuovoGold T150BSTWA1 mg/m3Mist.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA1 mg/m3Mist.Ireland. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.Latvia. OELs. Occupational exposure limit values of chemical substances in work environment ComponentsTypeValueResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.MaterialTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3FormLatvia. OELs. Limit Values for Chemical Substances, General Requirements Materi	NuovoGold T150BS	Ceiling	5 mg/m3	Mist.
hydrotreated (CAS 64742-57-0) Tceland. OELs. Regulation 154/1999 on occupational exposure limits Material Type Value Form NuovoGold T150BS TWA 1 mg/m3 Mist. Components Type Value Form Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Treland. Occupational Exposure Limits Material Type Value Form NuovoGold T150BS TWA 5 mg/m3 Inhalable fraction. Italy. Occupational Exposure Limits Material Type Value Form NuovoGold T150BS TWA 5 mg/m3 Inhalable fraction. Italy. Occupational Exposure Limits Material Type Value Form NuovoGold T150BS TWA 5 mg/m3 Inhalable fraction. Components Type Value Form Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Latvia. OELs. Occupational exposure limit values of chemical substances in work environment Components Type Value Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Latvia. OELs. Limit Values for Chemical Substances, General Requirements Material Type Value Form NuovoGold T150BS STEL 3 mg/m3 Furme and mist.	Components	Туре	Value	
MaterialTypeValueFormNuovoGold T150BSTWA1 mg/m3Mist.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA1 mg/m3Mist.Ireland. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.Latvia. OELs. Occupational exposure limit values of chemical substances in work environment ComponentsTWA5 mg/m3Inhalable fraction.Residual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.Latvia. OELs. Limit Values for Chemical Substances, General Requirements MaterialFormFormNuovoGold T150BSSTEL3 mg/m3Fune and mist.	hydrotreated (CAS	TWA	5 mg/m3	
ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA1 mg/m3Mist.Image: Training the state of th	-	• •		Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA1 mg/m3Mist.Ireland. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.Latvia. OELs. Occupational exposure limit values of chemical substances in work environment ComponentsTwA5 mg/m3Residual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.Latvia. OELs. Occupational exposure limit values of chemical substances in work environment ComponentsTypeValueResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3FormLithuania. OELs. Limit Values for Chemical Substances, General Requirements MaterialTypeValueFormNuovoGold T150BSSTEL3 mg/m3Fume and mist.	NuovoGold T150BS	TWA	1 mg/m3	Mist.
hydrotreated (CAS 64742-57-0) Ireland. Occupational Exposure Limits Material Type Value Form NuovoGold T150BS TWA 5 mg/m3 Inhalable fraction. Italy. Occupational Exposure Limits Material Type Value Form NuovoGold T150BS TWA 5 mg/m3 Inhalable fraction. Components Type Value Form Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Latvia. OELs. Occupational exposure limit values of chemical substances in work environment Components Type Value Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Latvia. OELs. Occupational exposure limit values of chemical substances in work environment Components Type Value Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Latvia. OELs. Limit Values for Chemical Substances, General Requirements Material Type Value Form NuovoGold T150BS STEL 3 mg/m3 Fume and mist.	Components	Туре	Value	Form
MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.Latvia. OELs. Occupational exposure limit values of chemical substances in work environmentsTypeValueResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.Latvia. OELs. Occupational exposure limit values of chemical substances in work environmentsTypeValueResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3FormLithuania. OELs. Limit Values for Chemical Substances, General Requirements TypeValueFormNuovoGold T150BSSTEL3 mg/m3Fume and mist.	hydrotreated (CAS	TWA	1 mg/m3	Mist.
NuovoGold T150BSTWA5 mg/m3Inhalable fraction.Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.Latvia. OELs. Occupational exposure limit values of chemical substances in work environmentsTypeValueResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.Latvia. OELs. Occupational exposure limit values of chemical substances in work environment TypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3FormLithuania. OELs. Limit Values for Chemical Substances, General Requirements MaterialFormFormNuovoGold T150BSSTEL3 mg/m3Fume and mist.				_
Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.Latvia. OELs. Occupational exposure limit values of chemical substances in work environment TypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.Latvia. OELs. Occupational exposure limit values of chemical substances in work environment TypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3FormLithuania. OELs. Limit Values for Chemical Substances, General Requirements MaterialFormFormNuovoGold T150BSSTEL3 mg/m3Fume and mist.		Туре		Form
MaterialTypeValueFormNuovoGold T150BSTWA5 mg/m3Inhalable fraction.ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.Latvia. OELs. Occupational exposure limit values of chemical substances in work environmentsTypeValueResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.Latvia. OELs. Occupational exposure limit values of chemical substances in work environmentsValueValueResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3FormLithuania. OELs. Limit Values for Chemical Substances, General Requirements MaterialFormFormNuovoGold T150BSSTEL3 mg/m3Fume and mist.	NuovoGold T150BS	TWA	5 mg/m3	Inhalable fraction.
ComponentsTypeValueFormResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.Latvia. OELs. Occupational exposure limit values of chemical substancesin work environmentValueLatvia. OELs. Occupational exposure limit values of chemical substancesin work environmentValueResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3in halable fraction.Residual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3in halable fraction.Lithuania. OELs. Limit Values for Chemical Substances, General Requirements YalueFormFormNuovoGold T150BSSTEL3 mg/m3Fume and mist.			Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Inhalable fraction.Latvia. OELs. Occupational exposure limit values of chemical substances in work environment TypeValueResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Residual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Lithuania. OELs. Limit Values for Chemical Substances, General Requirements TypeFormMaterialTypeValueFormNuovoGold T150BSSTEL3 mg/m3Fume and mist.	NuovoGold T150BS	TWA	5 mg/m3	Inhalable fraction.
hydrotreated (CAS 64742-57-0) Latvia. OELs. Occupational exposure limit values of chemical substances in work environment Components Type Value Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Lithuania. OELs. Limit Values for Chemical Substances, General Requirements Material Type Value NuovoGold T150BS STEL 3 mg/m3 Fume and mist.	Components	Туре	Value	Form
ComponentsTypeValueResidual oils (petroleum), hydrotreated (CAS 64742-57-0)TWA5 mg/m3Lithuania. OELs. Limit Values for Chemical Substances, General Requirements TypeFormNuovoGold T150BSSTEL3 mg/m3Fume and mist.	hydrotreated (CAS	TWA	5 mg/m3	Inhalable fraction.
hydrotreated (CAS 64742-57-0)Lithuania. OELs. Limit Values for Chemical Substances, General Requirements MaterialFormMaterialTypeValueFormNuovoGold T150BSSTEL3 mg/m3Fume and mist.			-	onment
MaterialTypeValueFormNuovoGold T150BSSTEL3 mg/m3Fume and mist.	hydrotreated (CAS	TWA	5 mg/m3	
5.			-	Form
TWA 1 mg/m3 Fume and mist.	NuovoGold T150BS	STEL	3 ma/m3	Fume and mist.
		0.22		

Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 54742-57-0)	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Netherlands. OELs (binding) Material	Туре	Value	Form
NuovoGold T150BS	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 54742-57-0)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms for Material	Contaminants in the Wor Type	kplace Value	Form
luovoGold T150BS	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 54742-57-0)	TLV	1 mg/m3	Mist.
Poland. Ordinance of the Minister concentrations and intensities of I Material			
NuovoGold T150BS	TWA	5 mg/m3	Inhalable fraction.
Portugal. VLEs. Norm on occupatic Material	nal exposure to chemical Type	agents (NP 1796) Value	Form
NuovoGold T150BS	TWA	5 mg/m3	Inhalable fraction.
			_
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS	Type TWA	Value 5 mg/m3	Form Inhalable fraction.
Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Romania. OELs. Protection of worl	TWA	5 mg/m3	Inhalable fraction.
Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Romania. OELs. Protection of worl Material	TWA cers from exposure to che	5 mg/m3	Inhalable fraction.
Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Romania. OELs. Protection of worl Material	TWA cers from exposure to che Type	5 mg/m3 mical agents at the workpla Value	Inhalable fraction.
Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Romania. OELs. Protection of worl Material NuovoGold T150BS	TWA cers from exposure to che Type STEL	5 mg/m3 mical agents at the workpla Value 10 mg/m3	Inhalable fraction.
Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Romania. OELs. Protection of worl Material NuovoGold T150BS Components Residual oils (petroleum), hydrotreated (CAS	TWA ters from exposure to che Type STEL TWA	5 mg/m3 mical agents at the workpla Value 10 mg/m3 5 mg/m3	Inhalable fraction.
Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Romania. OELs. Protection of worl Material NuovoGold T150BS Components Residual oils (petroleum), hydrotreated (CAS	TWA cers from exposure to che Type STEL TWA Type	5 mg/m3 mical agents at the workpla Value 10 mg/m3 5 mg/m3 Value	Inhalable fraction.
Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Romania. OELs. Protection of worl Material NuovoGold T150BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30	TWA cers from exposure to che Type STEL TWA Type STEL TWA TWA	5 mg/m3 mical agents at the workpla Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3	Inhalable fraction.
Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Romania. OELs. Protection of worl Material NuovoGold T150BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 300 Material	TWA ters from exposure to che Type STEL TWA Type STEL TWA TWA D/2007 concerning protect	5 mg/m3 mical agents at the workpla Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3	Inhalable fraction.
Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Romania. OELs. Protection of work Material NuovoGold T150BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 300 Material	TWA cers from exposure to che Type STEL TWA Type STEL TWA D/2007 concerning protec Type	5 mg/m3 mical agents at the workpla Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with Value	Inhalable fraction.
Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Romania. OELs. Protection of worl Material NuovoGold T150BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 300 Material	TWA cers from exposure to che Type STEL TWA Type STEL TWA D/2007 concerning protec Type	5 mg/m3 mical agents at the workpla Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with Value 3 mg/m3	Inhalable fraction. Interview of the second
Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Romania. OELs. Protection of worl Material NuovoGold T150BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 300 Material	TWA sers from exposure to che Type STEL TWA Type STEL TWA O/2007 concerning protec Type STEL	5 mg/m3 mical agents at the workpla Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm	Inhalable fraction. Interview of the second
Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Romania. OELs. Protection of worl Material NuovoGold T150BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30 Material NuovoGold T150BS	TWA sers from exposure to che Type STEL TWA Type STEL TWA O/2007 concerning protec Type STEL	5 mg/m3 mical agents at the workpla Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with Value 3 mg/m3 15 ppm 1 mg/m3	Inhalable fraction.
Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Romania. OELs. Protection of worl Material NuovoGold T150BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material NuovoGold T150BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA TWA Sers from exposure to che Type STEL TWA Type STEL TWA D/2007 concerning protec Type STEL TWA Type TWA Type STEL TWA	5 mg/m3 mical agents at the workpla Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm	Inhalable fraction.
Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Romania. OELs. Protection of worl Material NuovoGold T150BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 30 Material NuovoGold T150BS Components Residual oils (petroleum), hydrotreated (CAS	TWA TWA Sers from exposure to che Type STEL TWA Type STEL TWA O/2007 concerning protec Type STEL TWA Type STEL TWA Type STEL TWA Type	5 mg/m3 mical agents at the workpla Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm Value	Inhalable fraction. Acce Chemical agents Form Fume and mist. Fume and mist.
Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Romania. OELs. Protection of worl Material NuovoGold T150BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material NuovoGold T150BS Components Residual oils (petroleum), hydrotreated (CAS	TWA TWA Sers from exposure to che Type STEL TWA Type STEL TWA O/2007 concerning protec Type STEL TWA Type STEL TWA Type STEL TWA Type	5 mg/m3 mical agents at the workpla Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm Value 3 mg/m3	Inhalable fraction. Ace Chemical agents Form Fume and mist. Fume and mist.

	Туре	Value	Form
NuovoGold T150BS	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Envi Material	ronment Authority (AV), Occu Type	upational Exposure Limit Values (A Value	NFS 2015:7) Form
NuovoGold T150BS	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL	3 mg/m3	Mist.
·	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenzy	werte am Arbeitsplatz		
Material	Туре	Value	Form
NuovoGold T150BS	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Inhalable fraction.
logical limit values	No biological exposure limits r	noted for the ingredient(s).	
commended monitoring	Not available.		
cedures	N		
rived no effect levels NELs)	Not available.		
dicted no effect centrations (PNECs)	Not available.		
osure guidelines			
Austria MAK: Skin designa	ation		
Residual oils (petroleum) (CAS 64742-57-0)		Can be absorbed through the skin.	
Belgium OELs: Skin desig	nation		
Belgium OELs: Skin desig Residual oils (petroleum (CAS 64742-57-0)		Can be absorbed through the skin.	
Residual oils (petroleum (CAS 64742-57-0) Croatia ELVs: Skin design), hydrotreated		
Residual oils (petroleum (CAS 64742-57-0) Croatia ELVs: Skin design Residual oils (petroleum), hydrotreated	Can be absorbed through the skin. Can be absorbed through the skin.	
Residual oils (petroleum (CAS 64742-57-0) Croatia ELVs: Skin design), hydrotreated Nation), hydrotreated		
Residual oils (petroleum (CAS 64742-57-0) Croatia ELVs: Skin design Residual oils (petroleum (CAS 64742-57-0)), hydrotreated nation), hydrotreated n designation		
Residual oils (petroleum (CAS 64742-57-0) Croatia ELVs: Skin design Residual oils (petroleum (CAS 64742-57-0) Czech Republic PELs: Skin Residual oils (petroleum (CAS 64742-57-0) Estonia OELs: Skin design), hydrotreated nation), hydrotreated n designation), hydrotreated	Can be absorbed through the skin. Can be absorbed through the skin.	
Residual oils (petroleum (CAS 64742-57-0) Croatia ELVs: Skin design Residual oils (petroleum (CAS 64742-57-0) Czech Republic PELs: Skir Residual oils (petroleum (CAS 64742-57-0) Estonia OELs: Skin design Residual oils (petroleum (CAS 64742-57-0)), hydrotreated nation), hydrotreated n designation), hydrotreated nation), hydrotreated	Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin.	
Residual oils (petroleum (CAS 64742-57-0) Croatia ELVs: Skin design Residual oils (petroleum (CAS 64742-57-0) Czech Republic PELs: Skin Residual oils (petroleum (CAS 64742-57-0) Estonia OELs: Skin design Residual oils (petroleum (CAS 64742-57-0) EU. OELs from Annex III,), hydrotreated ation), hydrotreated n designation), hydrotreated nation), hydrotreated Part A to Directive 2004/37/	Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin. EC: Skin designation	
Residual oils (petroleum (CAS 64742-57-0) Croatia ELVs: Skin design Residual oils (petroleum (CAS 64742-57-0) Czech Republic PELs: Skin Residual oils (petroleum (CAS 64742-57-0) Estonia OELs: Skin design Residual oils (petroleum (CAS 64742-57-0) EU. OELs from Annex III, Residual oils (petroleum), hydrotreated ation), hydrotreated n designation), hydrotreated nation), hydrotreated Part A to Directive 2004/37/	Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin.	
Residual oils (petroleum (CAS 64742-57-0) Croatia ELVs: Skin design Residual oils (petroleum (CAS 64742-57-0) Czech Republic PELs: Skin Residual oils (petroleum (CAS 64742-57-0) Estonia OELs: Skin design Residual oils (petroleum (CAS 64742-57-0) EU. OELs from Annex III,), hydrotreated ation), hydrotreated n designation), hydrotreated nation), hydrotreated Part A to Directive 2004/37/), hydrotreated	Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin. EC: Skin designation	
Residual oils (petroleum (CAS 64742-57-0) Croatia ELVs: Skin design Residual oils (petroleum (CAS 64742-57-0) Czech Republic PELs: Skin Residual oils (petroleum (CAS 64742-57-0) Estonia OELs: Skin design Residual oils (petroleum (CAS 64742-57-0) EU. OELs from Annex III, Residual oils (petroleum (CAS 64742-57-0) Iceland OELs: Skin design Residual oils (petroleum (CAS 64742-57-0)), hydrotreated ation), hydrotreated n designation), hydrotreated nation), hydrotreated Part A to Directive 2004/37/), hydrotreated nation), hydrotreated nation), hydrotreated	Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin. EC: Skin designation	
Residual oils (petroleum (CAS 64742-57-0) Croatia ELVs: Skin design Residual oils (petroleum (CAS 64742-57-0) Czech Republic PELs: Skin Residual oils (petroleum (CAS 64742-57-0) Estonia OELs: Skin design Residual oils (petroleum (CAS 64742-57-0) EU. OELs from Annex III, Residual oils (petroleum (CAS 64742-57-0) Iceland OELs: Skin design Residual oils (petroleum (CAS 64742-57-0) Iceland OELs: Skin design Residual oils (petroleum (CAS 64742-57-0) Ireland Exposure Limit Va), hydrotreated nation), hydrotreated n designation), hydrotreated nation), hydrotreated Part A to Directive 2004/37/1), hydrotreated nation), hydrotreated nation), hydrotreated nation), hydrotreated nation	Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin. EC: Skin designation Can be absorbed through the skin. Can be absorbed through the skin.	
Residual oils (petroleum (CAS 64742-57-0) Croatia ELVs: Skin design Residual oils (petroleum (CAS 64742-57-0) Czech Republic PELs: Skin Residual oils (petroleum (CAS 64742-57-0) Estonia OELs: Skin design Residual oils (petroleum (CAS 64742-57-0) EU. OELs from Annex III, Residual oils (petroleum (CAS 64742-57-0) Iceland OELs: Skin design Residual oils (petroleum (CAS 64742-57-0)), hydrotreated ation), hydrotreated n designation), hydrotreated nation), hydrotreated Part A to Directive 2004/37/1), hydrotreated nation), hydrotreated alues: Skin designation), hydrotreated	Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin. EC: Skin designation Can be absorbed through the skin.	

Material name: NuovoGold T150BS - Ergon Internation 7202 Version #: 01 Issue date: 22-June-2023

Nothorlands OELs (hinding). Skin decignation		
Netherlands OELs (binding): Skin designation			
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)		Can be absorbed through the skin.	
Slovakia OELs for Carcinog	ens and Mutagens: Skin des	ignation	
Residual oils (petroleum), (CAS 64742-57-0)	hydrotreated	Can be absorbed through the skin.	
Slovenia. CMR. Protection (amended)	of workers from exposure to	carcinogen and mutagen agents (ULRS 101/2005, as	
Residual oils (petroleum), (CAS 64742-57-0)	hydrotreated	Can be absorbed through the skin.	
Sweden Threshold Limit Va	alues: Skin designation		
Residual oils (petroleum), (CAS 64742-57-0)	hydrotreated	Can be absorbed through the skin.	
8.2. Exposure controls			
Appropriate engineering controls	Provide adequate ventilation, occupational exposure limit is	including appropriate local extraction, to ensure that the defined not exceeded.	
Individual protection measures	s, such as personal protectiv	re equipment	
General information	Not available.		
Eye/face protection	Goggles/face shield are recommended.		
Skin protection			
- Hand protection	Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves.		
- Other	Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.		
Respiratory protection	Under normal conditions, respirator is not normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.		
Thermal hazards	Not available.		
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.		
Environmental exposure controls	Not available.		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Form	Liquid.
Colour	Amber.
Odour	Mild Petroleum Odor
Melting point/freezing point	Not available.
Boiling point or initial boiling point and boiling range	Not available.
Flammability	Not available.
Flash point	284,0 °C (543,2 °F) Cleveland open cup ASTM D92
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
рН	Not available.
Kinematic viscosity	>= 38,1 mm²/s (37,8 °C (100,04 °F))
Solubility	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water) (log value)	Not established.
Vapour pressure	Not available.
Density and/or relative density	Not available.
Vapour density	Not available.
Particle characteristics	Not available.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.

9.2.2. Other safety characteristics

Heat of combustion (NFPA 30B)	31,5 kJ/g
Molecular formula	UVCB
Specific gravity	0,9036 @15,6°C/60°F
Surface tension	< 35 mN/m (25 °C (77 °F))
Viscosity	540 cSt

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.	
10.2. Chemical stability	Stable.	
10.3. Possibility of hazardous reactions	Hazardous polymerisation does not occur.	
10.4. Conditions to avoid	Heat, flames and sparks. Avoid temperatures exceeding the flash point.	
10.5. Incompatible materials	Strong oxidising agents.	
10.6. Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.	

SECTION 11: Toxicological information

General information Not available.

Information on likely routes of exposure

Inhalation	May be harmful if inhaled. However, this product does not currently meet the criteria for classification.	
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.	
Eye contact	May be irritating to eyes.	
Ingestion	May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration.	
Symptoms	Not available.	

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	Not classified.	
Skin corrosion/irritation	Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.	
Serious eye damage/eye irritation	Not classified.	
Respiratory sensitisation	Not classified.	
Skin sensitisation	Not classified.	
Germ cell mutagenicity	Non-mutagenic based on Modified Ames Assay.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Note L - Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.	
Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)		
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)		
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not available.	
Mixture versus substance information	Not available.	
11.2. Information on other hazards		
Endocrine disrupting properties	Not available.	
Other information	Not available.	
SECTION 12: Ecological information		

SECTION 12: Ecological information

12.1. Toxicity

Not expected to be harmful to aquatic organisms.

12.2. Persistence and degradability	Not inherently biodegradable.	
12.3. Bioaccumulative potential	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.	
Partition coefficient n-octanol/water (log Kow)	Not established.	
Bioconcentration factor (BCF)	Not available.	
12.4. Mobility in soil	Not available.	
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.	
12.6. Endocrine disrupting properties	Not available.	
12.7. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.
EU waste code	Not applicable. Waste codes should be assigned by the user based on the application for which the product was used.
Disposal methods/information	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA 14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in Not available.

bulk according to IMO

instruments

General information Not regulated as dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended					
Not listed.					
	Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA				
Not listed.					
Authorisations					
	2006, REACH Annex XIV Substances subject to authorization, as	amended			
Not listed.					
Restrictions on use					
amended	2006, REACH Annex XVII Substances subject to restriction on ma	arketing and use as			
	, hydrotreated (CAS 64742-57-0) the protection of workers from the risks related to exposure to ca nded.	arcinogens and			
Residual oils (petroleum)	, hydrotreated (CAS 64742-57-0)				
Other EU regulations					
Directive 2012/18/EU on	major accident hazards involving dangerous substances, as amen	ded			
Not listed.					
Other regulations	The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.				
National regulations	Germany: WGK 1				
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.				
International Inventories					
Country(s) or region	Inventory name	On inventory (yes/no)*			
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes			
Canada	Domestic Substances List (DSL)	Yes			
Canada	Non-Domestic Substances List (NDSL)	No			
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes			
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes			
Europe	European List of Notified Chemical Substances (ELINCS)	No			
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes			
Korea	Existing Chemicals List (ECL)	Yes			
New Zealand	New Zealand Inventory	Yes			
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes			
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes			
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes			
	ents of this product comply with the inventory requirements administered by the go components of the product are not listed or exempt from listing on the inventory ad				
SECTION 16: Other info	mation				
List of abbreviations	Not available.				
References	ACGIH IARC Monographs. Overall Evaluation of Carcinogenicity ACGIH Documentation of the Threshold Limit Values and Biological Exp Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics ILO Safety Cards International Labour Organization International Maritime Organization	osure Indices			

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

Not available.

Information on evaluation method leading to the

classification of mixture Full text of any statements, which are not written out in

None. full under sections 2 to 15

Revision information Training information Disclaimer Product and Company Identification: Alternate Trade Names Not available.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.