### SAFETY DATA SHEET



### 1. Identification

**Product identifier BH5114** Other means of identification None.

Not available. Recommended use **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

**Address** 2829 Lakeland Drive Jackson, MS 39232

**USA** 

After hours telephone

number

1-800-222-7122

**Normal work hours** 

telephone number

1-877-982-7667

Website www.ergonarmor.com E-mail sds@ergon.com

**Emergency 24-hour** telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation 8:00 a.m. to 5:00 p.m.

hours

## 2. Hazard(s) identification

**Physical hazards** Flammable liquids Category 3 **Health hazards** Skin corrosion/irritation Category 2 Germ cell mutagenicity Category 1 Carcinogenicity Category 1

Specific target organ toxicity, single exposure Category 3 narcotic effects

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 

Material name: BH5114



Signal word Danger

**Hazard statement** May cause genetic defects. May cause cancer. Flammable liquid and vapor. Causes skin irritation.

May cause drowsiness or dizziness.

**Precautionary statement** 

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

> and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting equipment. Take precautionary measures against static discharge. Use only non-sparking tools. Ground/bond container and receiving equipment. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective

gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention. Specific treatment see Section 4 of this Response

SDS. In case of fire: Use appropriate media for extinction. If skin irritation occurs, seek medical advice/attention. Take off contaminated clothing and wash before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower. IF ON SKIN: Wash with plenty of soap and water.

5031 Version #: 04 Revision date: 09-19-2018 Issue date: 08-25-2014

Storage Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

See section 13 of this SDS for disposal instructions.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	<u></u>
ASPHALT, OXIDIZED		64742-93-4	60 - 70
NAPHTHA (PETROLEUM), HYDROTREATED HEAVY		64742-48-9	30 - 40
BENZENE		71-43-2	<1

#### 4. First-aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. For breathing

> difficulties, oxygen may be necessary. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention, if

needed.

For hot product, immediately immerse in or flush the affected area with large amounts of cold Skin contact

water to dissipate heat. For minor skin contact, avoid spreading material on unaffected skin. Wash

off with soap and plenty of water. If skin irritation occurs: Get medical advice/attention.

Immediately flush eyes with plenty of water for at least 15 minutes. If a contact lens is present, DO Eye contact

NOT delay irrigation or attempt to remove the lens. Get medical attention if irritation develops and

persists.

Not available.

**Ingestion** Rinse mouth thoroughly. Call a POISON CENTER or doctor/physician. Do not induce vomiting

without advice from poison control center. If vomiting occurs, keep head low so that stomach

content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed

**Indication of immediate** medical attention and special

treatment needed

In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation.

Symptoms may be delayed.

**General information** IF exposed or concerned: Get medical advice/attention. In case of shortness of breath, give

oxygen. Keep victim warm. Keep victim under observation. Get medical attention if symptoms occur. Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Foam. Carbon dioxide (CO2). Water fog. Dry chemical powder.

Do not use water jet.

Specific hazards arising from

the chemical

Fire may produce irritating, corrosive and/or toxic gases.

**Special protective equipment** and precautions for

firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with

Fire fighting

equipment/instructions

face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.

In case of fire and/or explosion do not breathe fumes. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Move containers from fire area if you can do so without risk. Do not get water inside container. Some of these materials, if spilled, may evaporate leaving a flammable

**Specific methods** In the event of fire and/or explosion do not breathe fumes.

Material name: BH5114 SDS US

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for

containment and cleaning up

Keep unnecessary personnel away. Keep upwind. Keep out of low areas. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

Stop the flow of material, if this is without risk. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Never return spills in original containers for re-use.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not contaminate water. If this material is

spilled into navigable waters and creates a visible sheen, it is reportable to the National Response

Center.

### 7. Handling and storage

**Precautions for safe handling** Avoid heat, sparks, open flames and other ignition sources. Avoid breathing

dust/fume/gas/mist/vapors/spray. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Do not empty into drains. Hydrogen sulfide, a very highly toxic gas, may be present with this material. Keep face clear of tank and/or tank car openings.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container closed. Keep container dry. Keep away from food, drink and animal feedingstuffs. Keep out of reach of children. Use care in handling/storage.

### 8. Exposure controls/personal protection

#### Occupational exposure limits

**U.S. - NIOSH** 

Components **Type Value** ASPHALT, OXIDIZED (CAS **REL** 5 mg/m3 64742-93-4)

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection

**Hand protection** Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

Other It is a good industrial hygiene practice to minimize skin contact. Wear appropriate clothing to

prevent any possibility of liquid contact and repeated or prolonged vapor contact.

When workers are facing concentrations above the exposure limit they must use appropriate Respiratory protection

certified respirators.

Thermal hazards Not available.

**General hygiene** considerations

When using, do not eat, drink or smoke. Avoid contact with eyes. Avoid contact with skin. Wash hands before breaks and immediately after handling the product. Handle in accordance with good

industrial hygiene and safety practice.

### 9. Physical and chemical properties

**Appearance** Viscous liquid

**Physical state** Solid. **Form** Liquid.

Color Brown to. Black Odor Mild Petroleum Odor

**Odor threshold** Not available. рH Not available. Melting point/freezing point

Initial boiling point and

boiling range

300 °F (148.89 °C)

No Data

Material name: BH5114 SDS US

5031 Version #: 04 Revision date: 09-19-2018 Issue date: 08-25-2014

**Flash point** 105.0 °F (40.6 °C) Tag Closed Cup

**Evaporation rate** 70

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit -

riaiiiiiabiiity iiii

Not available.

Not available.

upper (%)

**Explosive limit - lower** 

er

(%)

\_ .

**Explosive limit - upper** 

Not available.

(%)

**Vapor pressure** < 50 psi **Vapor density** > 4.5

**Relative density** Not available.

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNo DataDecomposition temperatureNot available.ViscosityNot available.

Other information

**VOC** < 350 g/l

## 10. Stability and reactivity

**Reactivity** Not Reactive

**Chemical stability** Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

**Conditions to avoid** Heat, flames and sparks. **Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** 

products

Irritants. Carbon oxides. Sulphur oxides.

### 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea

Skin contactCauses skin irritation.Eye contactMay be irritating to eyes.IngestionMay be harmful if swallowed.

Symptoms related to the Not available.

physical, chemical and toxicological characteristics

# Information on toxicological effects

**Acute toxicity** Not classified.

**Skin corrosion/irritation** Causes skin irritation. **Serious eye damage/eye** May irritate eyes.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** Causes skin irritation. **Germ cell mutagenicity** May cause genetic defects.

Material name: BH5114 SDS US

Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Not classified.

Specific target organ toxicity

May cause drowsiness and dizziness.

- single exposure

Specific target organ toxicity

Not available.

- repeated exposure

**Aspiration hazard** Not classified.

**Chronic effects** Prolonged exposure may cause chronic effects.

12. Ecological information

**Ecotoxicity** Not expected to be harmful to aquatic organisms.

Persistence and degradability Not available. **Bioaccumulative potential** Not available. Mobility in soil Not available. Other adverse effects Not available.

13. Disposal considerations

**Disposal instructions** Dispose of contents/container in accordance with local/regional/national/international regulations.

If discarded, this product is considered a RCRA ignitable waste, D001.

Hazardous waste code D001: Waste Flammable material with a flash point <140 F

Waste from residues /

unused products

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

DOT

**UN** number UN1999 **UN proper shipping name** Tars, liquid

Transport hazard class(es)

Combustible Liquid

**Subsidiary risk** 3 Label(s) III**Packing group** 

Special precautions for If shipped by ground in quantities LESS than 119 gallons (450 L): Not regulated as a hazardous

user material.

Special provisions B1, B52, IB3, T4, TP1, TP29

**Packaging exceptions** 150 Packaging non bulk 203 Packaging bulk 242

**IATA** 

UN1999 **UN number UN proper shipping name** Tars, liquid

Transport hazard class(es)

Class 3 **Subsidiary risk** IIIPacking group **Environmental hazards** No. **ERG Code** 31

Special precautions for

Not available.

user

Material name: BH5114 SDS US Other information

Passenger and cargo Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

**IMDG** 

**UN number** UN1999 **UN** proper shipping name Tars, liquid

Transport hazard class(es) Class 3 **Subsidiary risk** Packing group TTT **Environmental hazards** 

Marine pollutant No. F-E, <u>S-E</u> **EmS** Special precautions for Not available.

user

Transport in bulk according to Not available. Annex II of MARPOL 73/78

and the IBC Code

IATA; IMDG



## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard

29 CFR 1910.1200.

CERCLA/SARA Hazardous Substances - Not applicable.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

**SARA 304 Emergency release notification** 

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**SARA 302 Extremely hazardous substance** 

Not listed.

**SARA 311/312** Yes

Hazardous chemical

**Classified hazard** Flammable (gases, aerosols, liquids, or solids)

Skin corrosion or irritation categories Germ cell mutagenicity

Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Material name: BH5114 SDS US

#### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** 

Not regulated.

(SDWA)

**US state regulations** WARNING: This product contains a chemical known to the State of California to cause cancer.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

08-25-2014 **Issue date Revision date** 09-19-2018

Version # 04 NFPA ratings

Health: 2 Flammability: 2 Instability: 0

ACGIH References

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge

> information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety

Material name: BH5114 SDS US

5031 Version #: 04 Revision date: 09-19-2018 Issue date: 08-25-2014

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).