# **SAFETY DATA SHEET**



## 1. Identification

Product identifier BH5713 Component 1

Other means of identification None.

**Recommended use**Not available.
Recommended restrictions
None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

Address 2829 Lakeland Drive

Jackson, MS 39232

USA

After hours telephone

number

1-800-222-7122

Normal work hours

telephone number

1-877-982-7667

Website www.ergonarmor.com
E-mail sds@ergon.com

**Emergency 24-hour** 

CUENTREC: No.

8:00 a.m. to 5:00 p.m.

telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation

hours

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

**Label elements** 

Hazard symbol None.

Signal word Not applicable.

Hazard statement Not applicable.

**Precautionary statement** 

PreventionNot applicable.ResponseNot applicable.StorageNot applicable.DisposalNot applicable.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** None.

# 3. Composition/information on ingredients

## **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
QUARTZ		14808-60-7	< 1
Other components below reportable levels			99.9

Material name: BH5713 Component 1 sps us

#### 4. First-aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

> artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device. Get medical attention if symptoms occur.

Wash off with soap and plenty of water. For minor skin contact, avoid spreading material on Skin contact

unaffected skin. If skin irritation occurs: Get medical advice/attention.

**Eve contact** Immediately flush eyes with plenty of water for at least 15 minutes. If a contact lens is present, DO

NOT delay irrigation or attempt to remove the lens. Remove contact lenses, if present and easy to

do. Continue rinsing. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth thoroughly. Do not induce vomiting without advice from poison control center. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Aspiration may cause pulmonary edema and pneumonitis. If ingestion of a large amount does

occur, call a poison control center immediately.

Not available.

Most important symptoms/effects, acute and

delayed

**Indication of immediate** medical attention and special treatment needed

In case of shortness of breath, give oxygen. Symptoms may be delayed.

Foam. Dry powder. Carbon dioxide (CO2). Extinguish with water fog.

Do not use water jet as an extinguisher, as this will spread the fire.

**General information** IF exposed or concerned: Get medical advice/attention. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

**Special protective equipment** and precautions for

equipment/instructions

firefighters Fire fighting Fire may produce irritating, corrosive and/or toxic gases.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.

In case of fire and/or explosion do not breathe fumes. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Move containers from fire area if you can do so without risk. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Some of these materials, if spilled, may evaporate leaving a flammable residue. Water runoff can cause environmental damage.

**Specific methods** In the event of fire, cool tanks with water spray. Self-contained breathing apparatus and full

protective clothing must be worn in case of fire.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Remove sources of ignition. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

Dike far ahead of spill for later disposal. Cover with DRY earth, DRY sand, or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain. Collect spillage. Prevent product from entering drains.

Never return spills in original containers for re-use.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. Handling and storage Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapors/spray. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. When using, do not eat, drink or smoke. Wash thoroughly after handling. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

The pressure in sealed containers can increase under the influence of heat. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a well-ventilated place. Keep container tightly closed. Use care in handling/storage.

Material name: BH5713 Component 1

# 8. Exposure controls/personal protection

Occupational exposure limits This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

**Appropriate engineering** Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

controls occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical goggles are recommended.

Skin protection

**Hand protection** Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

Other Wear appropriate chemical resistant clothing. Chemical resistant gloves.

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Thermal hazards Not available.

**General hygiene** considerations

When using do not smoke. When using, do not eat, drink or smoke. Avoid contact with eyes. Avoid contact with skin. Wash hands before breaks and immediately after handling the product. Handle in

accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

**Appearance** Gray, opaque, paste

**Physical state** Solid. **Form** Paste. Color Gray Odor Slight Odor **Odor threshold** Not available. Not available.

Initial boiling point and

Melting point/freezing point

boiling range

212 °F (100 °C) estimated

Flash point 275.0 °F (135.0 °C) estimated

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Not available.

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Not available. Vapor pressure Not available. Vapor density Relative density Not available.

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

**Auto-ignition temperature** 400 °F (204.44 °C) estimated

**Decomposition temperature** Not available. Not available. **Viscosity** 

Other information

**Density** 10.92 lb/gal

# 10. Stability and reactivity

**Reactivity** Not Reactive

**Chemical stability** Stable under normal temperature conditions. **Possibility of hazardous** Hazardous polymerization does not occur.

reactions

Conditions to avoidHeat, flames and sparks.Incompatible materialsStrong oxidizing agents.Hazardous decompositionIrritants. Toxic gas.

products

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation Not classified.

Skin contact Not classified.

Eye contact Not classified.

Ingestion Not classified.

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

## Information on toxicological effects

**Acute toxicity** Not classified.

**Skin corrosion/irritation** May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

Not classified. May be irritating to eyes.

### Respiratory or skin sensitization

**Respiratory sensitization** Not available. **Skin sensitization** Irritating to skin.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product contains crystalline silica. Silica is a known carcinogen; however in this encapsulated

form the normal routes of exposure are unavailable.

### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

### US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

Specific target organ toxicity

- single exposure

Not available.

Specific target organ toxicity

- repeated exposure

Not classified.

**Aspiration hazard** Not classified.

**Chronic effects**Not expected to be hazardous by OSHA criteria.

**Further information** Symptoms may be delayed.

# 12. Ecological information

**Ecotoxicity** Components of this product are hazardous to aquatic life. Accumulation in aquatic organisms is

expected. Not expected to be harmful to aquatic organisms.

Persistence and degradability Not available.

Bioaccumulative potential Not available.

Material name: BH5713 Component 1 SDS US

Mobility in soilNot available.Other adverse effectsNot available.

# 13. Disposal considerations

**Disposal instructions**Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Dispose of this

material and its container to hazardous or special waste collection point. Dispose of

contents/container in accordance with local/regional/national/international regulations. Dispose in

accordance with all applicable regulations.

Waste from residues /

unused products

Dispose of in accordance with local regulations.

**Contaminated packaging** Offer rinsed packaging material to local recycling facilities.

# 14. Transport information

## **DOT**

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

**Further information** If shipped by ground in quantities LESS than 119 gallons (450 L): Not regulated as a hazardous

material. If shipped by vessel in individual containers that are less than 7.9 gallons (30 L) each,

then IMDG 2.3.2.5 exception applies: Not regulated as a hazardous material.

# 15. Regulatory information

**US federal regulations** CERCLA/SARA Hazardous Substances - Not applicable.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

### SARA 302 Extremely hazardous substance

Not listed.

#### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

# Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

# Safe Drinking Water Act

(SDWA)

Not regulated.

**US state regulations** WARNING: This product contains a chemical known to the State of California to cause cancer.

### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Material name: BH5713 Component 1
5946 Version #: 02 Revision date: 10-18-2018 Issue date: 05-06-2015

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

 Issue date
 05-06-2015

 Revision date
 10-18-2018

Version # 02

United States & Puerto Rico

**Further information** HMIS® is a registered trade and service mark of the NPCA.

NFPA ratings Health: 1

Flammability: 1 Instability: 0

**References** ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

**Disclaimer**The information provided in this Safety Data Sheet is correct to the best of our knowledge

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information**This document has undergone significant changes and should be reviewed in its entirety

Material name: BH5713 Component 1 SDS US

Yes