

# SAFETY DATA SHEET

### 1. Identification

Product identifier	BH5300
Other means of identification	None.
Recommended use	Not available.
<b>Recommended restrictions</b>	None known.
Manufacturer/Importer/Suppl	ier/Distributor information
Company Name	ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.
Address	2829 Lakeland Drive
	Jackson, MS 39232
	USA
After hours telephone number	1-800-222-7122
Normal work hours telephone number	1-877-982-7667
Website	www.ergonarmor.com
E-mail	sds@ergon.com
Emergency 24-hour telephone number	CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887
Information on operation hours	8:00 a.m. to 5:00 p.m.

### 2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 3
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2B
	Germ cell mutagenicity	Category 1
	Carcinogenicity	Category 1
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
	$\land \land \land$	



Signal word Hazard statement

Flammable liquid and vapor. Causes eye irritation. Causes skin irritation. May cause genetic defects. May cause cancer. May cause drowsiness or dizziness.

#### Precautionary statement Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting equipment. Take precautionary measures against static discharge. Use only non-sparking tools. Wear protective gloves/eye protection/face protection. Ground/bond container and receiving equipment. Wash thoroughly after handling. Avoid breathing mist/vapors/spray. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Danger

Response	Specific treatment see Section 4 of this SDS. In case of fire: Use appropriate media for extinction. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. If skin irritation occurs, seek medical advice/attention. Take off contaminated clothing and wash before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
Storage	Store in a well-ventilated place. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations. See section 13 of this SDS for disposal instructions.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

## 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ASPHALT		8052-42-4	30 - 50
NAPHTHA (PETROLEUM), HYDROTREATED HEAVY		64742-48-9	20 - 40
BENZENE		71-43-2	< 1
QUARTZ		14808-60-7	< 1
Other components below reportat	le levels		34.34

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention, if needed.
Skin contact	For hot product, immediately immerse in or flush the affected area with large amounts of cold water to dissipate heat. For minor skin contact, avoid spreading material on unaffected skin. Wash off with soap and plenty of water. If skin irritation occurs: Get medical advice/attention.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. If a contact lens is present, DO NOT delay irrigation or attempt to remove the lens. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth thoroughly. Call a POISON CENTER or doctor/physician. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Not available.
Indication of immediate medical attention and special treatment needed	In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Get medical attention if symptoms occur. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media	Foam. Carbon dioxide (CO2). Water fog. Dry chemical powder.
Unsuitable extinguishing media	Do not use water jet.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Move containers from fire area if you can do so without risk. Do not get water inside container. Some of these materials, if spilled, may evaporate leaving a flammable residue.
Specific methods	In the event of fire and/or explosion do not breathe fumes.
6. Accidental release me	asures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep upwind. Keep out of low areas. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Never return spills in original containers for re-use.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not contaminate water. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

# 7. Handling and storage

Precautions for safe handling	Avoid heat, sparks, open flames and other ignition sources. Avoid breathing dust/fume/gas/mist/vapors/spray. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Do not empty into drains. Hydrogen sulfide, a very highly toxic gas, may be present with this material. Keep face clear of tank and/or tank car openings.
Conditions for safe storage, including any incompatibilities	Store in a well-ventilated place. Keep container closed. Keep container dry. Keep away from food, drink and animal feedingstuffs. Keep out of reach of children. Use care in handling/storage.

### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Components	Туре	Value	
BENZENE (CAS 71-43-2)	STEL	5 ppm	
	TWA	1 ppm	
US. OSHA Table Z-1 Limits for Ai	ir Contaminants (29 CFR 191	L <b>0.1000)</b>	
Components	Туре	Value	Form
QUARTZ (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
US. OSHA Table Z-2 (29 CFR 191	L <b>0.1000)</b>		
Components	Туре	Value	
BENZENE (CAS 71-43-2)	Ceiling	25 ppm	
	TWA	10 ppm	
US. OSHA Table Z-3 (29 CFR 191	10.1000)		
Components	Туре	Value	Form
QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limit Value	es		
Components	Туре	Value	Form
ASPHALT (CAS 8052-42-4)	TWA	0.5 mg/m3	Inhalable fume.
BENZENE (CAS 71-43-2)	STEL	2.5 ppm	
	TWA	0.5 ppm	
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

US. NIOSH: Pocket Guid Components	e to chemical h	Туре		,	Value	Form
ASPHALT (CAS 8052-42-4)		Ceilin	g		5 mg/m3	Fume.
BENZENE (CAS 71-43-2)		STEL			1 ppm	
		TWA			0.1 ppm	
QUARTZ (CAS 14808-60-7)		TWA			0.05 mg/m3	Respirable dust.
Biological limit values						
ACGIH Biological Exposu Components	ıre Indices Value		Determinant	Specimen	Samplii	ng Time
BENZENE (CAS 71-43-2)	25 µg/g		S-Phenylmerca pturic acid	Creatinine urine	in <sup>,</sup>	*
* - For sampling details, ple	ase see the sourc	e docu	iment.			
Exposure guidelines						
US - California OELs: Ski	n designation					
BENZENE (CAS 71-43-2				absorbed thr	ough the skin	1.
US ACGIH Threshold Lim		desig				
BENZENE (CAS 71-43-2	2)		Can be	absorbed thr	ough the skin	1.
Appropriate engineering controls			entilation, including Ire limit is not exce		ocal extractio	n, to ensure that the defined
Individual protection measu	res, such as pei	rsonal	protective equip	ment		
Eye/face protection	Wear safety g	glasses	; chemical goggles	(if splashing	is possible).	
Skin protection						
Hand protection	Chemical resi gloves.	stant g	loves are recomme	ended. If cont	act with forea	arms is likely wear gauntlet style
Other			al hygiene practice ity of liquid contact			Near appropriate clothing to dvapor contact.
Respiratory protection	When worker certified respi			is above the e	exposure limit	they must use appropriate
Thermal hazards	Not available.					
General hygiene considerations	hands before	breaks				Avoid contact with skin. Wash Handle in accordance with good

# 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	212 °F (100 °C)
Flash point	100.0 - 120.0 °F (37.8 - 48.9 °C) Cleveland Open Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.

Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	> 1 estimated
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

### 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Irritants. Carbon oxides. Sulphur oxides.

## **11.** Toxicological information

#### Information on likely routes of exposure

Inhalation	Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea			
Skin contact	Causes skin irritation.			
Eye contact	Causes eye irritation.			
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.			
Symptoms related to the physical, chemical and toxicological characteristics	Not available.			
Information on toxicological				

#### Information on toxicological effects

Acute toxicity	Not classified.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye	Causes eye irritation.
irritation	

#### **Respiratory or skin sensitization**

Respiratory sensitization	Not available.
Skin sensitization	Not a skin sensitizer.
Germ cell mutagenicity	May cause genetic defects.
Carcinogenicity	This product contains crystalline silica. Silica is a known carcinogen; however in this encapsulatec form the normal routes of exposure are unavailable.

### IARC Monographs. Overall Evaluation of Carcinogenicity

ASPHALT (CAS 8052-42-4)	2B Possibly carcinogenic to humans.		
BENZENE (CAS 71-43-2)	1 Carcinogenic to humans.		
QUARTZ (CAS 14808-60-7)	1 Carcinogenic to humans.		
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)			
BENZENE (CAS 71-43-2)	Cancer		
QUARTZ (CAS 14808-60-7)	Cancer		

US. National Toxicology Pr	ogram (NTP) Report on Carcinogens		
BENZENE (CAS 71-43-2)	Known To Be Human Carcinogen.		
QUARTZ (CAS 14808-60-7	7) Known To Be Human Carcinogen.		
Reproductive toxicity	Not classified.		
Specific target organ toxicity - single exposure	Central nervous system.		
Specific target organ toxicity - repeated exposure	May cause damage to organs through prolonged or repeated exposure by inhalation.		
Aspiration hazard	Not classified.		
Chronic effects	Prolonged exposure may cause chronic effects.		

## **12. Ecological information**

Ecotoxicity

Components of this product are hazardous to aquatic life. Accumulation in aquatic organisms is expected. Not expected to be harmful to aquatic organisms.

Product		Species	Test Results
BH5300			
Aquatic			
Crustacea	EC50	Daphnia	10888.3594 mg/l, 48 hours estimated
Fish	LC50	Fish	45166.0742 mg/l, 96 hours estimated
Components	Components Species Test Results		Test Results
BENZENE (CAS 71-43-2)	)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	8.76 - 15.6 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	7.2 - 11.7 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

<ul> <li>Estimates for product may b</li> </ul>	e based on additional component data not snown.		
Persistence and degradability	Not available.		
<b>Bioaccumulative potential</b>	Not available.		
Partition coefficient n-octa BENZENE	anol / water (log Kow) 2.13		
Mobility in soil	Not available.		
Other adverse effects	Not available.		
13. Disposal consideration	ons		
Disposal instructions	Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Dispose of this material and its container to hazardous or special waste collection point. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose in accordance with all applicable regulations.		
Hazardous waste code	D001: Waste Flammable material with a flash point <140 F		
Waste from residues / unused products	Dispose of in accordance with local regulations.		

### 14. Transport information

DOT	
UN number	UN1999
UN proper shipping name	Tars, liquid
Transport hazard class(es)	
Class	Combustible Liquid
Subsidiary risk	-
Label(s)	3
Packing group	III
Environmental hazards	
Marine pollutant	No

Special precautions for	If shipped by ground in quantities LESS than 119 gallons (450 L): Not regulated as a hazardous			
user Special provisions	material.			
Special provisions	B1, B13, IB3, T1, TP3			
Packaging exceptions Packaging non bulk	150			
Packaging hon bulk	203 242			
IATA	272			
UN number	UN1993			
UN proper shipping name	Flammable liquid, n.o.s. (ASPHALT)			
Transport hazard class(es)				
Class	3			
Subsidiary risk	-			
Packing group	III			
Environmental hazards	Yes			
ERG Code	3L			
Special precautions for	Not available.			
user				
Other information				
Passenger and cargo	Allowed with restrictions.			
aircraft				
Cargo aircraft only	Allowed with restrictions.			
IMDG				
UN number	UN1993			
UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (ASPHALT), MARINE POLLUTANT			
Transport hazard class(es)				
Class	3			
Subsidiary risk	-			
Packing group	III			
<b>Environmental hazards</b>				
Marine pollutant	Yes			
EmS	F-E, <u>S-E</u>			
Special precautions for	Not available.			
user				
Transport in bulk according to	Not available.			
Annex II of MARPOL 73/78				
and the IBC Code				
IATA; IMDG				



**Marine pollutant** 



**Further information** 

If shipped by ground in quantities LESS than 119 gallons (450 L): Not regulated as a hazardous material.

# 15. Regulatory information

15. Regulatory informati				
US federal regulations	29 CFR 1910.1200.	azardous Chemical" as de rdous Substances - Not a	efined by the OSHA Hazard Com	mmunication Standard
TSCA Section 12(b) Export	Notification (40 Cl	FR 707, Subpt. D)		
Not regulated.	<b>、</b>	,,		
CERCLA Hazardous Substa	nce List (40 CFR 30	)2,4)		
ASPHALT (CAS 8052-42-4	-	Listed.		
BENZENE (CAS 71-43-2)	)	Listed.		
SARA 304 Emergency rele	ase notification			
Not regulated.				
<b>OSHA Specifically Regulat</b>	ed Substances (29 (	CFR 1910.1001-1052)	1	
BENZENE (CAS 71-43-2)		Cancer		
QUARTZ (CAS 14808-60-	7)	Cancer		
BENZENE (CAS 71-43-2)		Central nervo	ous system	
QUARTZ (CAS 14808-60-	7)	lung effects		
BENZENE (CAS 71-43-2)		Blood		
QUARTZ (CAS 14808-60-	7)	immune syst	em effects	
BENZENE (CAS 71-43-2)	7)	Aspiration		
QUARTZ (CAS 14808-60- BENZENE (CAS 71-43-2)	/)	kidney effect Skin	5	
$DENZENE(CAS/1^{-+}S^{-}Z)$		Eye		
		respiratory tr	act irritation	
		Flammability		
Superfund Amendments and R	eauthorization Act	of 1986 (SARA)		
SARA 302 Extremely haza				
Not listed.				
Classified hazard categories	Flammable (gases, aerosols, liquids, or solids) Skin corrosion or irritation			
	Serious eye damage Specific target orgar Aspiration hazard	e or eye irritation n toxicity (single or repea	ated exposure)	
SARA 313 (TRI reporting) Chemical name		CAS number	% by wt.	
BENZENE		71-43-2	< 1	
Other federal regulations				
Clean Air Act (CAA) Sectio BENZENE (CAS 71-43-2)	n 112 Hazardous Ai	r Pollutants (HAPs) Li	st	
Clean Air Act (CAA) Sectio	n 112(r) Accidental	Release Prevention (	40 CFR 68.130)	
Not regulated.		· ·		
Safe Drinking Water Act (SDWA)	Not regulated.			
US state regulations	WARNING: This pro	duct contains a chemical	known to the State of Californ	ia to cause cancer.
California Proposition 65	·····			
California Proposition	65 - CPT: Listed day	to/Corcinogonic cubd		
-				
•	BENZENE (CAS 71-43-2)         Listed: February 27, 1987           QUARTZ (CAS 14808-60-7)         Listed: October 1, 1988			
California Proposition				
BENZENE (CAS 71-43		-	mber 26, 1997	
California Proposition	2		-	
BENZENE (CAS 71-43		•	nber 26, 1997	
			icts Regulations (Cal. Code	Regs, tit. 22,
BENZENE (CAS 71-43	3-2)			
	UM), HYDROTREATED	) HEAVY (CAS 64742-48-	9)	
-				

#### **International Inventories**

Inventory name	On inventory (yes/no)*
Australian Inventory of Chemical Substances (AICS)	Yes
Domestic Substances List (DSL)	Yes
Non-Domestic Substances List (NDSL)	Yes
Inventory of Existing Chemical Substances in China (IECSC)	Yes
European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
European List of Notified Chemical Substances (ELINCS)	No
Inventory of Existing and New Chemical Substances (ENCS)	Yes
Existing Chemicals List (ECL)	Yes
New Zealand Inventory	Yes
Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan Chemical Substance Inventory (TCSI)	Yes
Toxic Substances Control Act (TSCA) Inventory	Yes
	Australian Inventory of Chemical Substances (AICS) Domestic Substances List (DSL) Non-Domestic Substances List (NDSL) Inventory of Existing Chemical Substances in China (IECSC) European Inventory of Existing Commercial Chemical Substances (EINECS) European List of Notified Chemical Substances (ELINCS) Inventory of Existing and New Chemical Substances (ENCS) Existing Chemicals List (ECL) New Zealand Inventory Philippine Inventory of Chemicals and Chemical Substances (PICCS) Taiwan Chemical Substance Inventory (TCSI)

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date Revision date Version # Further information NFPA ratings	01-27-2016 08-07-2019 02 HMIS® is a registered trade and service mark of the NPCA. Health: 2 Flammability: 3 Instability: 0
References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Hazard(s) identification: Response Hazard(s) identification: Prevention Hazard(s) identification: Hazard statement Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties Toxicological information: Carcinogenicity Toxicological information: Mutagenicity Toxicological information: Mutagenicity Toxicological information: Skin contact Toxicological information: Eye contact Transport Information: Material Transportation Information HazReg Data: International Inventories GHS: Classification