# **SAFETY DATA SHEET**



### 1. Identification

Product identifier	R-17-A-73 Asphalt Coating/Primer	
Other means of identification	None.	
Recommended use	Not available.	
<b>Recommended restrictions</b>	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Company Name	ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.	
Address	2829 Lakeland Drive	
	Jackson, MS 39232	
	USA	
After hours telephone number	1-800-222-7122	
Normal work hours telephone number	1-877-982-7667	
Website	www.ergonarmor.com	
E-mail	sds@ergon.com	
Emergency 24-hour telephone number	CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887	
Information on operation hours	8:00 a.m. to 5:00 p.m.	

### 2. Hazard(s) identification

Physical hazards	Flammable aerosols	Category 1
Health hazards	Skin corrosion/irritation	Category 2
	Germ cell mutagenicity	Category 1B
	Carcinogenicity	Category 1B
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
	Aspiration hazard	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
	$\land \land \land$	

Signal word	Danger
Hazard statement	May cause cancer. May be fatal if swallowed and enters airways. Extremely flammable aerosol. Causes skin irritation. May cause drowsiness or dizziness. May cause genetic defects.
Precautionary statement	
Prevention	Wash thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Pressurized container: Do not pierce or burn, even after use. Wear protective gloves/protective clothing/eye protection/face protection. Do not spray on an

Wear protective gloves/protective clothing/eye protection/face protection. Do not spray on an open flame or other ignition source. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Response	IF ON SKIN: Wash with plenty of soap and water. Specific treatment see Section 4 of this SDS. Take off contaminated clothing and wash before reuse. If skin irritation occurs, seek medica advice/attention. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell. IF exposed or concerned: Get medical advice/attention.
Storage	Store locked up. Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Not applicable.

## 3. Composition/information on ingredients

Mixtures

firefighters

Chemical name	Common name and synonyms	CAS number	%
ASPHALT, OXIDIZED		64742-93-4	35 - 45
SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPH.		64742-89-8	30 - < 40
DIMETHYL ETHER		115-10-6	20 - 30

#### 4. First-aid measures

Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. For breathing difficulties, oxygen may be necessary. Get medical attention, if needed. Call a physician if symptoms develop or persist.	
Skin contact	Take off immediately all contaminated clothing. Wash off immediately with plenty of water. Wash off with soap and water. Rinse skin with water/shower. Get medical attention if irritation develops and persists. For minor skin contact, avoid spreading material on unaffected skin. Take off contaminated clothing and wash before reuse.	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Rinse with water. If a contact lens is present, DO NOT delay irrigation or attempt to remove the lens. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately. Get medical attention if irritation develops and persists.	
Ingestion	Rinse mouth. Rinse mouth thoroughly. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention if symptoms occur. If ingestion of a large amount does occur, call a poison control center immediately.	
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.	
General information	In case of shortness of breath, give oxygen. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention. Get medical attention if symptoms occur. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Keep victim under observation. Keep victim warm.	
5. Fire-fighting measures		
Suitable extinguishing media	Foam. Dry powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Water. Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	

Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
6. Accidental release mea	asures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
Conditions for safe storage,	Store in original tightly closed container. Refrigeration recommended.

including any incompatibilities

### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

Components	s for Air Contaminants (29 CFR 1910.100 Type	Value
SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPH. (CAS 64742-89-8)	PEL	400 mg/m3
		100 ppm
U.S NIOSH		
Components	Туре	Value
ASPHALT, OXIDIZED (CAS 64742-93-4)	REL	5 mg/m3
US. NIOSH: Pocket Guide	to Chemical Hazards	
Components	Туре	Value
SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPH. (CAS 64742-89-8)	TWA	400 mg/m3
		100 ppm
US. Workplace Environme	ental Exposure Level (WEEL) Guides	
Components	Туре	Value
DIMETHYL ETHER (CAS 115-10-6)	TWA	1880 mg/m3
		1000 ppm
ogical limit values	No biological exposure limits noted for the ingredient(s).	
propriate engineering trols	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.	
ividual protection measure	es, such as personal protective equipmen	t

Skin protection Hand protection	Wear protective gloves.
Other	Wear appropriate chemical resistant clothing.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-222.7 °F (-141.5 °C) estimated
Initial boiling point and boiling range	-12.68 °F (-24.82 °C) estimated
Flash point	-42.0 °F (-41.1 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or ex	xplosive limits
Flammability limit - lower (%)	3.4 % estimated
Flammability limit - upper (%)	27 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	550 °F (287.78 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Specific gravity	0.68 estimated
VOC	< 500 g/l

## 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.

### **11.** Toxicological information

#### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and	Direct contact with eyes may cause temporary irritation.

#### toxicological characteristics

#### Information on toxicological effects

#### Acute toxicity

•		
Components	Species	Test Results
DIMETHYL ETHER (CAS 115-10-6)		
Acute		
Inhalation		
LC50	Rat	164000 ppm, 4 Hours
SOLVENT NAPHTHA (PETROLEUM	), LIGHT ALIPH. (CAS 64742-89-8)	
Acute		
Inhalation		
LC50	Rat	61 mg/l, 4 Hours
* Estimates for product may l	be based on additional component data	not shown.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause te	emporary irritation.
Respiratory or skin sensitizati	on	
<b>Respiratory sensitization</b>	Not available.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	May cause genetic defects.	
Carcinogenicity	May cause cancer.	
IARC Monographs. Overal	Evaluation of Carcinogenicity	
ASPHALT, OXIDIZED (CA OSHA Specifically Regulat	S 64742-93-4) 2A Pro ed Substances (29 CFR 1910.1001-	bbably carcinogenic to humans. 1052)
Not regulated.		
	rogram (NTP) Report on Carcinoge	ns
Not listed.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects	
Specific target organ toxicity - single exposure	May cause drowsiness or dizziness.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not available.	
Chronic effects	Prolonged inhalation may be harmful.	Prolonged exposure may cause chronic effects
12. Ecological information	on	
Ecotoxicity		nmentally hazardous. However, this does not exclude the

Product		Species	Test Results
R-17-A-73 Asphalt Coating/	Primer		
Aquatic			
Crustacea	EC50	Daphnia	11.1111 mg/l, 48 hours estimated
Fish	LC50	Fish	26.6667 mg/l, 96 hours estimated
Components		Species	Test Results
SOLVENT NAPHTHA (PETRO	DLEUM), LIGH	IT ALIPH. (CAS 64742-89-8)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	2.7 - 5.1 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	8.8 mg/l, 96 hours
			8.8 mg/l, 96 hours
accumulative potential Partition coefficient n-o DIMETHYL ETHER	No data a ctanol / wat		
bility in soil	No data a		
ner adverse effects	No other	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
8. Disposal considerat	tions		
posal instructions	Collect ar	nd reclaim or dispose in sealed containers a	at licensed waste disposal site.
cal disposal regulations	Dispose i	n accordance with all applicable regulations	S.
zardous waste code	The wast disposal o		etween the user, the producer and the waste
ste from residues / used products		This material and its container must be dis	oty containers or liners may retain some proc sposed of in a safe manner (see: Disposal

**Contaminated packaging** 

instructions). Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. Transport information

DOT	
UN number	UN1950
UN proper shipping name	Aerosols, flammable, (each not exceeding 1 L capacity)
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not available.
Special precautions for	Not available.
user	
Special provisions	N82
Packaging exceptions	306
Packaging non bulk	None
Packaging bulk	None
ΙΑΤΑ	
UN number	UN1950
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	No.

ERG Code	10L
Special precautions for user	Not available.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1950
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	
Marine pollutant	No.
EmS	F-D, S-U
Special precautions for user	Not available.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not available.
DOT	



## 15. Regulatory information

US federal regulations	All components are on the U.S. EPA TSCA Invent	ory List.
TSCA Section 12(b) Expo	ort Notification (40 CFR 707, Subpt. D)	
Not regulated.		
CERCLA Hazardous Subs	stance List (40 CFR 302.4)	
DIMETHYL ETHER (CAS	5 115-10-6) Listed.	
SARA 304 Emergency re	lease notification	
Not regulated.		
OSHA Specifically Regula	ated Substances (29 CFR 1910.1001-1052)	
Not regulated.		
Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance		
Not listed.		

Classified hazard	Flammable (gases, aerosols, liqu	iids, or solids)
categories	Skin corrosion or irritation	
	Germ cell mutagenicity	
	Carcinogenicity Specific target organ toxicity (sir	ade or repeated exposure)
	Aspiration hazard	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section	n 112 Hazardous Air Pollutant	s (HAPs) List
Not regulated.		
5	n 112(r) Accidental Release Pr	revention (40 CFR 68.130)
DIMETHYL ETHER (CAS 1	15-10-6)	
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations		
<b>California Proposition 65</b>		
WARNING: WA	RNING: This product contains a c	hemical known to the State of California to cause cancer.
California Proposition	65 - CRT: Listed date/Carcino	genic substance
ASPHALT, OXIDIZED	(CAS 64742-93-4) I	Listed: January 1, 1990
US. California. Candida 69502.3, subd. (a))	te Chemicals List. Safer Const	umer Products Regulations (Cal. Code Regs, tit. 22,
SOLVENT NAPHTHA (	(PETROLEUM), LIGHT ALIPH. (CA	S 64742-89-8)
Tutowettowel Turrentowice		

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/n	o)*
Australia	Australian Inventory of Chemical Substances (AICS)		Yes
Canada	Domestic Substances List (DSL)		Yes
Canada	Non-Domestic Substances List (NDSL)		No
China	Inventory of Existing Chemical Substances in China (IECSC)		Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)		Yes
Europe	European List of Notified Chemical Substances (ELINCS)		No
Japan	Inventory of Existing and New Chemical Substances (ENCS)		Yes
Korea	Existing Chemicals List (ECL)		Yes
New Zealand	New Zealand Inventory		Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)		Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)		Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory		Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date	11-09-2018
Revision date	02-03-2021
Version #	06
NFPA ratings	Health: 2 Flammability: 4 Instability: 0

Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Product and Company Identification: Physical States Physical & Chemical Properties: Multiple Properties Transport information: General information GHS: Classification