# **SAFETY DATA SHEET**



### 1. Identification

Product identifier	PENNCOAT 631				
Other means of identification	None.				
Recommended use	Not available.				
<b>Recommended restrictions</b>	None known.				
Manufacturer/Importer/Suppl	ier/Distributor information				
Company Name	ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.				
Address	2829 Lakeland Drive				
	Jackson, MS 39232				
	USA				
After hours telephone number	1-800-222-7122				
Normal work hours telephone number	1-877-982-7667				
Website	www.ergonarmor.com				
E-mail	sds@ergon.com				
Emergency 24-hour telephone number	CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887				
Information on operation hours	8:00 a.m. to 5:00 p.m.				

### 2. Hazard(s) identification

Discolar da la consta	Els as as a la las literatules	C
Physical hazards	Flammable liquids	Category 3
Health hazards	Acute toxicity, oral	Category 5
	Acute toxicity, inhalation	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Germ cell mutagenicity	Category 2
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement	Flammable liquid and vapor. May be harmful if	

Precautionary statement Prevention Flammable liquid and vapor. May be harmful if swallowed. Causes skin irritation. Harmful if inhaled. Causes serious eye irritation. Suspected of causing genetic defects. Harmful to aquatic life.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames and hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.

Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media for extinction.
Storage	Store in a well-ventilated place. Keep cool. Keep container tightly closed. Keep locked-up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

# 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%	
STYRENE		100-42-5	80 - 95	
QUARTZ		14808-60-7	< 2	
Other components below re	eportable levels		5 - <10	

### 4. First-aid measures

Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. For minor skin contact, avoid spreading material on unaffected skin. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	If swallowed, do NOT induce vomiting. Give a glass of water. Never give liquid to an unconscious person. If ingestion of a large amount does occur, call a poison control center immediately. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Not available.
Indication of immediate medical attention and special treatment needed	In case of shortness of breath, give oxygen. Oxygen, if needed. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Keep victim warm. Keep victim under observation. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Carbon dioxide (CO2). Foam. Dry chemical.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with water spray. Cool containers exposed to flames with water until well after the fire is out. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	In the event of fire and/or explosion do not breathe fumes. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials. Move container from fire area if it can be done without risk. Use water spray to cool unopened containers.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Methods and materials for containment and cleaning up	Not available.
Environmental precautions	Contain spillages with sand, earth or any suitable adsorbent material.
7. Handling and storage	
Precautions for safe handling	All equipment used when handling the product must be grounded. Avoid contact with eyes, skin, and clothing. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid prolonged exposure. Wear personal protective equipment. Use only with adequate ventilation. Wash thoroughly after handling. Keep away from sources of ignition - No smoking.
Conditions for safe storage, including any incompatibilities	Store in cool place. The pressure in sealed containers can increase under the influence of heat. Keep away from heat and sources of ignition. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a well-ventilated place. Keep container tightly closed. Use care in handling/storage.

## 8. Exposure controls/personal protection

**Occupational exposure limits** 

US. OSHA Table Z-2 (29 Components	CFK 1910.100	0) Type			Value	
STYRENE (CAS 100-42-5)		Ceiling	1		200 ppm	
		TWA	-		100 ppm	
US. OSHA Table Z-3 (29	CFR 1910.100	-				_
Components		Туре			Value	Form
QUARTZ (CAS 14808-60-7)	)	TWA			0.3 mg/m3	Total dust.
					0.1 mg/m3	Respirable.
					2.4 mppcf	Respirable.
US. ACGIH Threshold Li	mit Values					
Components		Туре			Value	Form
QUARTZ (CAS 14808-60-7)	)	TWA			0.025 mg/m3	Respirable fraction.
STYRENE (CAS 100-42-5)		STEL			40 ppm	
		TWA			20 ppm	
US. NIOSH: Pocket Guid	le to Chemical	Hazards	5			
Components		Туре			Value	Form
QUARTZ (CAS 14808-60-7)	)	TWA			0.05 mg/m3	Respirable dust.
STYRENE (CAS 100-42-5)		STEL			425 mg/m3	
					100 ppm	
		TWA			215 mg/m3	
					50 ppm	
logical limit values						
ACGIH Biological Expos						_
Components	Value		Determinant	Specimen	Sampling T	ime
STYRENE (CAS 100-42-5)	400 mg/g		Mandelic acid	Creatinine	in *	
			plus	urine		
			phenylglyoxylic acid			
	0.2 mg/l		Styrene	Venous	*	
	0.2 mg/1		Styrene	blood		
* - For sampling details, pl	ease see the sou	rce docu	ment.			
osure guidelines						
US - California OELs: Sk	in designation					
STYRENE (CAS 100-42	2-5)		Can be	absorbed thr	ough the skin.	
US - Minnesota Haz Sub	s: Skin designa	ntion ap	plies			
STYRENE (CAS 100-42				signation app		

Appropriate engineering controls	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.
Individual protection measure	s, such as personal protective equipment
Eye/face protection	Goggles/face shield are recommended.
Skin protection	
Hand protection	Wear protective gloves.
Other	Wear appropriate clothing to prevent any possibility of skin contact with solutions containing 10% or more of this chemical.
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Thermal hazards	Not available.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance	Viscous liquid
Physical state	Liquid.
Form	Viscous Liquid.
Color	Grey.
Odor	Styrene
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	294 °F (145.56 °C)
Flash point	89.6 - 95.0 °F (32.0 - 35.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	1.1
Flammability limit - upper (%)	6.1
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	7 hPa
Vapor density	3.6
Relative density	1.07 - 1.08
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	914 °F (490 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information VOC	30 - 40 %

# 10. Stability and reactivity

Reactivity

Not available.

Chemical stability	Material is stable under normal conditions. However, this material can undergo hazardous polymerization.
Possibility of hazardous reactions	Hazardous polymerization can occur. Heat will speed polymerization.
Conditions to avoid	Contact with acids. Avoid contact with oxidizing agents. Heat, flames and sparks.
Incompatible materials	Acids. Aluminum chlorides. Halogens. Metal salts. Peroxides. Strong bases. Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.

## **11.** Toxicological information

### Information on likely routes of exposure

Inhalation	Not available.
Skin contact	Not available.
Eye contact	Not available.
Ingestion	Not available.
Symptoms related to the physical, chemical and toxicological characteristics	Not available.

### Information on toxicological effects

Acute toxicity	Harmful if swallowed - may enter lungs if swallowed or vomited.		
Components	Species	Test Results	
STYRENE (CAS 100-42-5)			
<u>Acute</u>			
Inhalation			
LC50	Rat	2770 ppm, 4 Hours	
Oral			
LD50	Rat	1 g/kg	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation.		
Respiratory or skin sensitization	on		
<b>Respiratory sensitization</b>	Not available.		
Skin sensitization	Not available.		
Germ cell mutagenicity	Suspected of causing genetic defects.		
Carcinogenicity	This product contains crystalline silica. Silica is a known carcinogen; however in this encapsulated form the normal routes of exposure are unavailable.		
IARC Monographs. Overall	<b>Evaluation of Carcinogenic</b>	sity	
QUARTZ (CAS 14808-60-2		1 Carcinogenic to humans.	
STYRENE (CAS 100-42-5)		2B Possibly carcinogenic to humans.	
	ogram (NTP) Report on Ca		
QUARTZ (CAS 14808-60-7) STYRENE (CAS 100-42-5)		Known To Be Human Carcinogen. Reasonably Anticipated to be a Human Carcinogen.	
· · · · · · · · · · · · · · · · · · ·	ulated Substances (29 CFR		
Not regulated.			
Reproductive toxicity	Not available.		
Specific target organ toxicity - single exposure	Not available.		
Specific target organ toxicity - repeated exposure	Causes damage to the following organs through prolonged or repeated exposure: Central nervous system. Respiratory system.		
Aspiration hazard	May be harmful if swallowed and enters airways.		
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.		
12. Ecological informatio			

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life.


Components		Species	Test Results
STYRENE (CAS 100-42-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia)	42 g/ml, 24 hours
Fish	LC50	Sheepshead minnow (Cyprinodon variegatus)	5.1 - 16 mg/l, 96 hours
* Estimates for product may be based on additional component data not shown.			
Persistence and degradability Not available.			
Bioaccumulative potential	Not available.		
Partition coefficient n-octanol / water (log Kow)			
STYRENE		2.95	
Mobility in soil	Not available.		
Other adverse effects	Not available.		
13. Disposal consideration	ons		
Disposal instructions	Dispose in accordance with all applicable regulations.		
Hazardous waste code	D001: Waste Flammable material with a flash point $<$ 140 F		
Waste from residues / unused products	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.		
Contaminated packaging	Since emptied emptied.	containers retain product residue, follow	label warnings even after container is

# 14. Transport information

UN1866

DOT
UN number
UN proper s
Transport h

	UN proper shipping name	Resin solution		
	Transport hazard class(es)			
	Class	3		
	Subsidiary risk	-		
	Label(s)	3		
	Packing group	III		
	Special precautions for	Read safety instructions, SDS and emergency procedures before handling.		
	user			
	Special provisions	B1, B52, IB3, T2, TP1		
	Packaging exceptions	150		
	Packaging non bulk	173		
	Packaging bulk	242		
IA	ТА			
	UN number	UN1866		
	UN proper shipping name			
	Transport hazard class(es)			
	Class	3		
	Subsidiary risk	-		
	Packing group	III		
	Environmental hazards	No.		
	ERG Code	3L		
	Special precautions for	Not available.		
	user			
	Other information			
	Passenger and cargo	Allowed with restrictions.		
	aircraft	All source of the West Market Station of		
	Cargo aircraft only	Allowed with restrictions.		
11	IDG			
	UN number	UN1866		
	UN proper shipping name	RESIN SOLUTION		
	Transport hazard class(es)			
	Class	3		



### 15. Regulatory information

US federal regulations	•	he U.S. EPA TSCA Invento dous Chemical" as defined	ory List. I by the OSHA Hazard Communicatio	n Standard,
TSCA Section 12(b) Export	Notification (40 CFR 7	07, Subpt. D)		
Not regulated.				
CERCLA Hazardous Substa	nce List (40 CFR 302.4)	)		
STYRENE (CAS 100-42-5)		Listed.		
US. OSHA Specifically Regu	lated Substances (29	CFR 1910.1001-1050)		
Not regulated.				
Superfund Amendments and R	eauthorization Act of 1	.986 (SARA)		
Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No			
SARA 302 Extremely hazar	dous substance			
Not listed.				
SARA 311/312 Hazardous chemical	No			
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
STYRENE		100-42-5	13.23	
Material name: PENNCOAT 631				SDS US

### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

STYRENE (CAS 100-42-5)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

#### (SDWA)

**US state regulations** 

#### gulations WARNING: This product contains a chemical known to the State of California to cause cancer.

#### IIS - California Pr

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

# QUARTZ (CAS 14808-60-7) Listed: October 1, 1988 US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

QUARTZ (CAS 14808-60-7) STYRENE (CAS 100-42-5)

### **International Inventories**

Country(s) or region	Inventory name On	inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	10-26-2016
Version #	01
Further information	HMIS® is a registered trade and service mark of the NPCA.
References	HSDB IARC Monographs. Overall Evaluation of Carcinogenicity
Disclaimer	The information in the sheet was written based on the best knowledge and experience currently available. The information given is based on data available for the material, the components of the material, and similar materials.
Revision information	Product and Company Identification: Product and Company Identification Hazard(s) identification: Response Composition / Information on Ingredients: Undisclosed Ingredient Statement Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Property Data Ecological Information: Ecotoxicity