# SAFETY DATA SHEET



### 1. Identification

**Product identifier Asplit Phenolic Resin** 

Other means of identification None.

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

**Address** 2829 Lakeland Drive Jackson, MS 39232

**USA** 

After hours telephone

number

1-800-222-7122

**Normal work hours** 

telephone number

1-877-982-7667

Website E-mail sds@ergon.com

www.ergonarmor.com

**Emergency 24-hour** 

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

telephone number Information on operation

8:00 a.m. to 5:00 p.m.

hours

# 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Acute toxicity, oral Category 4

> Skin corrosion/irritation Category 1B Serious eye damage/eye irritation Category 1 Sensitization, skin Category 1 Germ cell mutagenicity Category 2 Carcinogenicity Category 1B Category 1 Specific target organ toxicity, repeated

exposure

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 



Signal word Danger

**Hazard statement** Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin

reaction. May cause cancer. Suspected of causing genetic defects. May cause damage to organs

through prolonged or repeated exposure.

**Precautionary statement** 

**Prevention** Wash hands thoroughly after handling. Obtain special instructions before use. Do not handle until

all safety precautions have been read and understood. Wear protective gloves/protective

clothing/eye protection/face protection. Do not breathe mist or vapor. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace.

SDS US 5469 Version #: 09 Revision date: 06-25-2020 Issue date: 04-22-2015 1 / 10 **Response** IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED:

Immediately call a POİSON CENTER/doctor/. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER or doctor/physician.

**Storage** Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
PHENOL		108-95-2	<= 15
FORMAL DEHYDE		50-00-0	< 1

#### 4. First-aid measures

**Inhalation** Get medical attention immediately. Call a POISON CENTER or doctor/physician. Remove victim to

fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, trained personnel should give oxygen. If breathing stops,

provide artificial respiration.

**Skin contact** Remove and isolate contaminated clothing and shoes. Immediately flush skin with plenty of water.

Get medical attention immediately. For minor skin contact, avoid spreading material on unaffected skin. Wash clothing separately before reuse. Chemical burns must be treated by a physician. Call a physician or poison control center immediately. Thoroughly wash (or discard) clothing and shoes

before reuse.

**Eye contact** Get medical attention immediately. Call a physician or poison control center immediately.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Chemical burns must be treated promptly by a physician.

**Ingestion** IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Never give anything by

mouth to a victim who is unconscious or is having convulsions. Rinse mouth thoroughly. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Give one or two glasses of water if patient is alert and able to swallow.

Seek immediate medical attention. Do not induce vomiting.

Most important

symptoms/effects, acute and

delayed

May cause allergic skin reaction. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Causes serious eye damage. May cause redness and pain. Skin irritation.

biarred vision. Causes serious eye damage. May cause reduces and pain. Skin interest

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Immediate medical attention is required. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. In the case of accident or if you feel

unwell, seek medical advice immediately (show the label where possible).

#### 5. Fire-fighting measures

Suitable extinguishing media Water spray. Water fog. Carbon dioxide (CO2). Alcohol resistant foam. Powder. Use extinguishing

agent suitable for type of surrounding fire.

Unsuitable extinguishing

media

None known.

**Specific hazards arising from** 

the chemical

Containers can burst violently when heated, due to excess pressure build-up.

Material name: Asplit Phenolic Resin SDS US

**Special protective equipment** Wear suitable protective equipment. Self-contained breathing apparatus. and precautions for

firefighters

Fire fighting equipment/instructions Move containers from fire area if you can do so without risk. Evacuate area.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Firefighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Keep out of low areas. Ventilate closed spaces before entering them. Wear appropriate personal protective equipment. Avoid breathing mist or vapor. In case of inadequate ventilation, use respiratory protection.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk, Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. For waste disposal, see section 13 of the SDS.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. Transfer to a container for disposal. Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Do not contaminate water.

## 7. Handling and storage

**Precautions for safe handling** 

Do not get this material in contact with eyes. Do not get this material in contact with skin. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get this material on clothing. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Avoid release to the environment. Do not ingest. Do not handle until all safety precautions have been read and understood. Container must be kept tightly closed. Do not reuse this container. Ventilate well, avoid breathing vapors. Use approved respirator if air contamination is above accepted level.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep away from food, drink and animal feedingstuffs. Manufacturer recommends storing above 40 F. Do not store this material in open or unlabeled containers. Keep only in original packaging. Keep containers tightly closed in a dry, cool and well-ventilated place. Use appropriate container to avoid environmental contamination. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

#### Occupational exposure limits

Components	Туре	Value	
FORMALDEHYDE (CAS 50-00-0)	STEL	2 ppm	
	TWA	0.75 ppm	
<b>US. OSHA Table Z-1 Limits for Air C</b>	Contaminants (29 CFR 19	10.1000)	
Components	Туре	Value	
PHENOL (CAS 108-95-2)	PEL	19 mg/m3	
		5 ppm	
<b>US. ACGIH Threshold Limit Values</b>			
Components	Туре	Value	
FORMALDEHYDE (CAS 50-00-0)	STEL	0.3 ppm	

Material name: Asplit Phenolic Resin 5469 Version #: 09 Revision date: 06-25-2020 Issue date: 04-22-2015

US OSUA Specifically Regulated Substances (20 CER 1010 1001 1050)

US. ACGIH Threshold Limit Val Components	ues Type	Value	
	TWA	0.1 ppm	
PHENOL (CAS 108-95-2)	TWA	5 ppm	
US. NIOSH: Pocket Guide to Ch Components	nemical Hazards Type	Value	
FORMALDEHYDE (CAS 50-00-0)	Ceiling	0.1 ppm	
	TWA	0.016 ppm	
PHENOL (CAS 108-95-2)	Ceiling	60 mg/m3	
		15.6 ppm	
	TWA	19 mg/m3	
		5 ppm	

#### **Biological limit values**

<b>ACGIH</b>	<b>Biological</b>	<b>Exposure</b>	Indices

Components	Value	Determinant	Specimen	Sampling Time
PHENOL (CAS 108-95-2)	250 mg/g	Phenol with hydrolysis	Creatinine in urine	*

<sup>\* -</sup> For sampling details, please see the source document.

#### **Exposure guidelines**

**US - California OELs: Skin designation** 

PHENOL (CAS 108-95-2) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

PHENOL (CAS 108-95-2) Skin designation applies.

**US - Tennessee OELs: Skin designation** 

PHENOL (CAS 108-95-2) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation** 

PHENOL (CAS 108-95-2) Can be absorbed through the skin.

**US NIOSH Pocket Guide to Chemical Hazards: Skin designation** 

PHENOL (CAS 108-95-2) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

PHENOL (CAS 108-95-2)

Can be absorbed through the skin.

Appropriate engineering controls

If user operations generate dust, fumes, or mist, use ventilation to keep exposure to airborne

contaminants below the exposure limit.

### Individual protection measures, such as personal protective equipment

Eye/face protection

Do not get in eyes. If risk of splashing, wear safety goggles or face shield. Chemical goggles are recommended. Face-shield. Provide an emergency eye wash fountain and quick drench shower in the immediate work area. Wear a full-face respirator, if needed.

Skin protection

**Hand protection** 

Wear appropriate chemical resistant gloves. Impervious gloves. Wear suitable protective clothing as protection against splashing or contamination. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove

material.

Other

Do not get this material in contact with skin. Do not get this material on clothing. Wear appropriate chemical resistant clothing. Structural firefighters protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations. Chemical resistant gloves. Wear chemical protective equipment that is specifically recommended by the manufacturer. If there is a possibility

of contact with hot/molten material, wear heat resistant clothing and footwear.

**Respiratory protection** 

Do not breathe dust/fume/gas/mist/vapors/spray. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Thermal hazards Not available.

Material name: Asplit Phenolic Resin

**General hygiene** considerations

When using, do not eat, drink or smoke. Do not get in eyes. Do not get this material in contact with skin. Do not get this material on clothing. Handle in accordance with good industrial hygiene and safety practice. Wash hands and face before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Launder contaminated clothing before reuse. Provide eyewash station and safety shower.

## 9. Physical and chemical properties

Liquid. **Appearance** 

**Physical state** Liquid. **Form** Liquid. Color Amber Odor Phenolic. **Odor threshold** Not available.

Hq 7.5

Melting point/freezing point Not available.

Initial boiling point and

boiling range

> 212 °F (> 100 °C)

Flash point Closed cup. Not Applicable.

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits **Explosive limit - lower** Not available.

(%)

Not available.

**Explosive limit - upper** (%)

Vapor pressure Not available. Vapor density Not available.

Relative density 1.24

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. Not available. **Viscosity** 

## 10. Stability and reactivity

Reactivity Not available.

**Chemical stability** Material is stable under normal conditions.

normal use.

Possibility of hazardous

**Conditions to avoid** Not available.

**Incompatible materials** Not available.

**Hazardous decomposition** 

products

reactions

No dangerous reaction known under conditions of normal use.

Hazardous polymerization does not occur. No dangerous reaction known under conditions of

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected

Skin contact Causes severe skin burns and eye damage. May cause an allergic skin reaction

Causes serious eye damage. Eye contact

Harmful if swallowed. **Ingestion** 

Symptoms related to the physical, chemical and toxicological characteristics Not available.

5469 Version #: 09 Revision date: 06-25-2020 Issue date: 04-22-2015

#### Information on toxicological effects

**Acute toxicity** Harmful if swallowed.

**Components Species Test Results** 

FORMALDEHYDE (CAS 50-00-0)

**Acute** Inhalation

LC50 Rat 0.48 mg/l, 4 Hours

\* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin burns. Serious eve damage/eve Causes eve burns.

irritation

Respiratory or skin sensitization

**ACGIH** sensitization

FORMALDEHYDE (CAS 50-00-0) Dermal sensitization

Respiratory sensitization

Respiratory sensitization Not classified.

Skin sensitization May cause an allergic skin reaction. Germ cell mutagenicity Suspected of causing genetic defects.

Carcinogenicity May cause cancer. Risk of cancer depends on duration and level of exposure

IARC Monographs. Overall Evaluation of Carcinogenicity

FORMALDEHYDE (CAS 50-00-0) 1 Carcinogenic to humans.

PHENOL (CAS 108-95-2) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

FORMALDEHYDE (CAS 50-00-0) US. National Toxicology Program (NTP) Report on Carcinogens

FORMALDEHYDE (CAS 50-00-0) Known To Be Human Carcinogen.

Reproductive toxicity Not available. Specific target organ toxicity Not available.

- single exposure

Specific target organ toxicity

- repeated exposure

Causes damage to the following organs through prolonged or repeated exposure:

**Aspiration hazard** Not available.

**Chronic effects** Hazardous by OSHA criteria. Prolonged inhalation may be harmful. Repeated absorption may cause

disorder of central nervous system, liver, kidneys and blood. Prolonged exposure may cause

chronic effects.

**Further information** Symptoms may be delayed. May cause allergic skin disorders in sensitive individuals

## 12. Ecological information

**Ecotoxicity** Components of this product are hazardous to aquatic life.

Components		Species	Test Results
FORMALDEHYDE (CAS	5 50-00-0)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	4.3 - 7.8 mg/l, 48 hours
Fish	LC50	Striped bass (Morone saxatilis)	10.302 - 16.743 mg/l, 96 hours
PHENOL (CAS 108-95	-2)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia obtusa)	4.7 - 6.4 mg/l, 48 hours
Fish	LC50	Asiatic knifefish (Notopterus notopterus)	8 - 8.25 mg/l, 96 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability Not available. **Bioaccumulative potential** Not available.

Material name: Asplit Phenolic Resin 6 / 10

5469 Version #: 09 Revision date: 06-25-2020 Issue date: 04-22-2015

## Partition coefficient n-octanol / water (log Kow)

FORMALDEHYDE 0.35 PHENOL 1.46

Mobility in soilNot available.Other adverse effectsNone known.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the

material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all applicable regulations. Do not allow

runoff to sewer, waterway or ground. Material should be recycled if possible.

Hazardous waste code Not applicable.

Waste from residues / Not available.

unused products

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

## **DOT**

Not regulated as dangerous goods.

#### **IATA**

UN number UN3082

**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards No.
ERG Code 9L

**Special precautions for** Not available.

user

Other information

**Passenger and cargo** Allowed with restrictions.

aircraft

**Cargo aircraft only** Allowed with restrictions.

**IMDG** 

UN number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., MARINE POLLUTANT (BENZENE,

HYDROXY-)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III

**Environmental hazards** 

Marine pollutantyesEmSF-A, S-FSpecial precautions forNot available.

user

BENZENE, HYDROXY-


Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

Material name: Asplit Phenolic Resin

### IATA; IMDG



#### Marine pollutant



# 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### **CERCLA Hazardous Substance List (40 CFR 302.4)**

FORMALDEHYDE (CAS 50-00-0) Listed. PHENOL (CAS 108-95-2) Listed.

SARA 304 Emergency release notification

FORMALDEHYDE (CAS 50-00-0) 100 LBS PHENOL (CAS 108-95-2) 1000 LBS

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

FORMALDEHYDE (CAS 50-00-0) Cancer

Skin sensitization Respiratory sensitization

Eye irritation Skin irritation

respiratory tract irritation

Acute toxicity Flammability

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **SARA 302 Extremely hazardous substance**

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
PHENOL	108-95-2	1000		500	10000
FORMALDEHYDE	50-00-0	100	500		

Classified hazard categories

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

Germ cell mutagenicity Carcinogenicity Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

Material name: Asplit Phenolic Resin
5469 Version #: 09 Revision date: 06-25-2020 Issue date: 04-22-2015

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
FORMALDEHYDE	50-00-0	< 1	
PHENOL	108-95-2	<= 15	

#### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

FORMALDEHYDE (CAS 50-00-0) PHENOL (CAS 108-95-2)

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

FORMALDEHYDE (CAS 50-00-0)

Safe Drinking Water Act Not regulated.

(SDWA)

### FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

PHENOL (CAS 108-95-2) Low priority

**US state regulations** WARNING: This product contains a chemical known to the State of California to cause cancer.

### **California Proposition 65**

### California Proposition 65 - CRT: Listed date/Carcinogenic substance

FORMALDEHYDE (CAS 50-00-0) Listed: January 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

FORMALDEHYDE (CAS 50-00-0) PHENOL (CAS 108-95-2)

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

 Issue date
 04-22-2015

 Revision date
 06-25-2020

Version # 09

**Further information** HMIS® is a registered trade and service mark of the NPCA.

NFPA ratings Health: 3 Flammabilit

Flammability: 0 Instability: 1

Material name: Asplit Phenolic Resin

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **Revision information**

Hazard(s) identification: Response

Hazard(s) identification: GHS Signal Words

Composition / Information on Ingredients: Ingredients

First-aid measures: Ingestion

Physical & Chemical Properties: Multiple Properties

Transport Information: Material Transportation Information

GHS: Classification

SDS US

5469 Version #: 09 Revision date: 06-25-2020 Issue date: 04-22-2015