

**ERGON ASPHALT AND EMULSIONS, INC.  
MATERIAL SAFETY DATA SHEET**

**DAT H-5 (n)**

**MSDS No. AE063**

Date of Preparation: **August 11, 2008**

Revision No. 0

**Section 1 – Chemical Product and Company Information**

<b>Product/Chemical Name:</b>	DAT H-5 (n)
<b>Chemical Formula:</b>	Mixture
<b>CAS Number:</b>	Mixture
<b>Other Designations:</b>	
<b>General Use:</b>	Asphalt Paving Additive
<b>Manufacturer:</b>	ERGON Asphalt & Emulsions, Inc.; P O Box 1639; Jackson MS 39215-1639; Phone 601-933-3000; Hours of Operation 8:00 am – 5:00 pm; ERGON 24 Hour Emergency Phone Number 1-800-222-7122; CHEMTREC 1-800-424-9300.

**Section 2 – Composition / Information on Ingredients**

Ingredient Name	CAS Number	% Vol
Fatty Amine derivatives	proprietary	5-20
Water	7732-18-5	80-95

INGREDIENT	OSHA PEL		ACGIH TLV		NIOSH REL		NIOSH IDLH
	TWA	STEL	TWA	STEL	TWA	STEL	
Fatty Amine derivatives	None estab.	None estab.	None estab.	None estab.	None estab.	None estab.	None estab.
Water	None estab.	None estab.	None estab.	None estab.	None estab.	None estab.	None estab.

**Section 3 – Hazards Information**

**EMERGENCY OVERVIEW**

HMIS  
H-1  
F-0  
R-0  
PPE\*  
\* Sec.8

**POTENTIAL HEALTH EFFECTS**

**Primary Entry Routes:** Eye contact, inhalation, and ingestion.

**Target Organs:** Eyes, skin, and respiratory tract.

**Acute Effects**

**Inhalation:** No known significant effects.

**Eye:** Moderately irritating to eyes.

**Skin:** No known significant effects.

**Ingestion:** No known significant effects.

**Carcinogenicity:** IARC, NTP, and OSHA do not list this product as carcinogen.

**Medical Conditions Aggravated by Long-Term Exposure:** Repeated or prolonged contact with spray or mist may produce chronic eye irritation and severe skin irritation.

**Chronic Effects:** Repeated or prolonged exposure to the substance can produce target organ damage.

**Section 4 – First Aid Measures**

**Inhalation:** Remove to fresh air. Get medical attention for any breathing difficulty.

**Eye Contact:** Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

**Skin Contact:** Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Seek medical attention if needed.

**Ingestion:** Do not induce vomiting and seek medical help.

**After first aid, get appropriate in-plant paramedic or community medical support.**

**Special Precautions/Procedures:**

Note to Physician:

Perform endoscopy in all cases of suspected sodium hydroxide ingestion. In cases of severe esophageal

**ERGON ASPHALT AND EMULSIONS, INC.**  
**MATERIAL SAFETY DATA SHEET**

**DAT H-5 (n)**

**MSDS No. AE063**

Date of Preparation: **August 11, 2008**

Revision No. 0

corrosion, the use of therapeutic doses of steroids should be considered. General supportive measures with continual monitoring of gas exchange, acid-base balance, electrolytes, and fluid intake are also required.

**Section 5 – Fire Fighting Measures**

**Flash Point:** Not Applicable

**Flash Point Method:** Not Applicable

**Auto Ignition Temperature:** Not Applicable

**LEL:** Not Applicable

**UEL:** Not Applicable

**Flammability Classification:** Not Applicable

**Extinguishing Media:** Use extinguishing media suitable for the surrounding fire.


**Unusual Fire or Explosion Hazards:** None.

**Hazardous Combustion Products:** Carbon monoxide, carbon dioxide, and sulfur dioxide.

**Fire-Fighting Instructions:** None

**Fire-Fighting Equipment:** Use self-contained breathing apparatus in enclosed areas where heavy smoke may occur.

**NFPA**



**Section 6 – Accidental Release Matters**

**Spill/Leak Procedures:** Stop spill at source. Confine spill by diking or impoundment. Clean-up spill but avoid flushing to sewer or surface water.

**Small Spills:** Stop spill at source if possible. Add absorbent or soil and place in sealable liquid-proof container for disposal.

**Large Spills:**

**Containment:** For large spills, dike far ahead of liquid spill for later disposal. Do not release into sewers or waterways.

**Cleanup:** Mix with inert absorbent material such as soil, sand, or vermiculite to stabilize and place in container for disposal according to local regulations.

**Regulatory Requirements:** Notify local health and pollution control agencies as appropriate. Follow applicable OSHA regulations (29 CFR 1900.120). This material is not a hazardous waste as defined in RCRA. For disposal follow all federal, state, and local regulations.

**Section 7 – Handling and Storage**

**Handling Precautions:** Avoid contact with skin and eyes. Wash thoroughly after handling.

**Storage Requirements:** Store in closed container in a cool, well-ventilated area.

**Regulatory Requirements:** None known.

**Section 8 – Exposure Controls / Personal Protection**

**Engineering Controls:** Not applicable.

**Ventilation:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (Sec. 2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

**Respiratory Protection:** Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working

**ERGON ASPHALT AND EMULSIONS, INC.**  
**MATERIAL SAFETY DATA SHEET**

**DAT H-5 (n)**

**MSDS No. AE063**

Date of Preparation: **August 11, 2008**

Revision No. 0

conditions, level of airborne contamination, and presence of sufficient oxygen. If respirators are used, OSHA requires a written respiratory protection program that includes: procedures for selecting respirators; medical evaluation; fit testing; use in routine and emergency situations; cleaning, disinfecting, storing, inspecting, repairing, discarding and maintaining respirators; adequate air quality, quantity and flow; training in respiratory hazards; training in use of respirators; evaluation of effectiveness of respiratory program.

**Protective Clothing/Equipment:** Wear protective gloves, boots, aprons, and gauntlets as needed to prevent prolonged or repeated skin contact. Goggles and face shields should be used in areas where splashing may occur. Wear protective eyeglasses or safety goggles per OSHA eye- and face-protection regulations (29 CFR 1910.133). Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with, contact lenses.

**Safety Stations:** Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

**Contaminated Equipment:** Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment.

**Comments:** Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, or smoking.

**Section 9 – Physical and Chemical Properties**

<b>Physical State:</b> Liquid	<b>Water Solubility:</b> Slightly soluble.
<b>Appearance and Odor:</b> Amber liquid with a bland odor	<b>Other Solubilities:</b> No data.
<b>Odor Threshold:</b>	<b>Boiling Point:</b> >212°F (100°C)
<b>Vapor Pressure:</b> <1 mm Hg at 70°F (20°C)	<b>Freezing/Melting Point:</b> No data.
<b>Vapor Density (Air = 1):</b> >1	<b>Viscosity:</b> No data.
<b>Formula Weight:</b> No data	<b>Refractive Index:</b> No data.
<b>Density:</b> 8.4-8.8	<b>Surface Tension:</b> No data.
<b>Specific Gravity (H<sub>2</sub>O = 1, at 4EC):</b> 1.023	<b>% Volatile:</b> 0%
<b>pH:</b> 6.0-9.0	<b>Evaporation Rate:</b> <1

**Section 10 – Stability and Reactivity**

**Stability:** Stable under normal conditions.  
**Polymerization:** Hazardous polymerization cannot occur.  
**Chemical Incompatibilities:** Aluminum, copper, tin, zinc, and their alloys.  
**Conditions to Avoid:** Do not overheat product.  
**Hazardous Decomposition Products:** Non known.

**ERGON ASPHALT AND EMULSIONS, INC.**  
**MATERIAL SAFETY DATA SHEET**

**DAT H-5 (n)**

Date of Preparation: **August 11, 2008**

**MSDS No. AE063**

Revision No. 0

**Section 11 – Toxicological Information**

<p><b>Eye Effects:</b> Causes irritation of eyes. <b>Acute Inhalation Effects:</b> No data. <b>Carcinogenicity:</b> Not a known human carcinogen.  <b>Teratogenicity:</b> No data. <b>Chronic Effects:</b> Prolonged contact with dilute sodium hydroxide solutions or dust has a destructive effect upon tissue.</p>	<p><b>Skin Effects:</b> Causes irritation of skin. <b>Acute Oral Effects:</b> rabbit LDLO: 500mg/kg. Tests on laboratory animals indicate material may produce adverse mutagenic effects <b>Mutagenicity:</b> No data.</p>
---	--

**Section 12 – Ecological Information**

**Ecotoxicity:** No data.  
**Environmental Fate:**  
    **Environmental Transport:** No data.  
    **Environmental Degradation:** No data.  
    **Soil Absorption/Mobility:** No data.

**Section 13 – Disposal Considerations**

**Disposal:** Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local regulations.  
**Disposal Regulatory Requirements:** Waste material should not be a hazardous waste under RCRA guidelines. Follow Federal, state, and local regulations for disposal of solid waste.  
**Container Cleaning and Disposal:** Follow Federal, state, and local regulations for disposal of the waste material and containers, regardless of waste classification.

**Section 14 – Transport Information**

<p><b>Shipping Name:</b> Not regulated <b>Shipping Symbols:</b> NA <b>Hazard Class:</b> NA  <b>ID No.:</b> NA <b>Packing Group:</b> NA <b>Label:</b> NA <b>Special Provisions (172.102):</b> NA</p>	<p><b>Packaging Authorizations:</b> a) Exceptions: NA b) Non-bulk Packaging: NA c) Bulk Packaging: NA</p>	<p><b>Quantity Limitations:</b> a) Passenger, Aircraft, or Railcar: NA b) Cargo Aircraft Only: NA <b>Vessel Stowage Requirements:</b> a) Vessel Stowage: NA b) Other: NA</p>
---	---	--

**Section 15 – Regulatory Information**

**EPA Regulations:**  
**RCRA**  
    RCRA Hazardous Waste Number: Not listed.  
    RCRA Hazardous Waste Classification (40 CFR 261): Non-hazardous.  
**CERCLA**  
    CERCLA: Not listed.  
    CERCLA Reportable Quantity (RQ):  
**SARA**  
    Sodium hydroxide listed as hazardous chemical.  
    SARA 311/312 Codes: Fatty amine derivatives and sodium hydroxide listed as immediate (acute) health hazard.  
    SARA Toxic Chemical: Not listed.  
    SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed.  
**OSHA Regulations:**  
    OSHA Specifically Regulated Substance: No  
**State Regulations:** Sodium hydroxide listed in PA, MA, and NJ hazardous substance (RTK) lists.

ERGON ASPHALT AND EMULSIONS, INC.  
MATERIAL SAFETY DATA SHEET

**DAT H-5 (n)**

Date of Preparation: **August 11, 2008**

**MSDS No. AE063**

Revision No. 0

**Section 16 – Other Information**

**Prepared By:** Mary E. Snow

**Revision Notes:**

**Additional Hazard Rating Systems:** NAS Hazard Rating for Bulk Water Transportation of asphalt:  
Fire – 1, Health – 0, Water Pollution – 0, Reactivity -0.

**Disclaimer:** ERGON ASPHALT & EMULSIONS, INC. (EAE) PROVIDES THIS INFORMATION FOR THE USER'S CONSIDERATION. EAE BELIEVES THIS INFORMATION IS ACCURATE, BUT NOT ALL INCLUSIVE IN ALL CIRCUMSTANCES. USER SHOULD ENSURE THAT USER HAS CURENT DATA RELEVANT FOR ITS PURPOSES. NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING MERCHANTABILITY, FITNESS OR OTHERWISE IS GIVEN.