

1. Identification

Product identifier	CSS-1P
Other means of identification	None.
Recommended use	Not available.
Recommended restrictions	None known.
Manufacturer/Importer/Suppl	ier/Distributor information
Manufacturer:	Ergon Asphalt & Emulsions, Inc.
Address:	2829 Lakeland Drive
	Jackson, MS 39232
Website:	www.ergonasphalt.com
Telephone:	1-800-222-7122 (Customer Service)
E-mail:	sds@ergon.com
24 hour Emergency (CHEMTREC):	North America 1-800-424-9300; International 1-703-527-3887

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	Molten asphalt presents a thermal hazard.
Supplemental information	Vapors containing hydrogen sulfide may accumulate during storage or transport. HYDROGEN SULFIDE (H2S) can be harmful if inhaled.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ASPHALT		8052-42-4	50 - 70
WATER		7732-18-5	20 - 40
HYDROCHLORIC ACID		7647-01-0	< 2

4. First-aid measures

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.
Skin contact	If clothing sticks to the skin, do not remove. Lotion or hand cream may aid in the removal of asphalt. Wash contact areas with soap and water. If needed, seek medical attention.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Material name: CSS-1P

Ingestion	Rinse mouth. DO NOT induce vomiting. Get medical attention immediately. If ingestion of a large amount does occur, call a poison control center immediately.		
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.		
Indication of immediate medical attention and special treatment needed	Treat symptomatically.		
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.		
5. Fire-fighting measures	S		
Suitable extinguishing media	Foam. Dry chemical powder. Carbon dioxide (CO2).		
Unsuitable extinguishing media	Water. Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed:		
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.		
Fire fighting equipment/instructions	ALWAYS stay away from tanks engulfed in flame. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with water spray.		
Specific methods	In the event of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray.		
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release me	asures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. For personal protection, see section 8 of the SDS.		
Methods and materials for containment and cleaning up	This product is miscible in water.		
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas.		
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.		
	Never return spills to original containers for re-use. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Ventilate area and avoid breathing vapors or mist. For large spills, dike far ahead of liquid spill for later disposal. Do not release into sewers or waterways.		
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.		
7. Handling and storage			
Precautions for safe handling	Avoid prolonged exposure. Use only in well-ventilated areas. Hydrogen sulfide, a very highly toxic gas, may be present with this material. Keep face clear of tank and/or tank car openings. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site.		
Conditions for safe storage, including any incompatibilities	Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in original tightly closed container. Store in a well-ventilated place. Do not allow material to freeze.		

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	
HYDROCHLORIC ACID (CAS 7647-01-0)	Ceiling	7 mg/m3	
		5 ppm	
US. ACGIH Threshold Limi			
Components	Туре	Value	Form
ASPHALT (CAS 8052-42-4)	TWA	0.5 mg/m3	Inhalable fume.
HYDROCHLORIC ACID (CAS 7647-01-0)	Ceiling	2 ppm	
US. NIOSH: Pocket Guide			_
Components	Туре	Value	Form
ASPHALT (CAS 8052-42-4)	Ceiling	5 mg/m3	Fume.
HYDROCHLORIC ACID (CAS 7647-01-0)	Ceiling	7 mg/m3	
		5 ppm	
ological limit values	No biological exposure limits noted f	or the ingredient(s).	
propriate engineering ntrols	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.		
-	s, such as personal protective equ	•	
Eye/face protection	Wear safety glasses; chemical goggl	es (if splashing is possible).	
Skin protection			
Hand protection	Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves.		
Other	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapor contact. Plastic or rubber gloves, apron and boots.		
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.		
Thermal hazards	Wear appropriate thermal protective	e clothing, when necessary.	
eneral hygiene nsiderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. Physical and chemical properties

Appearance	Brown to black in color.	
Physical state	Liquid.	
Form	Liquid.	
Color	Black	
Odor	Tar-like	
Odor threshold	Not available.	
рН	2.1 - 4	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	>= 212 °F (>= 100 °C)	
Flash point	> 212.0 °F (> 100.0 °C) Cleveland Open Cup	
Evaporation rate	< 1	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits		

Flammability limit - lower Not available.

^(%)

Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	< 1 mm Hg @20 C
Vapor density	> 1
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Slightly soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	> 700 °F (> 371.11 °C)
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Specific gravity	1.01

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport		
Chemical stability	Stable under normal temperature conditions.		
Possibility of hazardous reactions	Hazardous polymerization does not occur.		
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not overheat product.		
Incompatible materials	Strong oxidizing agents.		
Hazardous decomposition products	Upon decomposition, this product may yield sulfur dioxide, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Hydrogen sulfide.		

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.	
Skin contact	No adverse effects due to skin contact are expected.	
Eye contact	May be irritating to eyes.	
Ingestion	Expected to be a low ingestion hazard.	
ymptoms related to the hysical, chemical and	Direct contact with eyes may cause temporary irritation.	

Sy ph toxicological characteristics

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
HYDROCHLORIC ACID (CAS 7647-	-01-0)	
Acute		
Dermal		
LD50	Mouse	1449 mg/kg
* Estimates for product may b	be based on additional compone	nt data not shown.
Skin corrosion/irritation	Prolonged skin contact may c	ause temporary irritation.
Serious eye damage/eye irritation	May be irritating to eyes.	
Respiratory or skin sensitization	on	
Respiratory sensitization	Not available.	
Skin sensitization	May cause skin disorders if co	ntact is repeated or prolonged.
Material name: CSS-1P		SDS US

Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Risk of cancer cannot be excluded with prolonged exposure. IARC: occupational exposures to straight-run bitumens and their emissions during road paving are "possibly carcinogenic to humans" (Group 2B).		
IARC Monographs. Overal	l Evaluation of Carcin	ogenicity	
ASPHALT (CAS 8052-42-	4)	2B Possibly carcinogenic	to humans.
HYDROCHLORIC ACID (C	-		arcinogenicity to humans.
OSHA Specifically Regulat Not regulated.	ed Substances (29 Cl	-R 1910.1001-1052)	
US. National Toxicology P	rogram (NTP) Report	on Carcinogens	
Not listed.			
Reproductive toxicity	Not classified.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not available.		
Chronic effects		nay cause chronic effects.	
Further information		nown adverse effect on human he	alth.
12. Ecological informatio			
Ecotoxicity	•	armful to aquatic organisms.	Test Desults
Product	Speci	es	Test Results
CSS-1P Aquatic			
Fish	LC50 Fish		14698.6738 mg/l, 96 hours estimated
Components	Speci	es	Test Results
HYDROCHLORIC ACID (CAS 2			
Aquatic	/		
Fish	LC50 Weste	rn mosquitofish (Gambusia affinis)	282 mg/l, 96 hours
* Estimates for product may	he based on additional o	omponent data not shown	
Persistence and degradability		•	
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. Disposal considerati	ons		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations. No components are identified as hazardous wastes. Disposal recommendations are based on uncontaminated material.		
Local disposal regulations	Dispose in accordance	e with all applicable regulations.	
Hazardous waste code	The waste code shou disposal company. No		en the user, the producer and the wast
Waste from residues / unused products	residues. This materia		containers or liners may retain some product ed of in a safe manner (see: Disposal o the ground.
Contaminated packaging	• •		handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.	
CERCLA Hazardous Substance List (40 CFR 302.4)	
ASPHALT (CAS 8052-42-4)	Listed.
HYDROCHLORIC ACID (CAS 7647-01-0)	Listed.

SARA 304 Emergency release notification

HYDROCHLORIC ACID (CAS 7647-01-0)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List HYDROCHLORIC ACID (CAS 7647-01-0) Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) HYDROCHLORIC ACID (CAS 7647-01-0) Safe Drinking Water Act Not regulated. (SDWA) Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) an and Chemical Code Number HYDROCHLORIC ACID (CAS 7647-01-0) 6545 Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 131 HYDROCHLORIC ACID (CAS 7647-01-0) 20 %WV DEA Exempt Chemical Mixtures Code Number HYDROCHLORIC ACID (CAS 7647-01-0) 6545 state regulations	Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
Categories Serious eye damage or eye irritation SARA 313 (TRI reporting) CAS number % by wt. HYDROCHLORIC ACID 7647-01-0 < 2	HYDROCHLORIC ACID	7647-01-0	5000	500		
Chemical nameCAS number% by wt.HYDROCHLORIC ACID7647-01-0< 2				irritation		
HYDROCHLORIC ACID 7647-01-0 < 2	SARA 313 (TRI report	ng)				
her federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List HYDROCHLORIC ACID (CAS 7647-01-0) Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) HYDROCHLORIC ACID (CAS 7647-01-0) Safe Drinking Water Act Not regulated. (SDWA) Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) an and Chemical Code Number HYDROCHLORIC ACID (CAS 7647-01-0) 6545 Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 131 HYDROCHLORIC ACID (CAS 7647-01-0) 20 %WV DEA Exempt Chemical Mixtures Code Number HYDROCHLORIC ACID (CAS 7647-01-0) 6545 state regulations	Chemical name		CA	AS number	% by wt.	
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List HYDROCHLORIC ACID (CAS 7647-01-0) Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) HYDROCHLORIC ACID (CAS 7647-01-0) Safe Drinking Water Act Not regulated. (SDWA) Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) an and Chemical Code Number HYDROCHLORIC ACID (CAS 7647-01-0) 6545 Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 131 HYDROCHLORIC ACID (CAS 7647-01-0) 20 %WV DEA Exempt Chemical Mixtures Code Number HYDROCHLORIC ACID (CAS 7647-01-0) 6545 state regulations	HYDROCHLORIC AC	D	7	647-01-0	< 2	
HYDROCHLORIC ACID (CAS 7647-01-0) Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) HYDROCHLORIC ACID (CAS 7647-01-0) Safe Drinking Water Act Not regulated. (SDWA) Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) an and Chemical Code Number HYDROCHLORIC ACID (CAS 7647-01-0) 6545 Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 131 HYDROCHLORIC ACID (CAS 7647-01-0) 20 %WV DEA Exempt Chemical Mixtures Code Number HYDROCHLORIC ACID (CAS 7647-01-0) 6545 state regulations	her federal regulations					
Safe Drinking Water Act Not regulated. (SDWA) Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) an and Chemical Code Number HYDROCHLORIC ACID (CAS 7647-01-0) 6545 Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 131 HYDROCHLORIC ACID (CAS 7647-01-0) 20 %WV DEA Exempt Chemical Mixtures Code Number HYDROCHLORIC ACID (CAS 7647-01-0) 6545 state regulations		•	,	se Prevention (40 CF	R 68.130)	
Safe Drinking Water Act Not regulated. (SDWA) Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) an and Chemical Code Number HYDROCHLORIC ACID (CAS 7647-01-0) 6545 Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 131 HYDROCHLORIC ACID (CAS 7647-01-0) 20 %WV DEA Exempt Chemical Mixtures Code Number HYDROCHLORIC ACID (CAS 7647-01-0) 6545 state regulations		.,				
and Chemical Code Number HYDROCHLORIC ACID (CAS 7647-01-0) 6545 Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 131 HYDROCHLORIC ACID (CAS 7647-01-0) 20 %WV DEA Exempt Chemical Mixtures Code Number HYDROCHLORIC ACID (CAS 7647-01-0) 6545 state regulations	Safe Drinking Water A	·	,			
Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 131 HYDROCHLORIC ACID (CAS 7647-01-0)20 %WVDEA Exempt Chemical Mixtures Code Number HYDROCHLORIC ACID (CAS 7647-01-0)6545state regulations	-		(DEA). List 2,	Essential Chemicals	(21 CFR 1310.02(b) and 1310.04(f)(2)
HYDROCHLORIC ACID (CAS 7647-01-0) 20 %WV DEA Exempt Chemical Mixtures Code Number 1000000000000000000000000000000000000	HYDROCHLORIC	ACID (CAS 7647	-01-0)	6545		
DEA Exempt Chemical Mixtures Code Number HYDROCHLORIC ACID (CAS 7647-01-0) 6545 state regulations	Drug Enforcement	Administration	(DEA). List 1 8	& 2 Exempt Chemica	l Mixtures (21 CFR	1310.12(c))
HYDROCHLORIC ACID (CAS 7647-01-0) 6545 state regulations		•	,	20 %WV		
state regulations	DEA Exempt Chem	ical Mixtures Co	ode Number			
-	HYDROCHLORIC	ACID (CAS 7647-	-01-0)	6545		
	state regulations					
California Proposition 65	California Proposition	65				

5000 LBS





US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

HYDROCHLORIC ACID (CAS 7647-01-0)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	03-23-2015
Revision date	10-22-2019
Version #	02
Further information NFPA ratings	HMIS® is a registered trade and service mark of the NPCA. Health: 2 Flammability: 1 Instability: 0
References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	Hazard(s) identification: Hazard(s) not otherwise classified (HNOC) Hazard(s) identification: Supplemental information Composition / Information on Ingredients: Ingredients Fire-fighting measures: Specific hazards arising from the chemical Physical & Chemical Properties: Multiple Properties Toxicological information: Carcinogenicity Toxicological information: Eye contact Toxicological information: Eye contact Regulatory Information: United States Regulatory information: US state regulations HazReg Data: International Inventories GHS: Classification