## SAFETY DATA SHEET



### 1. Identification

Product identifier STY

Other means of identification

**Synonyms** STY 16, STY 201.2, STY 201.5, STY 203, STY 206

**Recommended use**Not available. **Recommended restrictions**None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer: Ergon Asphalt & Emulsions, Inc.

**Address:** 2829 Lakeland Drive

Jackson, MS 39232

**Website:** www.ergonasphalt.com

**Telephone:** 1-800-222-7122 (Customer Service)

**E-mail:** sds@ergon.com

24 hour Emergency (CHEMTREC):

North America 1-800-424-9300; International 1-703-527-3887

## 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

\*Hazards not stated here are "Not classified", "Not applicable" or "Classification not possible".

**Label elements** 

Hazard symbol None.
Signal word None.

**Hazard statement** Not available.

**Precautionary statement** 

**Prevention** Wear protective gloves/eye protection/face protection. **Response** If exposed or concerned: Get medical advice/attention.

**Storage** Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Molten asphalt presents a thermal hazard.

**Supplemental information** Vapors containing hydrogen sulfide may accumulate during storage or transport. HYDROGEN

SULFIDE (H2S) can be harmful if inhaled.

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
ASPHALT		8052-42-4	< = 100

#### 4. First-aid measures

**Inhalation** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

**Skin contact** Immediately place the affected skin under running water for at least 20 minutes - DO NOT DELAY.

Prolonged flushing/cooling is necessary. Ice (or "cold packs") may be used in the event that water is unavailable. Do not attempt to remove the asphalt. Do not place any sheets or towels on top of

the asphalt due to the risk of adhesion. Get immediate medical attention.

Material name: STY SDS US

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention or advice.

Ingestion

Rinse mouth. DO NOT induce vomiting. Get medical attention immediately. If ingestion of a large

amount does occur, call a poison control center immediately.

Most important

symptoms/effects, acute and

delaved

Potential for severe thermal burns.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Extinguish with foam, carbon dioxide, dry powder or water fog. Do not use a solid water stream as it may scatter and spread fire.

Irritating and toxic gases or fumes may be released during a fire.

Specific hazards arising from the chemical

**Special protective equipment** and precautions for firefighters

Fire fighting

equipment/instructions

**Specific methods** 

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective

clothing will only provide limited protection. ALWAYS stay away from tanks engulfed in flame. Fight fire from maximum distance or use

unmanned hose holders or monitor nozzles. Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with water spray. Use of foam or water may cause frothing. In the event of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with

water spray.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Methods and materials for containment and cleaning up

Dike far ahead of spill for later disposal. Ventilate area and avoid breathing vapors or mist. For large spills, dike far ahead of liquid spill for later disposal. Do not release into sewers or waterways. Allow spilled material to solidify and scrape up with shovels into a suitable container for recycle or disposal.

**Environmental precautions** 

Not available.

# 7. Handling and storage

**Precautions for safe handling** 

Avoid contact with molten material. Hydrogen sulfide, a very highly toxic gas, may be present with this material. Keep face clear of tank and/or tank car openings. Do not add water to hot product. This may result in frothing of the mixture causing hot asphalt to overflow the container

Conditions for safe storage, including any incompatibilities

Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a well-ventilated place.

# 8. Exposure controls/personal protection

### Occupational exposure limits

### **US. ACGIH Threshold Limit Values**

Material	Туре	Value	Form
STY	TWA	0.5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
ASPHALT (CAS 8052-42-4)	TWA	0.5 mg/m3	Inhalable fume.
US. NIOSH: Pocket Guide to Che Material	emical Hazards Type	Value	Form
STY	Ceiling	5 mg/m3	Fume.
Components	Туре	Value	Form
ASPHALT (CAS 8052-42-4)	Ceiling	5 mg/m3	Fume.

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Material name: STY SDS US Individual protection measures, such as personal protective equipment

**Eye/face protection** Safety glasses. Wear face shield if there is risk of splashes.

Skin protection

Hand protection Thermally protective, chemical resistant gloves are recommended. If contact with forearms is likely

wear gauntlet style gloves.

**Other** Normal work clothing (long sleeved shirts and long pants) is recommended. Wear 100% cotton

clothina.

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Thermal hazards During product use, there is a risk of thermal burns.

**General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

# 9. Physical and chemical properties

Brown to black in color. **Appearance** 

**Physical state** Liquid.

**Form** Semi-solid at ambient temperature

Color Black. Odor Tar-like **Odor threshold** Not available. Not available. Hq Melting point/freezing point Not available.

Initial boiling point and

> 700 °F (> 371.11 °C)

boiling range

Flash point > 401.0 °F (> 205.0 °C) Open Cup

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower

(%)

Not available.

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressure < 1 mm Hg at 70°F

Vapor density > 5

Relative density 0.96 - 1.06

Solubility(ies)

Solubility (water) Insoluble **Partition coefficient** Not available.

(n-octanol/water)

**Auto-ignition temperature** > 700 °F (> 371.11 °C)

**Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Specific gravity 1.01 - 1.04

### 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport

**Chemical stability** Stable under normal temperature conditions.

Material name: STY SDS US **Possibility of hazardous** 

reactions

Hazardous polymerization does not occur.

Conditions to avoid

Do not overheat product.

Incompatible materials Hazardous decomposition Strong oxidizing agents.

products

low molecular weight hydrocarbons. Hydrogen sulfide.

# 11. Toxicological information

### Information on likely routes of exposure

**Inhalation** May cause irritation to the respiratory system.

Skin contactMay be irritating to the skin.Eye contactMay be irritating to eyes.IngestionCauses digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

#### Information on toxicological effects

Acute toxicity Not available.

Skin corrosion/irritation Causes irritation.

Serious eye damage/eye

irritation

Harmful in contact with eyes. Irritating to eyes.

#### Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** Irritating to skin. Frequent or prolonged contact may defat and dry the skin, leading to discomfort

and dermatitis.

**Germ cell mutagenicity** Not available.

**Carcinogenicity** IARC: occupational exposures to straight-run bitumens and their emissions during road paving are

"possibly carcinogenic to humans" (Group 2B). Contains polycyclic aromatic compounds (PACs). Prolonged and/or repeated skin contact with certain PACs has been shown to cause skin cancer. Prolonged and/or repeated exposures by inhalation of certain PACs may also cause cancer of the

Upon decomposition, this product may yield sulfur dioxide, carbon monoxide, carbon dioxide and/or

lung and of other sites of the body.

### IARC Monographs. Overall Evaluation of Carcinogenicity

ASPHALT (CAS 8052-42-4) 2B Possibly carcinogenic to humans.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

#### US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity** Not available. **Specific target organ toxicity** Not available.

- single exposure

Not available.

Specific target organ toxicity - repeated exposure

- repeated exposure
Aspiration hazard

Not available.

**Chronic effects** Prolonged inhalation may be harmful.

### 12. Ecological information

**Ecotoxicity** This product has no known eco-toxicological effects.

Persistence and degradability
Bioaccumulative potential
Mobility in soil
Other adverse effects
Not available.
Not available.
Not available.

Material name: STY SDS US

### 13. Disposal considerations

**Disposal instructions** Allow molten resin to solidify before disposal. Dispose in accordance with all applicable regulations.

When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

Hazardous waste code Not applicable.

Waste from residues / Empty containers or liners may retain some product residues. This material and its container must

unused products be disposed of in a safe manner (see: Disposal instructions).

No special precautions. Contaminated packaging

### 14. Transport information

DOT

**UN number** UN3257

**UN proper shipping name** Elevated temperature liquid, n.o.s., at or above 100 C and below its flash point (including molten

metals, molten salts, etc.)

Transport hazard class(es)

Class 9 **Subsidiary risk** Label(s) 9 **Packing group** III

Special precautions for Not available.

**Special provisions** IB1, T3, TP3, TP29

**Packaging exceptions** None Packaging non bulk None Packaging bulk 247

**IATA** 

**UN number** UN3257

**UN** proper shipping name Elevated temperature liquid, n.o.s. at or above 100°C and below its flash point (including molten

metals, molten salts, etc.)

Transport hazard class(es)

9 Class **Subsidiary risk** 

Not available. Packing group

**Environmental hazards** No. **ERG Code** 9L

Special precautions for

user Other information Not available.

Passenger and cargo

aircraft

Forbidden

Cargo aircraft only

Forbidden

**IMDG** 

**UN number** UN3257

**UN proper shipping name** ELEVATED TEMPERATURE LIQUID, N.O.S. at or above 100°C and below its flashpoint (including

molten metals, molten salts, etc.)

Transport hazard class(es)

9 Class **Subsidiary risk** Packing group III **Environmental hazards** 

Marine pollutant No. F-A, S-P **EmS** Special precautions for Not available.

user

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

Material name: STY SDS US

### DOT; IATA; IMDG



**Further information** 

Shipping Marking: HOT. Transport by air is forbidden when shipped above 212°F (100°C).

# 15. Regulatory information

#### **US federal regulations**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

ASPHALT (CAS 8052-42-4) Listed.

**SARA 304 Emergency release notification** 

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

**Classified hazard** Carcinogenicity

Hazard not otherwise classified (HNOC) categories

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

**US state regulations** 

WARNING: This product contains a chemical known to the State of California to cause cancer.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

Material name: STY SDS US 6/7

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

 Issue date
 05-05-2015

 Revision date
 10-30-2019

Version # 02

**Further information** HMIS® is a registered trade and service mark of the NPCA.

**NFPA ratings** Health: 2

Flammability: 1 Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** Hazard(s) identification: Supplemental information

Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

Toxicological information: Carcinogenicity Toxicological information: Skin contact Toxicological information: Eye contact Toxicological information: Corrosivity Toxicological information: Skin contact Toxicological information: Eye contact Regulatory Information: United States HazReq Data: International Inventories

Material name: STY SDS US