# SAFETY DATA SHEET



## 1. Identification

Product identifier AC-15P Other means of identification None.

**Recommended use**Not available. **Recommended restrictions**None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer: Ergon Asphalt & Emulsions, Inc.

Address: 2829 Lakeland Drive

Jackson, MS 39232

**Website:** www.ergonasphalt.com

**Telephone:** 1-800-222-7122 (Customer Service)

**E-mail:** sds@ergon.com

24 hour Emergency

(CHEMTREC):

North America 1-800-424-9300; International 1-703-527-3887

# 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
OSHA defined hazards Not classified.

\*Hazards not stated here are "Not classified", "Not applicable" or "Classification not possible".

**Label elements** 

Hazard symbol None.
Signal word None.

**Hazard statement** Not available.

**Precautionary statement** 

**Prevention** Wear protective gloves/eye protection/face protection. **Response** If exposed or concerned: Get medical advice/attention.

**Storage** Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Molten asphalt presents a thermal hazard.

**Supplemental information** Vapors containing hydrogen sulfide may accumulate during storage or transport. HYDROGEN

SULFIDE (H2S) can be harmful if inhaled.

# 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name | Common name and synonyms | CAS number | %   |
|---------------|--------------------------|------------|-----|
| ASPHALT       |                          | 8052-42-4  | 100 |

#### 4. First-aid measures

**Inhalation** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

**Skin contact** Immediately place the affected skin under running water for at least 20 minutes - DO NOT DELAY.

Prolonged flushing/cooling is necessary. Ice (or "cold packs") may be used in the event that water is unavailable. Do not attempt to remove the asphalt. Do not place any sheets or towels on top of

the asphalt due to the risk of adhesion. Get immediate medical attention.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention or advice.

Material name: AC-15P SDS US

**Ingestion** 

Rinse mouth. DO NOT induce vomiting. Get medical attention immediately. If ingestion of a large

amount does occur, call a poison control center immediately.

Most important symptoms/effects, acute and delaved

Potential for severe thermal burns.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Irritating and toxic gases or fumes may be released during a fire.

Do not use a solid water stream as it may scatter and spread fire.

Extinguish with foam, carbon dioxide, dry powder or water fog.

Special protective equipment and precautions for

firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.

Fire fighting equipment/instructions ALWAYS stay away from tanks engulfed in flame. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with water spray. Use of foam or water may cause frothing. In the event of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray.

**Specific methods** 

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Methods and materials for containment and cleaning up

Dike far ahead of spill for later disposal. Ventilate area and avoid breathing vapors or mist. For large spills, dike far ahead of liquid spill for later disposal. Do not release into sewers or waterways. Allow spilled material to solidify and scrape up with shovels into a suitable container for recycle or disposal.

**Environmental precautions** 

Not available.

# 7. Handling and storage

Precautions for safe handling

Avoid contact with molten material. Hydrogen sulfide, a very highly toxic gas, may be present with this material. Keep face clear of tank and/or tank car openings. Do not add water to hot product. This may result in frothing of the mixture causing hot asphalt to overflow the container

Conditions for safe storage, including any incompatibilities

Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a well-ventilated place. It is recommended that the storage temperature never exceed 375°F.

Value

Earm

# 8. Exposure controls/personal protection

## Occupational exposure limits

Matarial

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit At this time, the other constituents have no known exposure limits.

## **US. ACGIH Threshold Limit Values**

| Material                                   | туре                   | value     | rorm                |
|--|------------------------|-----------|---------------------|
| AC-15P                                     | TWA                    | 0.5 mg/m3 | Inhalable fraction. |
| Components                                 | Туре                   | Value     | Form                |
| ASPHALT (CAS 8052-42-4)                    | TWA                    | 0.5 mg/m3 | Inhalable fume.     |
| US. NIOSH: Pocket Guide to Che<br>Material | emical Hazards<br>Type | Value     | Form                |
| AC-15P                                     | Ceiling                | 5 mg/m3   | Fume.               |
| Components                                 | Туре                   | Value     | Form                |
| ASPHALT (CAS 8052-42-4)                    | Ceiling                | 5 mg/m3   | Fume.               |

## **Biological limit values**

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Material name: AC-15P SDS US

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Wear face shield if there is risk of splashes.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Thermally protective, chemical resistant gloves are

recommended. If contact with forearms is likely, wear gauntlet style gloves.

Other Wear appropriate chemical resistant clothing. Wear 100% cotton clothing. Normal work clothing

(long sleeved shirts and long pants) is recommended.

When workers are facing concentrations above the exposure limit they must use appropriate Respiratory protection

certified respirators.

Thermal hazards During product use, there is a risk of thermal burns.

**General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

# 9. Physical and chemical properties

Brown to black in color. **Appearance** 

**Physical state** Liquid.

**Form** Liquid. Semi-solid at ambient temperature

Color Black. Odor Tar-like **Odor threshold** Not available. Not available. pН Melting point/freezing point Not available.

Initial boiling point and

> 700 °F (> 371.11 °C)

boiling range

> 446.0 °F (> 230.0 °C) Open Cup Flash point

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

0.96 - 1.06

< 1 mm Hg at 70°F Vapor pressure

Vapor density > 5

Relative density Solubility(ies)

Solubility (water) Insoluble **Partition coefficient** Not available.

(n-octanol/water)

**Auto-ignition temperature** > 700 °F (> 371.11 °C)

**Decomposition temperature** Not available. Not available. Viscosity

#### 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport

**Chemical stability** Stable under normal temperature conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Material name: AC-15P SDS US

Conditions to avoid Do not overheat product. **Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** 

products

Upon decomposition, this product may yield sulfur dioxide, carbon monoxide, carbon dioxide and/or

low molecular weight hydrocarbons. Hydrogen sulfide.

## 11. Toxicological information

### Information on likely routes of exposure

**Inhalation** May cause irritation to the respiratory system. Skin contact Molten material will produce thermal burns. Eye contact Molten material will produce thermal burns.

Ingestion Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

#### Information on toxicological effects

Not available. **Acute toxicity** Not available. Skin corrosion/irritation Serious eye damage/eye Not available.

irritation

#### Respiratory or skin sensitization

**Respiratory sensitization** Not available. Skin sensitization Not available. Not available. Germ cell mutagenicity

Carcinogenicity

#### IARC Monographs. Overall Evaluation of Carcinogenicity

ASPHALT (CAS 8052-42-4) 2B Possibly carcinogenic to humans.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

## US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Not available. Reproductive toxicity Specific target organ toxicity Not available.

- single exposure

Not available.

Specific target organ toxicity

- repeated exposure **Aspiration hazard** Not available.

**Chronic effects** Prolonged inhalation may be harmful.

## 12. Ecological information

**Ecotoxicity** This product has no known eco-toxicological effects.

Persistence and degradability Not available. Not available. **Bioaccumulative potential** Not available. Mobility in soil Not available. Other adverse effects

## 13. Disposal considerations

unused products

**Disposal instructions** Allow molten resin to solidify before disposal. Dispose in accordance with all applicable regulations.

When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

Hazardous waste code Not applicable.

Waste from residues / Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging No special precautions.

Material name: AC-15P SDS US

# 14. Transport information

#### DOT

**UN number** UN3257

**UN proper shipping name** Elevated temperature liquid, n.o.s., at or above 100 C and below its flash point (including molten

metals, molten salts, etc.)

Transport hazard class(es)

9 **Subsidiary risk** 9 Label(s) **Packing group** III

Special precautions for Not available.

user

**Special provisions** IB1, T3, TP3, TP29

**Packaging exceptions** None Packaging non bulk None Packaging bulk 247

**IATA** 

**UN** number UN3257

**UN proper shipping name** Elevated temperature liquid, n.o.s. at or above 100°C and below its flash point (including molten

metals, molten salts, etc.)

Transport hazard class(es)

Class 9 **Subsidiary risk** 

Packing group Not available.

**Environmental hazards** No. **ERG Code** 9L

Special precautions for Not available.

user

Other information

Passenger and cargo

aircraft

Forbidden

Cargo aircraft only Forbidden

**IMDG** 

**UN** number UN3257

ELEVATED TEMPERATURE LIQUID, N.O.S. at or above 100°C and below its flashpoint (including **UN proper shipping name** 

molten metals, molten salts, etc.)

Transport hazard class(es)

9 Class **Subsidiary risk** III**Packing group Environmental hazards** 


Marine pollutant No. **EmS** F-A, <u>S-P</u> Special precautions for Not available.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

DOT; IATA; IMDG



Material name: AC-15P SDS US

# 15. Regulatory information

## **US federal regulations**

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

# **CERCLA Hazardous Substance List (40 CFR 302.4)**

ASPHALT (CAS 8052-42-4) Listed.

#### SARA 304 Emergency release notification

Not regulated.

# OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312** Yes

**Hazardous chemical** 

**Classified hazard** Flammable (gases, aerosols, liquids, or solids)

**categories** Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

Hazard not otherwise classified (HNOC)

#### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** 

(SDWA)

Not regulated.

#### **International Inventories**

| Country(s) or region | Inventory name   | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia            | Australian Inventory of Chemical Substances (AICS)                     | Yes                    |
| Canada               | Domestic Substances List (DSL)   | Yes                    |
| Canada               | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe               | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                    |
| Europe               | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                | Inventory of Existing and New Chemical Substances (ENCS)               | Yes                    |
| Korea                | Existing Chemicals List (ECL)  | Yes                    |
| New Zealand          | New Zealand Inventory  | Yes                    |
| Philippines          | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |
| Taiwan               | Taiwan Chemical Substance Inventory (TCSI)                             | Yes                    |

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

 Issue date
 03-10-2017

 Revision date
 04-27-2020

Version # 02

United States & Puerto Rico

Material name: AC-15P SDS US

6179 Version #: 02 Revision date: 04-27-2020 Issue date: 03-10-2017

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)

NFPA ratings Health: 2

Flammability: 1 Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety

Material name: AC-15P SDS US