# SAFETY DATA SHEET



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HyGold 70E

**Identification number** 649-466-00-2 (Index number)

**Registration number** 01-2119480375-34

**Synonyms** None.

**Issue date** 30-April-2013

**Version number** 03

**Revision date** 06-March-2016 Supersedes date 03-February-2016

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Metalworking Fluids, Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy

Duty Engine Oil, Bar & Chain, Carriers & Diluents, Engine Oil.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

**Manufacturer:** Ergon Refining, Inc.

2611 Haining Rd

Vicksburg, Mississippi 39181

**EU Contact:** sds@ergon.com

> Drève Richelle 161 Building C B-1410 Waterloo, Belgium

**Emergency Phone** 

Numbers:

**Ergon Refining, Inc.:** + 1.601.638.4960 Normal Business Hours

**Chemtrec:** + 1.800.424.9300 After Business Hours (North America)

+ 1.703.527.3887 (International)

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classification

# Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This substance does not meet the criteria for classification according to Directive 67/548/EEC as amended.

#### Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

Aspiration hazard H304 - May be fatal if swallowed Category 1

and enters airways.

**Hazard summary** 

**Physical hazards** Not classified for physical hazards.

**Health hazards** Occupational exposure to the substance or mixture may cause adverse health effects.

**Environmental hazards** Not classified for hazards to the environment.

Specific hazards Harmful by inhalation. Do not breathe dust/fume/gas/mist/vapors/spray.

Main symptoms Respiratory disorder.

2.2. Label elements

# Label according to Regulation (EC) No. 1272/2008 as amended

Distillates (petroleum), hydrotreated light naphthenic Contains:

**Hazard pictograms** 

Signal word Danger

**Hazard statements** 

Material name: HvGold 70E SDS FU

May be fatal if swallowed and enters airways. H304

**Precautionary statements** 

**Prevention** 

P260 Do not breathe gas/fumes/vapour/spray.

Response

IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. P301 + P310

Do NOT induce vomiting. P331

**Storage** 

Store locked up. P405

**Disposal** 

See section 13 of this SDS for disposal instructions.

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with P501

applicable laws and regulations, and product characteristics at time of disposal.

Supplemental label

information

None.

2.3. Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

#### 3,1. Substances

#### **General information**

% **Chemical name** CAS-No. / EC No. REACH Registration No. INDEX No. **Notes** 

Distillates (petroleum), hydrotreated 64742-53-6 01-2119480375-34 649-466-00-2 100

light naphthenic 265-156-6

**Classification:** DSD: -L

**CLP:** Asp. Tox. 1;H304

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

#: This substance has workplace exposure limit(s). PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

67/548: Directive 67/548/EEC.

#: This substance has been assigned Community workplace exposure limit(s).

**Composition comments** Not assigned.

#### **SECTION 4: First aid measures**

**General information** Contact physician if discomfort continues.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

**Eye contact** Flush thoroughly with water. If irritation occurs, get medical assistance.

**Ingestion** Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both

acute and delayed

Defatting of the skin.

4.3. Indication of any immediate medical attention and special treatment

Treat symptomatically.

needed

# **SECTION 5: Firefighting measures**

**General fire hazards** No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB

5.1. Extinguishing media

Suitable extinguishing

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an media

extinguisher, as this will spread the fire.

Material name: HvGold 70E SDS FU Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

**6.2. Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

#### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame.

**7.3. Specific end use(s)** Not available.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

# Occupational exposure limits

Belgium. Exposure Limit Values.

| Material   | Туре        | Value               | Form           |  |
|--|-------------|---------------------|----------------|--|
| HyGold 70E   | STEL<br>TWA | 10 mg/m3<br>5 mg/m3 | Mist.<br>Mist. |  |
| Components   | Туре        | Value               | Form           |  |
| Distillates (petroleum),<br>hydrotreated light<br>naphthenic (CAS<br>64742-53-6) | STEL        | 10 mg/m3            | Mist.          |  |
| •  | TWA         | 5 mg/m3             | Mist.          |  |

# Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work Material Type Value HyGold 70E TWA 5 mg/m3

Material name: HyGold 70E SDS EU

| Bulgaria. OELs. Regulation No 13 on pro<br>Components                            | Туре                                 | Value                       | J             |
|--|--------------------------------------|-----------------------------|---------------|
| Distillates (petroleum),<br>hydrotreated light<br>naphthenic (CAS<br>64742-53-6) | TWA                                  | 5 mg/m3                     |               |
| Czech Republic. OELs. Government Decr  | ree 361                              |                             |               |
| Material   | Туре                                 | Value                       |               |
| HyGold 70E   | Ceiling                              | 1000 mg/m3                  |               |
|  | TWA                                  | 200 mg/m3                   |               |
| Components   | Туре                                 | Value                       |               |
| Distillates (petroleum),<br>hydrotreated light<br>naphthenic (CAS<br>64742-53-6) | Ceiling                              | 1000 mg/m3                  |               |
|  | TWA                                  | 200 mg/m3                   |               |
| Denmark. Work Environment Authority.<br>Material                                 | Exposure Limits for Substances Type  | & Materials, An. 2<br>Value | & 3<br>Form   |
| HyGold 70E   | TLV                                  | 1 mg/m3                     | Mist.         |
| Components   | Туре                                 | Value                       | Form          |
| Distillates (petroleum),<br>hydrotreated light<br>naphthenic (CAS<br>64742-53-6) | TLV                                  | 1 mg/m3                     | Mist.         |
| Finland. Workplace Exposure Limits<br>Material                                   | Туре                                 | Value                       | Form          |
| HyGold 70E<br>Components   | TWA                                  | 5 mg/m3<br><b>Value</b>     | Mist.<br>Form |
| -  | Туре                                 |                             |               |
| Distillates (petroleum),<br>hydrotreated light<br>naphthenic (CAS<br>64742-53-6) | TWA                                  | 5 mg/m3                     | Mist.         |
| Greece. OELs (Decree No. 90/1999, as a<br>Material                               | mended)<br>Type                      | Value                       | Form          |
| HyGold 70E   | TWA                                  | 5 mg/m3                     | Mist.         |
| Components   | Туре                                 | Value                       | Form          |
| Distillates (petroleum),<br>hydrotreated light<br>naphthenic (CAS<br>64742-53-6) | TWA                                  | 5 mg/m3                     | Mist.         |
| Hungary. OELs. Joint Decree on Chemica<br>Material                               | al Safety of Workplaces Type         | Value                       | Form          |
| HyGold 70E<br>Components   | Ceiling <b>Type</b>                  | 5 mg/m3<br><b>Value</b>     | Mist.<br>Form |
| Distillates (petroleum),<br>hydrotreated light<br>naphthenic (CAS<br>64742-53-6) | Ceiling                              | 5 mg/m3                     | Mist.         |
| Iceland. OELs. Regulation 154/1999 on<br>Material                                | occupational exposure limits<br>Type | Value                       | Form          |
| HyGold 70E<br>Components   | TWA<br><b>Type</b>                   | 1 mg/m3<br><b>Value</b>     | Mist.<br>Form |
| Distillates (petroleum),<br>hydrotreated light<br>naphthenic (CAS                | TWA                                  | 1 mg/m3                     | Mist.         |

Material name: HyGold 70E SDS EU

| Material  | nits<br>Type   | Value   | Form  |
|---|--|---|---|
| HyGold 70E<br>Components  | TWA<br><b>Type</b>   | 5 mg/m3<br><b>Value</b>   | Inhalable fraction. <b>Form</b>   |
| Distillates (petroleum),<br>hydrotreated light<br>naphthenic (CAS<br>64742-53-6)  | TWA  | 5 mg/m3   | Inhalable fraction.   |
| Italy. Occupational Exposure Limits<br>Material   | s<br>Type  | Value   | Form  |
| HyGold 70E  | TWA  | 5 mg/m3   | Inhalable fraction.   |
| Lithuania. OELs. Limit Values for C<br>Material   | hemical Substances, Gen<br>Type  | <del>-</del> -  | Form  |
| HyGold 70E  | STEL   | 3 mg/m3   | Fume and mist.  |
| Tyddid 70L  | TWA  | 1 mg/m3   | Fume and mist.  |
| Components  | Туре   | Value   | Form  |
| Distillates (petroleum),<br>hydrotreated light<br>naphthenic (CAS<br>64742-53-6)  | STEL   | 3 mg/m3   | Fume and mist.  |
| Netherlands. OELs (binding)   | TWA  | 1 mg/m3   | Fume and mist.  |
| Material  | Туре   | Value   | Form  |
| HyGold 70E<br><b>Components</b>   | TWA<br><b>Type</b>   | 5 mg/m3<br><b>Value</b>   | Mist.<br><b>Form</b>  |
| Distillates (petroleum),  | TWA  | 5 mg/m3   | Mist.   |
| hydrotreated light<br>naphthenic (CAS<br>64742-53-6)<br>Norway. Administrative Norms for (<br>Material  | Contaminants in the Wor<br>Type  | kplace<br>Value   | Form  |
| HyGold 70E  | TLV  | 1 mg/m3   | Mist.   |
|   |  | 5,  | Form  |
| -   | Type   | Value   | I OI III  |
| Components  Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)   | <b>Type</b><br>TLV   | Value 1 mg/m3   | Mist.   |
| Components  Distillates (petroleum), hydrotreated light haphthenic (CAS   | TLV  | 1 mg/m3  g Maximum Allowable Cond   | Mist.  centrations and Intensitions   |
| Components Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6) Poland. MACs. Minister of Labour a in Working Environment  | TLV  | 1 mg/m3   | Mist.   |
| Components Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6) Poland. MACs. Minister of Labour alin Working Environment Material   | TLV  nd Social Policy Regardin  Type  STEL   | 1 mg/m3  In mg/m3  In mg/m3  In mg/m3   | Mist.  Centrations and Intensition  Form  Aerosol   |
| Components Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6) Poland. MACs. Minister of Labour alin Working Environment Material HyGold 70E  | TLV  nd Social Policy Regardin  Type  STEL  TWA  | 1 mg/m3  ng Maximum Allowable Cond  Value  10 mg/m3 5 mg/m3   | Mist.  centrations and Intensition  Form  Aerosol  Aerosol  |
| Components Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6) Poland. MACs. Minister of Labour alin Working Environment Material HyGold 70E Components   | TLV  nd Social Policy Regardin  Type  STEL  TWA  Type  | 1 mg/m3  In mg/m3   | Mist.  Centrations and Intensiti  Form  Aerosol Aerosol Form  |
| Components  Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6)  Poland. MACs. Minister of Labour a in Working Environment Material  HyGold 70E  Components  Distillates (petroleum), hydrotreated light haphthenic (CAS  | TLV  nd Social Policy Regardin  Type  STEL  TWA  | 1 mg/m3  ng Maximum Allowable Cond  Value  10 mg/m3 5 mg/m3   | Mist.  centrations and Intensition  Form  Aerosol  Aerosol  |
| Components  Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6)  Poland. MACs. Minister of Labour a in Working Environment Material  HyGold 70E  Components  Distillates (petroleum), hydrotreated light  | TLV  nd Social Policy Regardin  Type  STEL  TWA  Type  | 1 mg/m3  In mg/m3   | Mist.  Centrations and Intensition  Form  Aerosol Aerosol Form  |
| Components  Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6)  Poland. MACs. Minister of Labour alin Working Environment Material  HyGold 70E  Components  Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6)  Portugal. VLEs. Norm on occupation                  | TLV  nd Social Policy Regardin  Type  STEL  TWA  Type  STEL  TWA  TYPE  STEL  TWA  TWA  TWA  nal exposure to chemical    | 1 mg/m3  In mg/m3 | Mist.  Centrations and Intensition  Form  Aerosol  Aerosol  Form  Aerosol  Aerosol  |
| Components  Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6)  Poland. MACs. Minister of Labour alin Working Environment Material  HyGold 70E  Components  Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6)  Portugal. VLEs. Norm on occupation                  | nd Social Policy Regardin  Type  STEL  TWA  Type  STEL  TWA  TWA  nal exposure to chemical  Type                         | 1 mg/m3  In mg/m3  In mg/m3  Value  10 mg/m3  5 mg/m3  Value  10 mg/m3  | Mist.  Centrations and Intensition  Form  Aerosol  Aerosol  Form  Aerosol   |
| Components Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6) Poland. MACs. Minister of Labour a in Working Environment Material HyGold 70E Components Distillates (petroleum), hydrotreated light haphthenic (CAS   | TLV  nd Social Policy Regardin  Type  STEL  TWA  Type  STEL  TWA  nal exposure to chemical  Type  STEL                   | 1 mg/m3  In mg/m3   | Mist.  Centrations and Intensition Form  Aerosol Aerosol Aerosol  Aerosol  Form  Aerosol  Form  Aerosol                     |
| Components Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6) Poland. MACs. Minister of Labour at in Working Environment Material HyGold 70E  Components Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6)  Portugal. VLEs. Norm on occupation Material HyGold 70E | TLV  nd Social Policy Regardin  Type  STEL  TWA  Type  STEL  TWA  nal exposure to chemical  Type  STEL  TYPE  STEL  TYPE | 1 mg/m3  In mg/m3   | Mist.  Centrations and Intensiti  Form  Aerosol Aerosol Aerosol  Aerosol  Form  Aerosol  Aerosol  Aerosol  Aerosol  Aerosol |
| Components  Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6)  Poland. MACs. Minister of Labour and in Working Environment Material  HyGold 70E  Components  Distillates (petroleum), hydrotreated light haphthenic (CAS 64742-53-6)  Portugal. VLEs. Norm on occupation Material       | TLV  nd Social Policy Regardin  Type  STEL  TWA  Type  STEL  TWA  nal exposure to chemical  Type  STEL                   | 1 mg/m3  In mg/m3   | Mist.  Centrations and Intensiti  Form  Aerosol Aerosol Form  Aerosol  Form  Aerosol  Form  Aerosol                         |

Material name: HyGold 70E SDS EU

| Material   | Туре  | Value                  |                    |
|--|---|------------------------|--------------------|
| HyGold 70E   | STEL  | 10 mg/m3               |                    |
| _  | TWA   | 5 mg/m3                |                    |
| Components   | Туре  | Value                  |                    |
| Distillates (petroleum),<br>hydrotreated light<br>naphthenic (CAS<br>64742-53-6) | STEL  | 10 mg/m3               |                    |
| 04742-33-0)  | TWA   | 5 mg/m3                |                    |
| Spain. Occupational Expo   | sure Limits   | -                      |                    |
| Material   | Туре  | Value                  | Form               |
| HyGold 70E   | STEL  | 10 mg/m3               | Mist.              |
|  | TWA   | 5 mg/m3                | Mist.              |
| Components   | Туре  | Value                  | Form               |
| Distillates (petroleum),<br>hydrotreated light<br>naphthenic (CAS<br>64742-53-6) | STEL  | 10 mg/m3               | Mist.              |
| ,  | TWA   | 5 mg/m3                | Mist.              |
| Sweden. Occupational Ex  | =   |                        |                    |
| Material   | Туре  | Value                  | Form               |
| HyGold 70E   | STEL  | 3 mg/m3                | Mist.              |
| Commonant  | TWA   | 1 mg/m3                | Mist.              |
| Components   | Туре  | Value                  | Form               |
| Distillates (petroleum),<br>hydrotreated light<br>naphthenic (CAS<br>64742-53-6) | STEL  | 3 mg/m3                | Mist.              |
| -  | TWA   | 1 mg/m3                | Mist.              |
| ogical limit values  | No biological exposure limits noted t   | for the ingredient(s). |                    |
| ommended monitoring<br>cedures   | Not available.  |                        |                    |
| ived no-effect level<br>IEL)   | Not available.  |                        |                    |
| dicted no effect<br>centrations (PNECs)  | Not available.  |                        |                    |
| <b>Exposure controls</b>   |   |                        |                    |
| ropriate engineering<br>trols  | Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. |                        |                    |
| =  | es, such as personal protective equ   | ipment                 |                    |
| General information  | Not available.  |                        |                    |
| Eye/face protection  | Goggles/face shield are recommended.  |                        |                    |
| Skin protection  |   | 1 1 70                 | . 19 1             |
| - Hand protection  | Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet styl gloves.                                      |                        |                    |
| - Other  | Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.   |                        |                    |
|  |   |                        | workers are facing |

concentrations above the exposure limit they must use appropriate certified respirators.

Not available.

**Hygiene measures** Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

**Environmental exposure** 

Thermal hazards

controls

Not available.

5463 Version No.: 03 Revision date: 03-February-2016 Issue date: 30-April-2013

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Clear & bright **Appearance** 

Material name: HyGold 70E SDS EU **Physical state** Liquid. Form Liquid.

Colour Water White to Pale yellow Odour Mild Petroleum Odor

**Odour threshold** Not available. pН Not available.

Melting point/freezing point -59 °C (-74,2 °F) ASTM D 5950

Initial boiling point and

boiling range

> 226,67 °C (> 440 °F) ASTM D 2887/ ISO 3294

Flash point > 143,0 °C (> 289,4 °F) Pensky-Martens Closed Cup ASTM D 93

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit -

Not available.

upper (%)

Not available. Vapour pressure

Vapour density > 5

Relative density Not available.

Solubility(ies)

Solubility (water) Not available. Solubility (other) Not available. Not established. **Partition coefficient** 

(n-octanol/water)

> 315,56 °C (> 600 °F) **Auto-ignition temperature** 

**Decomposition temperature** Not available.

**Viscosity** 12,5 cSt (40 °C (104 °F) ISO 3104)

**Explosive properties** Not available. **Oxidizing properties** Not available.

9.2. Other information No relevant additional information available.

**SECTION 10: Stability and reactivity** 

10.1. Reactivity Strong oxidising agents.

10.2. Chemical stability Stable.

10.4. Conditions to avoid

10.3. Possibility of hazardous

reactions

Hazardous polymerisation does not occur.

Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

decomposition products weight hydrocarbons.

**SECTION 11: Toxicological information** 

**General information** Not available. Information on likely routes of exposure

**Ingestion** May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration. May be fatal if swallowed and enters airways.

Inhalation May be fatal if swallowed and enters airways.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

**Eye contact** May be irritating to eyes.

**Symptoms** Defatting of the skin. Coughing. Shortness of breath. Discomfort in the chest.

11.1. Information on toxicological effects

**Acute toxicity** Not applicable.

Skin corrosion/irritation May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye Not classified. May cause minor irritation on eye contact.

irritation

Material name: HvGold 70E SDS FU 5463 Version No.: 03 Revision date: 03-February-2016 Issue date: 30-April-2013

Respiratory sensitisation Not classified.

Skin sensitisation Not classified. May cause defatting of the skin, but is not an irritant.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Nota L - Meets

EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346.

Contains no ingredient listed as toxic to reproduction Reproductive toxicity

Specific target organ toxicity

- single exposure

**Aspiration hazard** 

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

May be fatal if swallowed and enters airways.

Mixture versus substance

information

Not available.

Other information

Risk of chemical pneumonia after aspiration.

# **SECTION 12: Ecological information**

Not expected to be harmful to aquatic organisms. 12.1. Toxicity

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

**Partition coefficient** 

n-octanol/water (log Kow)

Not established.

**Bioconcentration factor (BCF)** Not available. 12.4. Mobility in soil Not available. 12.5. Results of PBT Not applicable.

and vPvB assessment

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

ground.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

**EU** waste code Not applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

Disposal When this product as supplied is to be discarded as waste, it does not meet the definition of a methods/information

RCRA waste under 40 CFR 261. Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material

characteristics at time of disposal.

#### **SECTION 14: Transport information**

General Not regulated as dangerous goods.

**ADR** 

Not regulated as dangerous goods.

**RID** 

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Material name: HyGold 70E SDS FU

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex I

Not listed

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, Article 59(1). Candidate List

Not listed.

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed

#### **Restrictions on use**

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use Not regulated.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not listed

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not listed.

# Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not listed.

Directive 94/33/EC on the protection of young people at work

Not listed.

**Other regulations**The product is classified and labelled in accordance with EC directives or respective national laws

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

**National regulations** Germany: WGK 1

**15.2. Chemical safety** No Chemical Safety Assessment has been carried out.

assessment

#### **SECTION 16: Other information**

#### **International Inventories**

Country(s) or regionInventory nameOn inventory (yes/no)\*AustraliaAustralian Inventory of Chemical Substances (AICS)YesCanadaDomestic Substances List (DSL)Yes

Material name: HyGold 70E SDS EU

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                    |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | Yes                    |
| Korea                       | Existing Chemicals List (ECL)  | Yes                    |
| New Zealand                 | New Zealand Inventory  | Yes                    |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

List of abbreviations Not available. References **ACGTH** 

IARC Monographs. Overall Evaluation of Carcinogenicity

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

**ILO Safety Cards** 

**International Labour Organization** 

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

**US DOT Hazardous Materials Regulations** 

**Information on evaluation** method leading to the classification of mixture

Not available.

Full text of any statements or **R-phrases and H-statements** 

H304 May be fatal if swallowed and enters airways.

under Sections 2 to 15 **Revision information** 

Product and Company Identification: Product and Company Identification

Physical & Chemical Properties: Multiple Properties

**Training information** 

Not available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Material name: HyGold 70E SDS FU