SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HyPrene L350E

Identification number 649-465-00-7 (Index number)

Registration number 01-2119467170-45

Synonyms None.

03-July-2013 Issue date

03 Version number

Revision date 05-April-2016 Supersedes date 21-July-2014

1.2. Relevant identified uses of the substance or mixture and uses advised against

Tire Oils, Rubber Compounding, Automotive & Industrial Hoses, Dedusting, Plasticizer, Titanium **Identified uses**

Dioxide Wash, Compressor Wash Oils, Hydraulic Fracturing Oil, Adhesives, Carpet Backing, Feed Stock for White Oil, Refrigeration Oil, Diluents and Carriers, Carbon Black, Banbury Dust Stop,

Defoamers, Sealants, Belts & Hoses, Coatings, Leather Tanning, Agriculture Oils.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer: Ergon Refining, Inc.

2611 Haining Rd

Vicksburg, Mississippi 39181

EU Contact: sds@ergon.com

> Drève Richelle 161 Building C B-1410 Waterloo, Belgium

Emergency Phone

Numbers:

+ 1.601.638.4960 Normal Business Hours **Ergon Refining, Inc.:**

Chemtrec: + 1.800.424.9300 After Business Hours (North America)

+ 1.703.527.3887 (International)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This substance does not meet the criteria for classification according to Directive 67/548/EEC as amended.

Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary

Physical hazards Not classified for physical hazards.

Health hazards Not classified for health hazards. However, occupational exposure to the mixture or substance(s)

may cause adverse health effects.

Environmental hazards Not classified for hazards to the environment. **Specific hazards** No hazards resulting from the material as supplied.

Main symptoms Symptoms may include redness, oedema, drying, defatting and cracking of the skin.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Distillates (petroleum), hydrotreated heavy naphthenic

Hazard pictograms None.

Signal word Not applicable. **Hazard statements** Not applicable.

Precautionary statements

Prevention Not available. Response Not applicable. **Storage** Not applicable.

Material name: HyPrene L350E 1/9

5477 Version No.: 03 Revision date: 05-April-2016 Issue date: 03-July-2013

Not applicable. **Disposal**

Supplemental label

information

None.

See section 11 for additional information on health hazards. 2.3. Other hazards

SECTION 3: Composition/information on ingredients

3,1. Substances

General information

% CAS-No. / EC No. REACH Registration No. INDEX No. **Chemical name Notes** Distillates (petroleum), hydrotreated 100 64742-52-5 01-2119467170-45 649-465-00-7 heavy naphthenic 265-155-0 **Classification:** L DSD: -

67/548: Directive 67/548/EEC. CLP: Regulation No. 1272/2008.

#: This substance has been assigned Community workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

CLP: _

SECTION 4: First aid measures

General information Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both

acute and delayed 4.3. Indication of any

immediate medical attention and special treatment

needed

Defatting of the skin.

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB

5.1. Extinguishing media

Suitable extinguishing

media

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a

fire.

Material name: HyPrene L350E SDS EU 2/9

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Values.

Material	Туре	Value	Form	
HyPrene L350E	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.	
,	TWA	5 mg/m3	Mist.	

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work Material Value

HyPrene L350E	TWA	5 mg/m3
Components	Туре	Value
Distillates (petroleum), hydrotreated heavy	TWA	5 mg/m3

naphthenic (CAS 64742-52-5)

Czech Republic. OELs. Government Decree 361

Components	Type	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Ceiling	1000 mg/m3	
	TWA	200 mg/m3	

Material name: HyPrene L350E SDS EU

5477 Version No.: 03 Revision date: 05-April-2016 Issue date: 03-July-2013

Denmark. Work Environment Authorit Material	Type	Value	Form
HyPrene L350E	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.
Greece. OELs (Decree No. 90/1999, a Material	s amended) Type	Value	Form
HyPrene L350E Components	TWA Type	5 mg/m3 Value	Mist. Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Hungary. OELs. Joint Decree on Chem	ical Safety of Workplaces		
Material	Туре	Value	Form
HyPrene L350E	Ceiling	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Ceiling	5 mg/m3	Mist.
Iceland. OELs. Regulation 154/1999 o Material	on occupational exposure limit Type	s Value	Form
HyPrene L350E	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	1 mg/m3	Mist.
Lithuania. OELs. Limit Values for Che Material	mical Substances, General Req Type	uirements Value	Form
HyPrene L350E	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Netherlands. OELs (binding) Material	Туре	Value	Form
HyPrene L350E Components	TWA Type	5 mg/m3 Value	Mist. Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms for Co Material	ntaminants in the Workplace Type	Value	Form
HyPrene L350E	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS	TLV	1 mg/m3	Mist.

Material name: HyPrene L350E

SDS EU 5477 Version No.: 03 Revision date: 05-April-2016 Issue date: 03-July-2013

Material	Туре	Value	Form
HyPrene L350E	STEL	10 mg/m3	Aerosol
,	TWA	5 mg/m3	Aerosol
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Aerosol
,	TWA	5 mg/m3	Aerosol
Portugal, VLEs, Norm on	occupational exposure to chemical	agents (NP 1796)	
Material	Туре	Value	Form
HyPrene L350E	STEL	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Aerosol
•	TWA	5 mg/m3	Aerosol
Romania. OELs. Protectio	on of workers from exposure to che	mical agents at the workplace	
Material	Туре	Value	
HyPrene L350E	STEL	10 mg/m3	
	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	
•	TWA	5 mg/m3	
Spain. Occupational Expo			
Matarial	Tyma		
Material	Туре	Value	Form
HyPrene L350E	STEL	Value 10 mg/m3	Mist.
HyPrene L350E	STEL TWA	10 mg/m3 5 mg/m3	Mist. Mist.
	STEL	10 mg/m3	Mist.
HyPrene L350E Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	STEL TWA	10 mg/m3 5 mg/m3	Mist. Mist.
HyPrene L350E	STEL TWA Type	10 mg/m3 5 mg/m3 Value	Mist. Mist. Form
HyPrene L350E Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	STEL TWA Type STEL	10 mg/m3 5 mg/m3 Value 10 mg/m3	Mist. Mist. Form Mist.
HyPrene L350E Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL TWA Type STEL	10 mg/m3 5 mg/m3 Value 10 mg/m3	Mist. Mist. Form Mist.
HyPrene L350E Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Ex	STEL TWA Type STEL TWA TWA Type	10 mg/m3 5 mg/m3 Value 10 mg/m3	Mist. Mist. Form Mist. Mist.
HyPrene L350E Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Ex Material	STEL TWA Type STEL TWA TWA Tposure Limit Values Type	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value	Mist. Form Mist. Mist. Form
HyPrene L350E Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Ex Material HyPrene L350E	STEL TWA Type STEL TWA Type STEL TWA Typosure Limit Values Type STEL	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 3 mg/m3	Mist. Form Mist. Form Mist. Form Mist.
HyPrene L350E Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Ex Material HyPrene L350E Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	STEL TWA Type STEL TWA posure Limit Values Type STEL TWA	10 mg/m3 5 mg/m3 Value 10 mg/m3 Value 5 mg/m3 Value 3 mg/m3 1 mg/m3	Mist. Mist. Form Mist. Mist. Form Mist. Mist. Mist. Mist.
HyPrene L350E Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Ex Material	STEL TWA Type STEL TWA TWA Tposure Limit Values Type STEL TWA Type	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 3 mg/m3 1 mg/m3 Value	Mist. Form Mist. Form Mist. Form Mist. Form Mist. Form
HyPrene L350E Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Ex Material HyPrene L350E Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	STEL TWA Type STEL TWA Posure Limit Values Type STEL TWA Type STEL TWA Type STEL STEL	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 1 mg/m3 Value 3 mg/m3	Mist. Mist. Form Mist. Mist. Form Mist. Form Mist. Mist. Mist. Mist. Mist. Mist. Mist.
HyPrene L350E Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Ex Material HyPrene L350E Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL TWA Type STEL TWA Posure Limit Values Type STEL TWA Type STEL TWA Type STEL TWA Type STEL	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 1 mg/m3 Value 3 mg/m3	Mist. Mist. Form Mist. Mist. Form Mist. Form Mist. Mist. Mist. Mist. Mist. Mist. Mist.
HyPrene L350E Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Ex Material HyPrene L350E Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) ogical limit values ommended monitoring	STEL TWA Type STEL TWA TWA Type STEL TWA Type	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 1 mg/m3 Value 3 mg/m3	Mist. Mist. Form Mist. Mist. Form Mist. Form Mist. Mist. Mist. Mist. Mist. Mist. Mist.
HyPrene L350E Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Ex Material HyPrene L350E Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) ogical limit values ommended monitoring cedures ived no-effect level	STEL TWA Type STEL TWA Posure Limit Values Type STEL TWA Type STEL TWA Type STEL TWA Type STEL TWA No biological exposure limits noted for Not available.	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 1 mg/m3 Value 3 mg/m3	Mist. Mist. Form Mist. Mist. Form Mist. Form Mist. Mist. Mist. Mist. Mist. Mist. Mist.

Material name: HyPrene L350E

SDS EU 5477 Version No.: 03 Revision date: 05-April-2016 Issue date: 03-July-2013

Appropriate engineering

controls

Adequate ventilation should be provided so that exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

General information Not available.

Eye/face protection Goggles/face shield are recommended.

Skin protection

- Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

- Other Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Respiratory protection Under normal conditions, respirator is not normally required. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators.

Thermal hazards Not available.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear & bright

Physical state Liquid. **Form** Liquid.

Colour Light Amber to Golden Mild Petroleum Odor Odour

Odour threshold Not available. Not available. рH

<= -23 °C (<= -9,4 °F) ASTM D5950/ ISO 3016 Melting point/freezing point Initial boiling point and > 265,56 °C (> 510 °F) ASTM D2887/ ISO 3294

boiling range

Flash point

>= 173,0 °C (>= 343,4 °F) Pensky-Martens Closed Cup ASTM D93/ ISO 2719

198,9 °C (390,0 °F) Cleveland open cup ASTM D92/ ISO 2592

Evaporation rate Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

Not available. Vapour pressure Not available. Vapour density

0,91 ASTM D4052/ ISO 12185 Relative density

Solubility(ies)

Solubility (water) Insoluble Solubility (other) Not available. **Partition coefficient** Not established.

(n-octanol/water)

Auto-ignition temperature > 315,56 °C (> 600 °F) ASTM E659

Decomposition temperature Not available.

68 cSt (40 °C (104 °F) ASTM D445 / ISO 3104) **Viscosity**

Explosive properties Not available. **Oxidizing properties** Not available.

9.2. Other information No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity Strong oxidising agents.

10.2. Chemical stability Stable.

Material name: HvPrene L350E

10.3. Possibility of hazardous

reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid Avoid temperatures exceeding the flash point.

10.5. Incompatible materials

Strong oxidising agents.

10.6. Hazardous

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

decomposition products weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available. Information on likely routes of exposure

Ingestion May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration.

Inhalation May be harmful if inhaled. However, this product does not currently meet the criteria for

classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact May be irritating to eyes.

Symptoms Not available.

11.1. Information on toxicological effects

Acute toxicity Not classified.

Skin corrosion/irritation Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

Not classified.

Respiratory sensitisation Not classified. Skin sensitisation Not classified.

Germ cell mutagenicity Non-mutagenic based on Modified Ames Assay.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EU

requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346.

Contains no ingredient listed as toxic to reproduction Reproductive toxicity

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard Mixture versus substance

Not classified. Not available.

information

Other information Not available.

SECTION 12: Ecological information

Not expected to be harmful to aquatic organisms. 12.1. Toxicity

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient

n-octanol/water (log Kow)

Not established.

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil Not available. 12.5. Results of PBT Not applicable.

and vPvB assessment

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Material name: HvPrene L350E

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

ground.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

EU waste code Not applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

Disposal

When this product as supplied is to be discarded as waste, it does not meet the definition of a methods/information RCRA waste under 40 CFR 261. Disposal recommendations are based on material as supplied.

Disposal must be in accordance with current applicable laws and regulations, and material

characteristics at time of disposal.

SECTION 14: Transport information

General Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

14.7. Transport in bulk Not available.

according to Annex II of MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **EU** regulations

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex I

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex II

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Regulation (EC) No. 1907/2006, Article 59(1). Candidate List

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not listed.

Material name: HvPrene L350E SDS FU

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not listed.

Directive 94/33/EC on the protection of young people at work

Inventory name

Not listed.

The product is classified and labelled in accordance with EC directives or respective national laws Other regulations

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations Germany: WGK 1

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

List of abbreviations Not available.

United States & Puerto Rico

References Chemical Abstracts Service Registry Handbook

CRC: Handbook of Chemistry and Physics

Toxic Substances Control Act (TSCA) Inventory

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

IARC Monographs. Overall Evaluation of Carcinogenicity

Information on evaluation method leading to the classification of mixture

Not available.

Full text of any statements or R-phrases and H-statements under Sections 2 to 15

Revision information Product and Company Identification: Product and Company Identification

> Physical & Chemical Properties: Multiple Properties Regulatory Information: Risk Phrases - Labeling

REACH: Registration Substance

Training information Not available.

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: HyPrene L350E SDS EU

Yes

On inventory (yes/no)*