SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HyGold L500

Identification number 649-465-00-7 (Index number)

Registration number 01-2119467170-45

Synonyms None.

11-August-2011 Issue date

Version number 04

Revision date 12-April-2016 Supersedes date 13-August-2014

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Metalworking Fluids, Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy

Duty Engine Oil, Bar & Chain, Carriers & Diluents, Engine Oil.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer: Ergon Refining, Inc.

2611 Haining Rd

Vicksburg, Mississippi 39181

EU Contact: sds@ergon.com

> Drève Richelle 161 Building C B-1410 Waterloo, Belgium

Emergency Phone

Numbers:

Ergon Refining, Inc.: + 1.601.638.4960 Normal Business Hours

Chemtrec: + 1.800.424.9300 After Business Hours (North America)

+ 1.703.527.3887 (International)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This preparation does not meet the criteria for classification according to Directive 1999/45/EC as amended.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary

Physical hazards Not classified for physical hazards.

Health hazards Not classified for health hazards. However, occupational exposure to the mixture or substance(s)

may cause adverse health effects.

Environmental hazards Not classified for hazards to the environment. Specific hazards No hazards resulting from the material as supplied.

Main symptoms Symptoms may include redness, oedema, drying, defatting and cracking of the skin.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Distillates (petroleum), hydrotreated heavy naphthenic

Hazard pictograms None.

Signal word Not applicable. **Hazard statements** Not applicable.

Precautionary statements

Prevention Not applicable. Response Not applicable. Not applicable. Storage Disposal Not applicable.

Material name: HyGold L500 1 / 10

Supplemental label

information

None.

See section 11 for additional information on health hazards. 2.3. Other hazards

SECTION 3: Composition/information on ingredients

3,1. Substances

General information

% CAS-No. / EC No. REACH Registration No. INDEX No. **Chemical name Notes**

265-155-0

Distillates (petroleum), hydrotreated 100 64742-52-5 01-2119467170-45 649-465-00-7

heavy naphthenic

Classification: DSD: -L

CLP:

67/548: Directive 67/548/EEC. CLP: Regulation No. 1272/2008.

#: This substance has workplace exposure limit(s). PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

Composition comments A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in

the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces finished oil with a viscosity near 500 SUS at 100°F.

SECTION 4: First aid measures

General information Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention and special treatment

needed

Treat symptomatically.

Defatting of the skin.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB

5.1. Extinguishing media

Suitable extinguishing

media

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an

extinguisher, as this will spread the fire.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or

mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting

procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a fire.

Material name: HyGold L500 SDS FU

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Values.

| Material | Туре | Value | Form | |
|--|------|----------|-------|--|
| HyGold L500 Components | STEL | 10 mg/m3 | Mist. | |
| | TWA | 5 mg/m3 | Mist. | |
| | Туре | Value | Form | |
| Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | STEL | 10 mg/m3 | Mist. | |
| , | TWA | 5 mg/m3 | Mist. | |

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work Material Value

| HyGold L500 | TWA | 5 mg/m3 |
|--|------|---------|
| Components | Туре | Value |
| Distillates (petroleum), hydrotreated heavy | TWA | 5 mg/m3 |

naphthenic (CAS 64742-52-5)

Czech Republic. OELs. Government Decree 361

| Components | Туре | Value | |
|--|---------|------------|--|
| Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | Ceiling | 1000 mg/m3 | |
| | TWA | 200 mg/m3 | |

Material name: HyGold L500 SDS EU

| Denmark. Work Environment A Material | Type | Value | Form |
|--|---------------------------------------|---------------------------|-------------------------------|
| HyGold L500 Components | TLV Type | 1 mg/m3 Value | Mist. Form |
| Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | TLV | 1 mg/m3 | Mist. |
| Greece. OELs (Decree No. 90/1 Material | 999, as amended) Type | Value | Form |
| HyGold L500 Components | TWA Type | 5 mg/m3 Value | Mist. Form |
| Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | TWA | 5 mg/m3 | Mist. |
| Hungary. OELs. Joint Decree or Material | n Chemical Safety of Workplac Type | es Value | Form |
| HyGold L500 Components | Ceiling Type | 5 mg/m3 Value | Mist. Form |
| Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | Ceiling | 5 mg/m3 | Mist. |
| Iceland. OELs. Regulation 154/ Material | 1999 on occupational exposu Type | re limits Value | Form |
| HyGold L500 Components | TWA Type | 1 mg/m3 Value | Mist. Form |
| Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | TWA | 1 mg/m3 | Mist. |
| Lithuania. OELs. Limit Values f Material | or Chemical Substances, Gene Type | ral Requirements Value | Form |
| HyGold L500 | STEL TWA | 3 mg/m3 1 mg/m3 | Fume and mist. Fume and mist. |
| Components | Туре | Value | Form |
| Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | STEL | 3 mg/m3 | Fume and mist. |
| · · · · · · · · · · · · · · · · · · · | TWA | 1 mg/m3 | Fume and mist. |
| Netherlands. OELs (binding) Material | Туре | Value | Form |
| HyGold L500 Components | TWA Type | 5 mg/m3 Value | Mist. Form |
| Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | TWA | 5 mg/m3 | Mist. |
| Norway. Administrative Norms Material | for Contaminants in the Work Type | place Value | Form |
| HyGold L500 Components | TLV Type | 1 mg/m3 Value | Mist. Form |
| Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | TLV | 1 mg/m3 | Mist. |

Material name: HyGold L500 SDS EU

| Material | Туре | Value | Form |
|--|---|---|--|
| | STEL | | Aerosol |
| HyGold L500 | TWA | 10 mg/m3 5 mg/m3 | Aerosol |
| Components | Туре | Value | Form |
| Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | STEL | 10 mg/m3 | Aerosol |
| , | TWA | 5 mg/m3 | Aerosol |
| Portugal. VLEs. Norm on o | occupational exposure to chemical | agents (NP 1796) | |
| Material | Type | Value | Form |
| HyGold L500 | STEL | 10 mg/m3 | Aerosol |
| • | TWA | 5 mg/m3 | Aerosol |
| Components | Туре | Value | Form |
| Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | STEL | 10 mg/m3 | Aerosol |
| , | TWA | 5 mg/m3 | Aerosol |
| Romania. OELs. Protectio | n of workers from exposure to che | mical agents at the workplace | |
| Material | Туре | Value | |
| HyGold L500 | STEL | 10 mg/m3 | |
| | TWA | 5 mg/m3 | |
| Components | Туре | Value | |
| Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | STEL | 10 mg/m3 | |
| , | TWA | 5 mg/m3 | |
| Spain. Occupational Expo | sure Limits | | |
| Material | Туре | Value | Form |
| | CTEL | | Mict |
| HyGold L500 | STEL | 10 mg/m3 | Mist. |
| • | TWA | 5 mg/m3 | Mist. |
| • | | <u>-</u> - | |
| Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS | TWA | 5 mg/m3 | Mist. |
| Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS | TWA Type | 5 mg/m3 Value | Mist. Form |
| Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Ex | TWA Type STEL TWA | 5 mg/m3 Value 10 mg/m3 5 mg/m3 | Mist. Form Mist. Mist. |
| Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Ex | TWA Type STEL TWA | 5 mg/m3 Value 10 mg/m3 | Mist. Form |
| Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Ex Material | TWA Type STEL TWA posure Limit Values | 5 mg/m3 Value 10 mg/m3 5 mg/m3 | Mist. Form Mist. Mist. |
| Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Ex Material HyGold L500 | TWA Type STEL TWA posure Limit Values Type STEL TWA | 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 3 mg/m3 1 mg/m3 | Mist. Form Mist. Form Mist. Mist. Mist. Mist. Mist. |
| Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Ex Material HyGold L500 | TWA Type STEL TWA posure Limit Values Type STEL | 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 3 mg/m3 | Mist. Form Mist. Form Mist. Form |
| Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Ex Material HyGold L500 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS | TWA Type STEL TWA posure Limit Values Type STEL TWA | 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 3 mg/m3 1 mg/m3 | Mist. Form Mist. Form Mist. Mist. Mist. Mist. Mist. |
| Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Exp Material HyGold L500 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS | TWA Type STEL TWA posure Limit Values Type STEL TWA Type | 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 3 mg/m3 1 mg/m3 Value | Mist. Form Mist. Form Mist. Form Mist. Form |
| Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Ex Material HyGold L500 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | TWA Type STEL TWA posure Limit Values Type STEL TWA Type STEL STEL STEL STEL | 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 1 mg/m3 | Mist. Form Mist. Form Mist. Form Mist. Mist. Mist. Mist. Mist. Mist. Mist. Form Mist. |
| Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) | TWA Type STEL TWA posure Limit Values Type STEL TWA Type STEL TWA Type STEL | 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 1 mg/m3 | Mist. Form Mist. Form Mist. Form Mist. Mist. Mist. Mist. Mist. Mist. Mist. Form Mist. |
| Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Expanded L500 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) ogical limit values ommended monitoring | TWA Type STEL TWA posure Limit Values Type STEL TWA Type STEL TWA Type STEL TWA Type STEL | 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 1 mg/m3 | Mist. Form Mist. Form Mist. Form Mist. Mist. Mist. Mist. Mist. Mist. Mist. Form Mist. |
| Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. Occupational Expanded Language Material HyGold L500 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) ogical limit values ommended monitoring cedures ived no-effect level | TWA Type STEL TWA posure Limit Values Type STEL TWA Type STEL TWA Type STEL TWA No biological exposure limits noted for Not available. | 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 1 mg/m3 | Mist. Form Mist. Form Mist. Form Mist. Mist. Mist. Mist. Mist. Mist. Mist. Form Mist. |

Material name: HyGold L500

Appropriate engineering

controls

Adequate ventilation should be provided whenever the material is heated or mists are generated. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

General information Not available.

Eye/face protection Goggles/face shield are recommended.

Skin protection

- Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves. When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable. (Breakthrough time of > 240 minutes.) For incidental contact/splash protection Neoprene, PVC

gloves may be suitable.

- Other Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Under normal conditions, respirator is not normally required. No respiratory protection is ordinarily **Respiratory protection**

required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for combined particulate/organic gases and vapours [boiling point >65 °C (149 °F)] meeting EN14387.

Thermal hazards Not available.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear & bright

Liquid. **Physical state** Form Liquid.

Colour Light Amber to Golden Mild Petroleum Odor Odour

Odour threshold Not available. Not applicable

-34,44 °C (-30 °F) ASTM D5950/ISO 3016 Melting point/freezing point Initial boiling point and

boiling range

> 260 °C (> 500 °F) ASTM D2887/ ISO 3294

Flash point >= 165,6 °C (>= 330,0 °F) Cleveland open cup ASTM D92/ ISO 2592

Evaporation rate Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit -

Not available.

upper (%)

Vapour pressure Not available.

Vapour density

Relative density 0,92 (15,56 °C (60 °F) ASTM D4052/ ISO 12185)

Solubility(ies)

Solubility (water) Insoluble Not available. Solubility (other) **Partition coefficient** Not established.

(n-octanol/water)

Auto-ignition temperature > 315,56 °C (> 600 °F) ASTM E659

Decomposition temperature Not available.

100 cSt (40 °C (104 °F) ASTM D445/ ISO 3104) **Viscosity**

Explosive properties Not available.

Material name: HvGold L500 SDS FU **Oxidizing properties** Not available.

9.2. Other information No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity Strong oxidising agents.

10.2. Chemical stability Stable.

10.3. Possibility of hazardous Hazardous polymerisation does not occur.

reactions

Avoid temperatures exceeding the flash point. 10.4. Conditions to avoid

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

decomposition products weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available. Information on likely routes of exposure

May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may Ingestion

increase risk of product aspiration.

Inhalation May be harmful if inhaled. However, this product does not currently meet the criteria for

classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact May be irritating to eyes.

Symptoms Not available.

11.1. Information on toxicological effects

Acute toxicity Not classified.

Skin corrosion/irritation Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

Not classified.

Respiratory sensitisation Not classified. Skin sensitisation Not classified.

Germ cell mutagenicity Non-mutagenic based on Modified Ames Assay.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA, Meets EU Carcinogenicity

requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346.

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard

Not classified.

Mixture versus substance

Not available

information

Other information Not available

SECTION 12: Ecological information

12.1. Toxicity Not expected to be harmful to aquatic organisms.

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient Not established.

n-octanol/water (log Kow)

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil Not available. 12.5. Results of PBT Not applicable.

and vPvB assessment

Material name: HvGold L500 SDS FU

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

ground.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

EU waste code Not applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

Disposal When this product as supplied is to be discarded as waste, it does not meet the definition of a methods/information

RCRA waste under 40 CFR 261. Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material

characteristics at time of disposal.

SECTION 14: Transport information

Not regulated as dangerous goods. General

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

14.7. Transport in bulk Not available.

according to Annex II of MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **EU regulations**

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V

Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Regulation (EC) No. 1907/2006, Article 59(1). Candidate List

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Material name: HyGold L500 SDS FU Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use

Not regulated.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not listed.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not listed.

Directive 94/33/EC on the protection of young people at work

Inventory name

Not listed.

Other regulationsThe product is classified and labelled in accordance with EC directives or respective national laws

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations Germany: WGK 1

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

International Inventories

Country(s) or region

| | | - / |
|-----------------------------|--|-----|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

List of abbreviations Not available. **References** ACGIH

IARC Monographs. Overall Evaluation of Carcinogenicity

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

ILO Safety Cards

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

Information on evaluation method leading to the classification of mixture

Not available.

Full text of any statements or R-phrases and H-statements under Sections 2 to 15

Material name: HyGold L500 SDS EU

5589 Version No.: 04 Revision date: 12-April-2016 Issue date: 11-August-2011

On inventory (yes/no)*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Revision information Product and Company Identification: Product and Company Identification

SECTION 8: Exposure controls/personal protection: Respiratory protection SECTION 8: Exposure controls/personal protection: - Hand protection

Physical & Chemical Properties: Multiple Properties

REACH: Registration Substance

Training information Disclaimer

Not available.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Material name: HyGold L500 SDS EU