

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HyPrint 100

Identification number 649-465-00-7 (Index number)

Registration number 01-2119467170-45

Synonyms None.

Issue date 17-June-2011

Version number 10

Revision date 12-November-2018 **Supersedes date** 19-July-2018

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Pigments; Printing Inks

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

MANUFACTURER: Ergon Refining, Inc.

2611 Haining Rd

Vicksburg, Mississippi 39181

International Distributor: Ergon International, Inc.

Drève Richelle 161 Building C B-1410 Waterloo, Belgium

Emergency Contacts:

Ergon Refining, Inc.: + 1.601.638.4960 Normal Business Hours

Chemtrec: + 1.800.424.9300 After Business Hours (North America)

+ 1.703.527.3887 (International)

E-mail Address:: sds@ergon.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Not available.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal wordNot applicable.Hazard statementsNot applicable.

Precautionary statements

PreventionNot available.ResponseNot applicable.StorageNot applicable.DisposalNot applicable.

Supplemental label

information

None.

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.1. Substances

Material name: HyPrint 100 SDS EU

4712 Version #: 10 Revision date: 12-November-2018 Issue date: 17-June-2011

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrotreated heavy naphthenic	100	64742-52-5 265-155-0	01-2119467170-45	649-465-00-7	
Classification: -					

SECTION 4: First aid measures

General information Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention and special treatment

needed

Treat symptomatically.

Defatting of the skin.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an

extinguisher, as this will spread the fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or

mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand

breathing apparatus, protective clothing and face mask.

Special fire fighting procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a

fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other

sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work.

Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Material	Туре	Value	Form	
HyPrint 100	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

матегіаі	туре	value	
HyPrint 100	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	

Czech Republic. OELs. Government Decree 361

Material	Туре	Value	
HyPrint 100	Ceiling	1000 mg/m3	
	TWA	200 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Ceiling	1000 mg/m3	
	TWA	200 mg/m3	
Denmark. Exposure Limit Values Material	Туре	Value	Form
HyPrint 100	TLV	1 mg/m3	Mist.
Components	Tyne	Value	Form

Material	туре	Value	1 01111	
HyPrint 100	TLV	1 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum),	TLV	1 mg/m3	Mist.	

naphthenic (CAS 64742-52-5)

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DEG)

Material	Туре	Value	Form
HyPrint 100	TWA	5 mg/m3	Respirable fraction.

Material name: HyPrint 100 SDS EU

4712 Version #: 10 Revision date: 12-November-2018 Issue date: 17-June-2011

Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Respirable fraction
Greece. OELs (Decree No. 90/: Material	1999, as amended) Type	Value	Form
HyPrint 100	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Hungary. OELs. Joint Decree o Material	n Chemical Safety of Workplac Type	es Value	Form
HyPrint 100	Ceiling	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Ceiling	5 mg/m3	Mist.
Iceland. OELs. Regulation 154 Material	/1999 on occupational exposu Type	re limits Value	Form
HyPrint 100	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposur Material	e Limits Type	Value	Form
HyPrint 100	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Italy. Occupational Exposure L Material	imits Type	Value	Form
HyPrint 100	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Lithuania. OELs. Limit Values Material	for Chemical Substances, Gene Type	eral Requirements Value	Form
HyPrint 100	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.

Material name: HyPrint 100

	Туре	Value	Form
	TWA	1 mg/m3	Fume and mist.
Netherlands. OELs (binding) Material	Туре	Value	Form
HyPrint 100	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Norway. Administrative Norm Material	s for Contaminants in the Work Type	xplace Value	Form
HyPrint 100	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.
	abour and Social Policy on 6 Ju Ith factors in the work environ Type		
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
•	pational exposure to chemical a Type	agents (NP 1796) Value	Form
HyPrint 100	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
,			
hydrotreated heavy naphthenic (CAS	TWA	5 mg/m3	Inhalable fraction.
hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of	TWA workers from exposure to cher Type		
hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material	workers from exposure to cher	nical agents at the workpl	
hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material	workers from exposure to cher Type	nical agents at the workpl Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyPrint 100 Components	workers from exposure to cher Type STEL	nical agents at the workpl Value 10 mg/m3	
hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyPrint 100 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	workers from exposure to cher Type STEL TWA	nical agents at the workpla Value 10 mg/m3 5 mg/m3	
hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyPrint 100 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	workers from exposure to cher Type STEL TWA Type	nical agents at the workpl Value 10 mg/m3 5 mg/m3 Value	
hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyPrint 100 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Slovakia. OELs. Regulation No	workers from exposure to cher Type STEL TWA Type STEL	nical agents at the workpland Value 10 mg/m3 5 mg/m3 Value 10 mg/m3	ace
hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyPrint 100 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Slovakia. OELs. Regulation No Material	workers from exposure to cher Type STEL TWA Type STEL TWA TYPE STEL TWA TWA	nical agents at the workpland Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3	ace chemical agents
hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyPrint 100 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Slovakia. OELs. Regulation No Material	workers from exposure to cher Type STEL TWA Type STEL TWA Type STEL TWA TWA TWA Type	nical agents at the workpland Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 ion of health in work with Value	chemical agents
hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyPrint 100 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Slovakia. OELs. Regulation No Material	workers from exposure to cher Type STEL TWA Type STEL TWA Type STEL TWA TWA TWA Type	nical agents at the workple Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 7 mg/m3 7 mg/m3	chemical agents Form Fume and mist.
hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyPrint 100 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Slovakia. OELs. Regulation No Material	workers from exposure to cher Type STEL TWA Type STEL TWA TWA . 300/2007 concerning protect Type STEL	nical agents at the workpland Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 15 ppm	chemical agents Form Fume and mist. Fume and mist.
hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyPrint 100 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	workers from exposure to cher Type STEL TWA Type STEL TWA TWA . 300/2007 concerning protect Type STEL	nical agents at the workple Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 15 ppm 1 mg/m3	chemical agents Form Fume and mist. Fume and mist. Fume and mist. Fume and mist.

Components	Туре	Value	Form
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Spain. Occupational Expo	osure Limits Type	Value	Form
HyPrint 100	STEL		Mist.
HYPTIIIL 100	TWA	10 mg/m3 5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
,	TWA	5 mg/m3	Mist.
	ironment Authority (AV), Occupation		
Material	Туре	Value	Form
HyPrint 100	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenz Material	werte am Arbeitsplatz Type	Value	Form
HyPrint 100	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
ogical limit values	No biological exposure limits noted fo	r the ingredient(s).	
ommended monitoring	Not available.		
_			
cedures ived no effect levels	Not available.		
cedures ived no effect levels ELs) dicted no effect	Not available.		
cedures ived no effect levels ELs) dicted no effect centrations (PNECs)			
cedures ived no effect levels ELs) dicted no effect centrations (PNECs) Exposure controls ropriate engineering			to ensure that the defined
cedures ived no effect levels ELs) dicted no effect centrations (PNECs) Exposure controls ropriate engineering trols ividual protection measur	Not available. Provide adequate ventilation, including occupational exposure limit is not excres, such as personal protective equi	eeded.	to ensure that the defined
cedures ived no effect levels iELs) dicted no effect centrations (PNECs) Exposure controls ropriate engineering trols ividual protection measur	Not available. Provide adequate ventilation, including occupational exposure limit is not excres, such as personal protective equination occupations.	eeded. pment	to ensure that the defined
cedures ived no effect levels ELs) dicted no effect centrations (PNECs) Exposure controls ropriate engineering trols ividual protection measur	Not available. Provide adequate ventilation, including occupational exposure limit is not excres, such as personal protective equi	eeded. pment	to ensure that the defined

gloves. When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable. (Breakthrough time of > 240 minutes.) For incidental contact/splash protection Neoprene, PVC

Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Material name: HyPrint 100 SDS EU

- Other

gloves may be suitable.

Respiratory protection Under normal conditions, respirator is not normally required. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators. No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for combined particulate/organic gases and vapours [boiling point >65 °C (149 °F)]

Not available.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

Environmental exposure

Thermal hazards

controls

Not available.

meeting EN14387.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear & bright
Physical state Liquid.
Form Liquid.
Colour Amber

Odour Mild Petroleum Odor

Odour threshold Not available. pH Not available.

Melting point/freezing point -48,89 °C (-56 °F) ASTM D5949/ ISO 3016

Initial boiling point and

boiling range

Flash point

> 315,56 °C (> 600 °F) ASTM D2887/ ISO 3294

162,0 °C (323,6 °F) Pensky-Martens Closed Cup ASTM D93

173,0 °C (343,4 °F) Cleveland open cup ASTM D92/ ISO 2592

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit -

upper (%)

Not available.

Vapour pressureNot available.Vapour densityNot available.

Relative density 0,91

Relative density temperature 15,6 °C (60,08 °F) ASTM D4052/ ISO 12185

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not established.

(n-octanol/water)

Auto-ignition temperature > 315,56 °C (> 600 °F) ASTM E659

Decomposition temperature Not available.

Viscosity 21 cSt

Viscosity temperature 40 °C (104 °F) ASTM D445/ ISO 3104

Explosive propertiesNot available. **Oxidising properties**Not available.

9.2. Other information No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity Strong oxidising agents.

10.2. Chemical stability Stable.

10.3. Possibility of hazardous Hazardous polymerisation does not occur.

reactions

10.4. Conditions to avoid Avoid temperatures exceeding the flash point.

10.5. Incompatible materials

Strong oxidising agents.

10.6. Hazardous

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

decomposition products weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available. Information on likely routes of exposure

Inhalation May be harmful if inhaled. However, this product does not currently meet the criteria for

classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact May be irritating to eyes.

Ingestion May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration.

Symptoms Not available.

11.1. Information on toxicological effects

Not classified. **Acute toxicity**

Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer. Skin corrosion/irritation

Serious eye damage/eye

irritation

Not classified.

Respiratory sensitisation Not classified Skin sensitisation Not classified.

Germ cell mutagenicity Non-mutagenic based on Modified Ames Assay.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EU Carcinogenicity

requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard Mixture versus substance

information

Not classified. Not available.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Not expected to be harmful to aquatic organisms.

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient Not established.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil Not available

12.5. Results of PBT and

vPvB assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

around

Material name: HvPrint 100 4712 Version #: 10 Revision date: 12-November-2018 Issue date: 17-June-2011 **Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

EU waste codeNot applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

Disposal Disposal recommendations are based on material as supplied. Disposal must be in accordance with

current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk

methods/information

Not available.

according to Annex II of MARPOL 73/78 and the IBC

Code

General information Not regulated as dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed

 $\label{eq:Regulation} \textbf{(EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended}$

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations Germany: WGK 1

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)

SECTION 16: Other information

List of abbreviations Not available. **References** ACGIH

IARC Monographs. Overall Evaluation of Carcinogenicity

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

ILO Safety Cards

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

Information on evaluation method leading to the classification of mixture

Not available.

Full text of any H-statements not written out in full under

Sections 2 to 15

None.

Revision information

Product and Company Identification: Alternate Trade Names

Physical & Chemical Properties: Multiple Properties

Training information Not available.

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Further information Local CHEMTREC Numbers:

CHEMTREC China: 4001-204937

CHEMTREC EU (Brussels): +(32)-28083237 CHEMTREC Indonesia: 001-803-017-9114 CHEMTREC Malaysia: +(60)-327884561 CHEMTREC Mexico: 1-800-681-9531 CHEMTREC Singapore: +(65)-31581349