ERGONE

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HyPrene V175BS

Identification number 649-470-00-4 (Index number)

Registration number 01-2119489287-22

Synonyms None.

Issue date 13-August-2018

Version number 02

Revision date 03-May-2019 Supersedes date 13-August-2018

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Tire Oils, Rubber Compounding, Automotive & Industrial Hoses, Dedusting, Plasticizer, Titanium

Dioxide Wash, Compressor Wash Oils, Hydraulic Fracturing Oil, Adhesives, Carpet Backing, Feed Stock for White Oil, Refrigeration Oil, Diluents and Carriers, Carbon Black, Banbury Dust Stop,

Defoamers, Sealants, Belts & Hoses, Coatings, Leather Tanning, Agriculture Oils.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

MANUFACTURER: Ergon, Inc.

P.O. Box 1639

Jackson, MS 39181 USA

EU Contact: Ergon International, Inc.

> Drève Richelle 161 Building C B-1410 Waterloo, Belgium

Emergency Phone

Numbers:

US Customer Service: + 1-800-222-7122

Chemtrec: + 1-800-424-9300 After Business Hours (North America)

+ 1-703-527.-3887 (International)

See Section 15 for additional CHEMTREC Hotline Numbers

F-mail: sds@ergon.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Not available.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Residual oils (petroleum), hydrotreated

Hazard pictograms None.

Signal word Not applicable. **Hazard statements** Not applicable.

Precautionary statements

Prevention Not available. Response Not applicable. Not applicable. Storage **Disposal** Not applicable.

Supplemental label

information

None.

4727 Version #: 02 Revision date: 03-May-2019 Issue date: 13-August-2018

2.3. Other hazards None known.

Material name: HyPrene V175BS - Ergon International

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Residual oils (petroleum), hydrotreated	<=100	64742-57-0 265-160-8	01-2119489287-22	649-470-00-4	
Classification: -					

Composition comments

Components not listed are either non-hazardous or below the required disclosure threshold.

SECTION 4: First aid measures

General information Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both acute and delayed

Defatting of the skin.

4.3. Indication of any immediate medical attention and special treatment

Treat symptomatically.

needed

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB

5.1. Extinguishing media

Suitable extinguishing

media

extinguisher, as this will spread the fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or

mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an

breathing apparatus, protective clothing and face mask.

Special fire fighting procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the

ground.

Material name: HyPrene V175BS - Ergon International SDS FU 4727 Version #: 02 Revision date: 03-May-2019 Issue date: 13-August-2018 2 / 10

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Values.

Material	Туре	Value	Form	
HyPrene V175BS	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Components	Туре	Value	Form	
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Materiai	гуре	value	
HyPrene V175BS	TWA	5 mg/m3	
Components	Туре	Value	
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	

Czech Republic, OELs, Government Decree 361

Czech Republic. OELs. Governm Material	ent Decree 361 Type	Value	Form
HyPrene V175BS	Ceiling	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	Ceiling	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Denmark. Exposure Limit Value	es		
Material	Туре	Value	Form
HyPrene V175BS	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TLV	1 mg/m3	Mist.

Material name: HyPrene V175BS - Ergon International

4727 Version #: 02 Revision date: 03-May-2019 Issue date: 13-August-2018 3 /

Material	Туре	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Respirable fraction.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Respirable fraction.
Greece. OELs (Decree No. 90/1999, as Material	s amended) Type	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Mist.
Hungary. OELs. Joint Decree on Chem Material	ical Safety of Workplaces Type	Value	Form
HyPrene V175BS	Ceiling	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	Ceiling	5 mg/m3	Mist.
Iceland. OELs. Regulation 154/1999 o Material	on occupational exposure limits Type	s Value	Form
HyPrene V175BS	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposure Limits Material	s Type	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Inhalable fraction.
Italy. Occupational Exposure Limits Material	Туре	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Inhalable fraction.
Lithuania. OELs. Limit Values for Che	mical Substances, General Req	uirements	
Material	Туре	Value	Form
HyPrene V175BS	STEL	3 mg/m3	Fume and mist.
_	TWA	1 mg/m3	Fume and mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL	3 mg/m3	Fume and mist.
•	TWA	1 mg/m3	Fume and mist.

	Туре	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms for Material	Contaminants in the Wor Type	kplace Value	Form
HyPrene V175BS	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TLV	1 mg/m3	Mist.
Ordinance of the Minister of Labou and intensities of harmful health f	actors in the work enviro	nment, Journal of Laws 201	4, item 817
Material	Туре	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Inhalable fraction.
Portugal. VLEs. Norm on occupatio Material	onal exposure to chemical Type	agents (NP 1796) Value	Form
HyPrene V175BS	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Inhalable fraction.
Romania. OELs. Protection of work	ers from exposure to che Type		ace
		Value	
	STEL	10 mg/m3	
HyPrene V175BS	STEL TWA	10 mg/m3 5 mg/m3	
HyPrene V175BS Components	STEL TWA Type	10 mg/m3 5 mg/m3 Value	
HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS	STEL TWA	10 mg/m3 5 mg/m3	
HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS	STEL TWA Type	10 mg/m3 5 mg/m3 Value	
HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL TWA Type STEL TWA	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3	chemical agents
HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300	STEL TWA Type STEL TWA	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3	chemical agents Form
HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material	STEL TWA Type STEL TWA TWA D/2007 concerning protect	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 ction of health in work with	
HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material	STEL TWA Type STEL TWA TWA O/2007 concerning protect Type	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 stion of health in work with Value	Form
HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material	STEL TWA Type STEL TWA TWA O/2007 concerning protect Type	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 ction of health in work with Value 3 mg/m3	Form Fume and mist.
HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material	STEL TWA Type STEL TWA O/2007 concerning protect Type STEL	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 ction of health in work with Value 3 mg/m3 15 ppm	Form Fume and mist. Fume and mist.
Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material HyPrene V175BS Components	STEL TWA Type STEL TWA O/2007 concerning protect Type STEL	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 ction of health in work with Value 3 mg/m3 15 ppm 1 mg/m3	Fume and mist. Fume and mist. Fume and mist.
HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS	STEL TWA Type STEL TWA D/2007 concerning protect Type STEL TWA TYPE	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 ction of health in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist.
HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS	STEL TWA Type STEL TWA D/2007 concerning protect Type STEL TWA Type TWA Type	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 ction of health in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm Value	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Form
HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS	STEL TWA Type STEL TWA D/2007 concerning protect Type STEL TWA Type TWA Type	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 ction of health in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm Value 3 mg/m3	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Form Fume and mist.
HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material HyPrene V175BS	STEL TWA Type STEL TWA D/2007 concerning protect Type STEL TWA Type STEL TWA Type STEL STEL	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 15 ppm 1 mg/m3 5 ppm Value 3 mg/m3	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Form Fume and mist.
Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL TWA Type STEL TWA D/2007 concerning protect Type STEL TWA Type STEL TWA Type STEL TWA Type STEL	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 15 ppm 1 mg/m3 5 ppm Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm 1 mg/m3	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Form Fume and mist. Fume and mist. Fume and mist.
HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS	STEL TWA Type STEL TWA D/2007 concerning protect Type STEL TWA Type STEL TWA Type STEL TWA Type STEL	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 15 ppm 1 mg/m3 5 ppm Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm 1 mg/m3	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Form Fume and mist. Fume and mist. Fume and mist.
Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Spain. Occupational Exposure Limi	STEL TWA Type STEL TWA D/2007 concerning protect Type STEL TWA Type STEL TWA Type STEL TWA Type STEL	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 15 ppm 1 mg/m3 5 ppm Value 3 mg/m3 5 ppm 1 mg/m3 5 ppm 1 mg/m3 5 ppm 1 mg/m3 5 ppm	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Fume and mist. Fume and mist.

Material name: HyPrene V175BS - Ergon International

SDS EU 4727 Version #: 02 Revision date: 03-May-2019 Issue date: 13-August-2018

Spain. Occupational Exposure Limits Components **Type Value Form** Residual oils (petroleum), **STEL** 10 mg/m3 Mist. hydrotreated (CAS 64742-57-0) **TWA** 5 mg/m3 Mist. Sweden. OELs. Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2015:7) **Material Value Form** Type

 HyPrene V175BS
 STEL
 3 mg/m3
 Mist.

 TWA
 1 mg/m3
 Mist.

 Components
 Type
 Value
 Form

 Residual oils (petroleum),
 STEL
 3 mg/m3
 Mist.

hydrotreated (CAS 64742-57-0)

TWA 1 mg/m3 Mist.

Switzerland. SUVA Grenzwerte am Arbeitsplatz

Value Form Material Type HyPrene V175BS **TWA** 5 mg/m3 Inhalable fraction. **Form** Components **Type Value** TWA Inhalable fraction. Residual oils (petroleum), 5 mg/m3

hydrotreated (CAS 64742-57-0)

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

General information Not available.

Eye/face protection Goggles/face shield are recommended.

Skin protection

- Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves. When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable. (Breakthrough time of > 240 minutes.) For incidental contact/splash protection Neoprene, PVC

gloves may be suitable.

- **Other** Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Respiratory protection Under normal conditions, respirator is not normally required. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators.

Thermal hazards Not available.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear & bright

Physical state Liquid.
Form Liquid.

Colour Light Amber to Golden

Material name: HyPrene V175BS - Ergon International

4727 Version #: 02 Revision date: 03-May-2019 Issue date: 13-August-2018 6 / 1

Odour Mild Petroleum Odor

Odour threshold Not available. Not applicable

Melting point/freezing point -8,89 °C (16 °F) ASTM D5950 (Typical)

Initial boiling point and

boiling range

> 371,11 °C (> 700 °F) ASTM D2887/ ISO 3294

Flash point >= 282,2 °C (>= 540,0 °F) Cleveland open cup ASTM D92/ ISO 2592

Evaporation rate Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits Flammability limit - lower

Not available.

Flammability limit -

upper (%)

Not available.

Vapour pressure Not available.

Vapour density > 5

Relative density 0,92 (15,56 °C (60 °F) ASTM D4052)

Solubility(ies)

Insoluble Solubility (water) **Partition coefficient** Not established.

(n-octanol/water)

> 315,56 °C (> 600 °F) ASTM E659 **Auto-ignition temperature**

Decomposition temperature Not available.

1010 cSt (40 °C (104 °F) ASTM D445/ ISO 3014) **Viscosity**

Explosive properties Not available. **Oxidising properties** Not available.

9.2. Other information No relevant additional information available.

SECTION 10: Stability and reactivity

Strong oxidising agents. 10.1. Reactivity

10.2. Chemical stability Stable.

10.3. Possibility of hazardous

10.4. Conditions to avoid

reactions

Hazardous polymerisation does not occur.

Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong oxidising agents.

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular 10.6. Hazardous decomposition products weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available.

Information on likely routes of exposure

Inhalation May be harmful if inhaled. However, this product does not currently meet the criteria for

classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact May be irritating to eyes.

Ingestion May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration.

Symptoms Not available. 11.1. Information on toxicological effects

Acute toxicity Not classified.

Skin corrosion/irritation Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

Not classified.

Not classified. Respiratory sensitisation Skin sensitisation Not classified.

Germ cell mutagenicity Non-mutagenic based on Modified Ames Assay.

Material name: HyPrene V175BS - Ergon International

4727 Version #: 02 Revision date: 03-May-2019 Issue date: 13-August-2018

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard

Mixture versus substance

Not classified. Not available.

information

Other information

Not available.

SECTION 12: Ecological information

12.1. Toxicity Not expected to be harmful to aquatic organisms.

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient

n-octanol/water (log Kow)

Not established.

Not available.

Bioconcentration factor (BCF) 12.4. Mobility in soil

Not available.

12.5. Results of PBT and

vPvB assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

EU waste code Not applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

Disposal methods/information Disposal recommendations are based on material as supplied. Disposal must be in accordance with

current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods. IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

General information Not regulated as dangerous goods.

Not available.

Material name: HyPrene V175BS - Ergon International

4727 Version #: 02 Revision date: 03-May-2019 Issue date: 13-August-2018

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations Germany: WGK 1

15.2. Chemical safety No Chemical Safety Assessment has been carried out.

assessment

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

Material name: HyPrene V175BS - Ergon International

4727 Version #: 02 Revision date: 03-May-2019 Issue date: 13-August-2018

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16: Other information

List of abbreviations Not available.

Chemical Abstracts Service Registry Handbook References

CRC: Handbook of Chemistry and Physics International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

ACGIH

IARC Monographs. Overall Evaluation of Carcinogenicity

Information on evaluation method leading to the classification of mixture

Not available.

Full text of any H-statements not written out in full under Sections 2 to 15

None.

Revision information

Physical & Chemical Properties: Multiple Properties

HazReg Data: International Inventories

Training information

Not available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a quidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Further information

Local CHEMTREC Numbers: CHEMTREC China: 4001-204937

CHEMTREC EU (Brussels): +(32)-28083237 CHEMTREC Indonesia: 001-803-017-9114 CHEMTREC Malaysia: +(60)-327884561 CHEMTREC Mexico: 1-800-681-9531 CHEMTREC Singapore: +(65)-31581349

Material name: HyPrene V175BS - Ergon International

4727 Version #: 02 Revision date: 03-May-2019 Issue date: 13-August-2018 10 / 10