

# **SAFETY DATA SHEET**

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Name of the substance	HyGold L101
Identification number	649-465-00-7 (Index number)
Registration number	01-2119467170-45
Synonyms	None.
Issue date	23-May-2019
Version number	01
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Metalworking Fluids, Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy Duty Engine Oil, Bar & Chain, Carriers & Diluents, Engine Oil.
Uses advised against	None known.
1.3. Details of the supplier of t	the safety data sheet
MANUFACTURER:	Ergon, Inc.
	P.O. Box 1639
	Jackson, MS 39181 USA
EU Contact:	Ergon International, Inc.
	Drève Richelle 161 Building C
	B-1410 Waterloo, Belgium
Emergency Phone Numbers:	
US Customer Service:	+ 1-800-222-7122
Chemtrec:	+ 1-800-424-9300 After Business Hours (North America)
	+ 1-703-5273887 (International)
	See Section 15 for additional CHEMTREC Hotline Numbers
E-mail:	sds@ergon.com

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classificatio applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

Hazard summary	Not available.
2.2. Label elements	
Label according to Regulation	(EC) No. 1272/2008 as amended
Contains:	Distillates (petroleum), hydrotreated light naphthenic
Hazard pictograms	None.
Signal word	None.
Hazard statements	The substance does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.
2.3. Other hazards	None known.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

General information Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrotreated light naphthenic	49 - 69	64742-53-6 265-156-6	01-2119480375-34	649-466-00-2	
Classification: Asp. Tox. 1;	H304				
Distillates (petroleum), hydrotreated heavy naphthenic	31 - 51	64742-52-5 265-155-0	01-2119467170-45	649-465-00-7	
Classification: Carc. 1B;H3	50				L

### **SECTION 4: First aid measures**

General information Contact physician if discomfort continues.

#### 4.1. Description of first aid measures

Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical advice/attention.
Skin contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.
Eye contact	Flush thoroughly with water. If irritation occurs, get medical assistance.
Ingestion	Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a poison control centre immediately.
4.2. Most important symptoms and effects, both acute and delayed	Defatting of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treat symptomatically.
CECTION E. Einefighting	

### **SECTION 5: Firefighting measures**

General fire hazards	No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB
5.1. Extinguishing media	
Suitable extinguishing media	Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	No unusual fire or explosion hazards noted.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.
Special fire fighting procedures	Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a fire.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up	Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8. For waste disposal, see section 13.
SECTION 7: Handling and	d storage
7.1. Precautions for safe handling	Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.
7.2. Conditions for safe storage, including any	Use care in handling/storage. Keep away from heat, sparks and open flame.

# **7.3. Specific end use(s)** Not available.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

incompatibilities

Occupational exposure limits

### Belgium. Exposure Limit Values.

Material	Туре	Value	Form	
HyGold L101	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

# Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Material	Туре	Value	
HyGold L101	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	
Czech Republic. OELs. Govern	ment Decree 361		
Material	Туре	Value	
HyGold L101	Ceiling	1000 mg/m3	
	TWA	200 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	Ceiling	1000 mg/m3	

# Czech Republic, OELs, Government Decree 361

Czech Republic. OELs. Governr Components	Type	Value	
	TWA	200 mg/m3	
Denmark. Exposure Limit Valu Material	es Type	Value	Form
HyGold L101	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TLV	1 mg/m3	Mist.
Finland. Workplace Exposure L Components	imits Type	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Mist.

# Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Material	Туре	Value	Form
HyGold L101	TWA	5 mg/m3	Respirable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Respirable fraction.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Respirable fraction.

### Greece. OELs (Decree No. 90/1999, as amended)

Material	Туре	Value	Form	
HyGold L101	TWA	5 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Mist.	
Hungary. OELs. Joint Decree o	n Chemical Safety of Workplac	es		
Material	Туре	Value	Form	
HyGold L101	Ceiling	5 mg/m3	Mist.	
Components	Туре	Value	Form	

	-76-			
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Ceiling	5 mg/m3	Mist.	

Hungary. OELs. Joint Decree on Cher Components	mical Safety of Workplaces Type	Value	Form
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	Ceiling	5 mg/m3	Mist.
Iceland. OELs. Regulation 154/1999 Material	on occupational exposure limit Type	s Value	Form
HyGold L101	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Distillates (petroleum), hydrotreated light naphthenic (CAS	TWA	1 mg/m3 1 mg/m3	Mist. Mist.
64742-53-6) Ireland. Occupational Exposure Limi	its		
Material	Туре	Value	Form
HyGold L101	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
Italy. Occupational Exposure Limits Material	Туре	Value	Form
HyGold L101	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
Latvia. OELs. Occupational exposure Components	limit values of chemical substa Type	nces in work enviro Value	onment
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	
Lithuania. OELs. Limit Values for Ch Material	emical Substances, General Req Type	quirements Value	Form
HyGold L101	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
	IWA	51 -	
Components	Туре	Value	Form
Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)		-	

Lithuania. OELs. Limit Values for Components	Chemical Substances, Gei Type	neral Requirements Value	Form
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Netherlands. OELs (binding) Material	Туре	Value	Form
HyGold L101	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms for Material	<sup>•</sup> Contaminants in the Wo Type	rkplace Value	Form
HyGold L101	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TLV	1 mg/m3	Mist.
Ordinance of the Minister of Labo			
and intensities of harmful health f Material	actors in the work enviro Type	nment, Journal of Laws 201 Value	4, item 817 Form
HyGold L101	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
Portugal. VLEs. Norm on occupation Material	onal exposure to chemica Type	l agents (NP 1796) Value	Form
HyGold L101	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.

Material	Туре	Value	
HyGold L101	STEL	10 mg/m3	
	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	
)	TWA	5 mg/m3	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	
	TWA	5 mg/m3	
Slovakia. OELs. Regulation No Material	. 300/2007 concerning protec Type	tion of health in work with Value	chemical agents Form
HyGold L101	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3 15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
	IWA	5 ppm	Fume and mist.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
Spain. Occupational Exposure			
Material	Туре	Value	Form
HyGold L101	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Distillates (petroleum), nydrotreated light naphthenic (CAS 54742-53-6)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Environn Material	nent Authority (AV), Occupatio Type	onal Exposure Limit Values Value	(AFS 2015:7) Form
HyGold L101	STEL	3 mg/m3	Mist.
,	TWA	1 mg/m3	Mist.

# Romania. OELs. Protection of workers from exposure to chemical agents at the workplace

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenz Material	werte am Arbeitsplatz Type	Value	Form
HyGold L101	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
logical limit values	No biological exposure limits noted fo	r the ingredient(s).	
commended monitoring cedures	Not available.		
ived no effect levels IELs)	Not available.		
dicted no effect centrations (PNECs)	Not available.		
. Exposure controls			
propriate engineering trols	Provide adequate ventilation, includin occupational exposure limit is not exc		, to ensure that the defined
lividual protection measur General information	es, such as personal protective equi Not available.	pment	
Eye/face protection Skin protection	Goggles/face shield are recommended	1.	
- Hand protection	Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves. When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable. (Breakthrough time of > 240 minutes.) For incidental contact/splash protection Neoprene, PVC gloves may be suitable.		
- Other	Chemical/oil resistant clothing is reco	mmended. Launder contamina	ated clothing before reuse.
Respiratory protection	Under normal conditions, respirator is not normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to prote worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for combined particulate/organic gases and vapours [boiling point >65 °C (149 °F)] meeting EN14387.		
Thermal hazards	Not available.		
giene measures	Always observe good personal hygien before eating, drinking and/or smokir		
	Discard contaminated footwear that c		ing to remove containinants.

# **SECTION 9: Physical and chemical properties**

SECTION 9. Physical and	chemical properties
9.1. Information on basic phys	ical and chemical properties
Appearance	Clear & bright
Physical state	Liquid.
Form	Liquid.
Colour	Amber.
Odour	Mild Petroleum Odor
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	-44 °C (-47,2 °F) ASTM D5949/ ISO 3016
Initial boiling point and boiling range	> 371,11 °C (> 700 °F) ASTM D2887/ ISO 3294
Flash point	155,0 °C (311,0 °F) Pensky-Martens Closed Cup 167,0 °C (332,6 °F) Cleveland open cup ASTM D92/ ISO 2592
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	0,898 (15,56 °C (60 °F) ASTM D4052/ ISO 12185)
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not established.
Auto-ignition temperature	> 315,56 °C (> 600 °F) ASTM E659
Decomposition temperature	Not available.
Viscosity	21,9 cSt (40 °C (104 °F) ASTM D445/ ISO 3104)
Explosive properties	Not available.
Oxidising properties	Not available.
9.2. Other information	No relevant additional information available.
SECTION 10: Stability an	-
10.1. Reactivity	Strong oxidising agents.
10.2. Chemical stability	Stable.
10.3. Possibility of hazardous reactions	Hazardous polymerisation does not occur.
10.4. Conditions to avoid	Avoid temperatures exceeding the flash point.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
SECTION 11: Toxicologic	
General information	Not available.
Information on likely routes of	-
Inhalation	May be harmful if swallowed and enters airways.
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis

**Eye contact** May be irritating to eyes.

Ingestion	May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration. May be fatal if swallowed and enters airways.
Symptoms	Defatting of the skin. Coughing. Shortness of breath. Discomfort in the chest

### 11.1. Information on toxicological effects

### Acute toxicity

Not classified.

Material name: HyGold L101 - Ergon International5491Version #: 01Issue date: 23-May-2019

Skin corrosion/irritation	Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.
Serious eye damage/eye	Not classified.
irritation	
<b>Respiratory sensitisation</b>	Not classified.
Skin sensitisation	Not classified. May cause defatting of the skin, but is not an irritant.
Germ cell mutagenicity	Non-mutagenic based on Modified Ames Assay.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Nota L - Meet: EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.
at work (as amended)	dinance on protection against and preventing risk relating to exposure to carcinogens
Not listed.	Contains no ingradient listed as taxis to conreduction
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.
Mixture versus substance information	Not applicable.
Other information	Risk of chemical pneumonia after aspiration.
SECTION 12: Ecological i	nformation
12.1. Toxicity	Not expected to be harmful to aquatic organisms.
12.2. Persistence and degradability	Not inherently biodegradable.
12.3. Bioaccumulative potential	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.
Partition coefficient n-octanol/water (log Kow)	Not established.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and	Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation
	potential, endocrine disruption, global warming potential) are expected from this component.

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods			
Residual waste	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.		
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.		
EU waste code	Not applicable. Waste codes should be assigned by the user based on the application for which the product was used.		
Disposal methods/information	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.		

## **SECTION 14: Transport information**

## ADR

vPvB assessment

14.1. - 14.6.: Not regulated as dangerous goods.

# RID

14.1. - 14.6.: Not regulated as dangerous goods.

#### ADN

14.1. - 14.6.: Not regulated as dangerous goods.

### IATA

14.1. - 14.6.: Not regulated as dangerous goods.

#### IMDG

14.1 14.6.: Not regulated at 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	s dangerous goods. Not available.	
General information	Not regulated as dangerous goods.	
SECTION 15: Regulatory	information	
15.1. Safety, health and enviro	onmental regulations/legislation specific for the substance or n	ixture
EU regulations		
Regulation (EC) No. 1005/ Not listed.	2009 on substances that deplete the ozone layer, Annex I and	II, as amended
	2004 On persistent organic pollutants, Annex I as amended	
Not listed. Regulation (EU) No. 649/2 amended	2012 concerning the export and import of dangerous chemicals,	Annex I, Part 1 as
Not listed. Regulation (EU) No. 649/2 amended	2012 concerning the export and import of dangerous chemicals,	Annex I, Part 2 as
Not listed. Regulation (EU) No. 649/2 amended	2012 concerning the export and import of dangerous chemicals,	Annex I, Part 3 as
• • • •	2012 concerning the export and import of dangerous chemicals,	Annex V as amended
	2006 Annex II Pollutant Release and Transfer Registry, as amer	ded
Not listed. Regulation (EC) No. 1907/ Not listed.	2006, REACH Article 59(10) Candidate List as currently publish	ed by ECHA
Authorisations		
Regulation (EC) No. 1907/ Not listed.	2006, REACH Annex XIV Substances subject to authorization, a	as amended
Restrictions on use		
Regulation (EC) No. 1907/ amended	2006, REACH Annex XVII Substances subject to restriction on	marketing and use as
mutagens at work, as ame	the protection of workers from the risks related to exposure to ended.	carcinogens and
Not listed.		
	major accident hazards involving dangerous substances, as amo	ended
Not listed. Other regulations	The product is classified and labelled in accordance with EC directives This Safety Data Sheet complies with the requirements of Regulation	
National regulations	Germany: WGK 1	
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	
<b>a</b> 1	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada Canada		
	Domestic Substances List (DSL)	Yes
Canada	Domestic Substances List (DSL) Non-Domestic Substances List (NDSL)	Yes No

Country(s) or region	Inventory name	On inventory (yes/no)*
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### **SECTION 16: Other information**

List of abbreviations	Not available.
References	ACGIH IARC Monographs. Overall Evaluation of Carcinogenicity ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics ILO Safety Cards International Labour Organization International Maritime Organization Marine Pollutants List NFPA Hazardous Chemical Data Sheets NIOSH Pocket Guide Registry of Toxic Effects of Chemical Substances (RTECS) US DOT Hazardous Materials Regulations
Information on evaluation method leading to the classification of mixture	Not available.
Full text of any H-statements not written out in full under	
Sections 2 to 15	H304 May be fatal if swallowed and enters airways. H350 May cause cancer.
Revision information	Product and Company Identification: Alternate Trade Names Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties Regulatory Information: United States GHS: Classification REACH: Registration Substance
Training information	Not available.
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Further information	Local CHEMTREC Numbers: CHEMTREC China: 4001-204937 CHEMTREC EU (Brussels): +(32)-28083237 CHEMTREC Indonesia: 001-803-017-9114 CHEMTREC Malaysia: +(60)-327884561 CHEMTREC Mexico: 1-800-681-9531 CHEMTREC Singapore: +(65)-31581349