

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Name of the substance	HyGold L201
Identification number	649-465-00-7 (Index number)
Registration number	-
Synonyms	None.
Issue date	07-June-2019
Version number	01
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Metalworking Fluids, Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy Duty Engine Oil, Bar & Chain, Carriers & Diluents, Engine Oil.
Uses advised against	None known.
1.3. Details of the supplier of t	he safety data sheet
Company:	Ergon, Inc.
Address:	P.O. Box 1639
	Jackson, MS 39215
E-mail:	sds@ergon.com
Emergency Contacts	
Customer service:	1-800-222-7122
Chemtrec:	1-800-424-9300 After Business Hours (North America Only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended

Hazard summary	Not available.
----------------	----------------

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	Distillates (petroleum), hydrotreated light naphthenic
Hazard pictograms	None.
Signal word	Not applicable.
Hazard statements	Not applicable.
Precautionary statements	
Prevention	Not available.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Supplemental label information	None.
2.3. Other hazards	None known.

SECTION 3: Composition/information on ingredients

3.1. Substances

Constal information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), heavy naphthenic	hydrotreated	55 - 75	64742-52-5 265-155-0	01-2119467170-45	649-465-00-7	
Classification:	Carc. 1B;H3	50				L

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrotreated light naphthenic	25 - 45	64742-53-6 265-156-6	01-2119480375-34	649-466-00-2	
Classification: Asp. Tox. 1	;H304				

SECTION 4: First aid measures

_

General information Contact physician if discomfort continues.

4.1. Description of first aid me	asures
Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical advice/attention.
Skin contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.
Eye contact	Flush thoroughly with water. If irritation occurs, get medical assistance.
Ingestion	Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a poison control centre immediately.
4.2. Most important symptoms and effects, both acute and delayed	Defatting of the skin.
4.3. Indication of any	Treat symptomatically.

immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media Suitable extinguishing media	Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	No unusual fire or explosion hazards noted.
5.3. Advice for firefighters Special protective equipment for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.
Special fire fighting procedures	Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

o.1. Personal precautions, proc	ective equipment and emergency procedures
For non-emergency personnel	Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.
7.2. Conditions for safe storage, including any incompatibilities	Use care in handling/storage. Keep away from heat, sparks and open flame. Store in a well-ventilated place.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Values.

Material	Туре	Value	Form	
HyGold L201	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Material	Туре	Value	
HyGold L201	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	
Czech Republic. OELs. Governm	nent Decree 361		
Components	Туре	Value	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	Ceiling	1000 mg/m3	
	TWA	200 mg/m3	
Denmark. Exposure Limit Value	es		
Material	Туре	Value	Form
HyGold L201	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.

Denmark. Exposure Limit Values Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TLV	1 mg/m3	Mist.	
Finland. Workplace Exposure Limits				
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Mist.	

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Respirable fraction.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Respirable fraction.
Greece. OELs (Decree No. 90/1			_
Material	Туре	Value	Form
HyGold L201	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Mist.
Hungary. OELs. Joint Decree or Material	n Chemical Safety of Workplaces Type	Value	Form
HyGold L201	Ceiling	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Ceiling	5 mg/m3	Mist.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	Ceiling	5 mg/m3	Mist.
Iceland. OELs. Regulation 154/ Material	1999 on occupational exposure limits Type	Value	Form
		Value 1 mg/m3	Form Mist.

Components	Гуре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	1 mg/m3	Mist.	

Iceland. OELs. Regulation 154/1999 Components	Туре	Value	Form
vistillates (petroleum), ydrotreated light aphthenic (CAS 4742-53-6)	TWA	1 mg/m3	Mist.
reland. Occupational Exposure Limit Aaterial	s Type	Value	Form
HyGold L201	TWA	0,2 mg/m3	Inhalable fraction.
, Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light haphthenic (CAS 54742-53-6)	TWA	5 mg/m3	Inhalable fraction.
taly. Occupational Exposure Limits Material	Туре	Value	Form
HyGold L201	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light haphthenic (CAS 54742-53-6)	TWA	5 mg/m3	Inhalable fraction.
Latvia. OELs. Occupational exposure Components	limit values of chemica Type	ll substances in work enviro Value	nment
Distillates (petroleum), hydrotreated light haphthenic (CAS 54742-53-6)	TWA	5 mg/m3	
ithuania. OELs. Limit Values for Che Material	emical Substances, Gen Type	eral Requirements Value	Form
HyGold L201	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
	IVVA	i ng/ms	
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS		-	Form Fume and mist.
Distillates (petroleum), hydrotreated heavy haphthenic (CAS	Туре	Value	
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 14742-52-5) Distillates (petroleum), nydrotreated light naphthenic (CAS	Type STEL	Value 3 mg/m3	Fume and mist.
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 14742-52-5) Distillates (petroleum), nydrotreated light naphthenic (CAS	Type STEL TWA	Value 3 mg/m3 1 mg/m3	Fume and mist. Fume and mist.
Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Distillates (petroleum), hydrotreated light haphthenic (CAS 54742-53-6) Netherlands. OELs (binding) Material	Type STEL TWA STEL	Value 3 mg/m3 1 mg/m3 3 mg/m3	Fume and mist. Fume and mist. Fume and mist.

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms Material	for Contaminants in the Wor Type	kplace Value	Form
HyGold L201	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Distillates (petroleum),	TLV	1 mg/m3 1 mg/m3	Mist. Mist.
hydrotreated light naphthenic (CAS 64742-53-6)		1 (19) (15	
Ordinance of the Minister of La			
and intensities of harmful healt Material	Type	Value	Form
HyGold L201	STEL	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
,		5 mg/m3	Inhalable fraction.
hydrotreated light naphthenic (CAS	TWA	5 mg/m5	
hydrotreated light naphthenic (CAS 64742-53-6) Portugal. VLEs. Norm on occup			Form
hydrotreated light naphthenic (CAS 64742-53-6) Portugal. VLEs. Norm on occupa Material	ational exposure to chemical	agents (NP 1796)	Form Aerosol
hydrotreated light haphthenic (CAS 54742-53-6) Portugal. VLEs. Norm on occupa Material	ational exposure to chemical Type	agents (NP 1796) Value	
hydrotreated light naphthenic (CAS 64742-53-6) Portugal. VLEs. Norm on occupa Material HyGold L201	ational exposure to chemical Type STEL	agents (NP 1796) Value 10 mg/m3	Aerosol
hydrotreated light naphthenic (CAS 64742-53-6) Portugal. VLEs. Norm on occupa Material HyGold L201 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	ational exposure to chemical Type STEL TWA	agents (NP 1796) Value 10 mg/m3 5 mg/m3	Aerosol Aerosol
hydrotreated light naphthenic (CAS 64742-53-6) Portugal. VLEs. Norm on occupa Material HyGold L201 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Distillates (petroleum), hydrotreated light naphthenic (CAS	ational exposure to chemical Type STEL TWA Type	agents (NP 1796) Value 10 mg/m3 5 mg/m3 Value	Aerosol Aerosol Form
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6) Portugal. VLEs. Norm on occupa Material HyGold L201 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6) Romania. OELs. Protection of w Material	ational exposure to chemical Type STEL TWA Type TWA	agents (NP 1796) Value 10 mg/m3 5 mg/m3 Value 5 mg/m3 5 mg/m3	Aerosol Aerosol Form Inhalable fraction.
hydrotreated light naphthenic (CAS 64742-53-6) Portugal. VLEs. Norm on occupa Material HyGold L201 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6) Romania. OELs. Protection of w Material	ational exposure to chemical Type STEL TWA Type TWA TWA	agents (NP 1796) Value 10 mg/m3 5 mg/m3 Value 5 mg/m3 5 mg/m3	Aerosol Aerosol Form Inhalable fraction.
hydrotreated light naphthenic (CAS 64742-53-6) Portugal. VLEs. Norm on occupa Material HyGold L201 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6) Romania. OELs. Protection of w	ational exposure to chemical Type STEL TWA Type TWA TWA	agents (NP 1796) Value 10 mg/m3 5 mg/m3 Value 5 mg/m3 5 mg/m3	Aerosol Aerosol Form Inhalable fraction.

Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)

STEL

10 mg/m3

Components	f workers from exposure to cher Type	nical agents at the workpl Value	ace
	TWA	5 mg/m3	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	
	TWA	5 mg/m3	
Slovakia. OELs. Regulation No Material	o. 300/2007 concerning protect Type	tion of health in work with Value	chemical agents Form
HyGold L201	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
Spain. Occupational Exposure Material	e Limits Type	Value	Form
HyGold L201	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Environ Material	ment Authority (AV), Occupatio Type	nal Exposure Limit Values Value	(AFS 2015:7) Form
HyGold L201	STEL	3 mg/m3	Mist.
HyGold L201			
HyGold L201	TWA	1 mg/m3	Mist.
		1 mg/m3 Value	Mist. Form
Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	TWA		
Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	TWA Type	Value	Form
HyGold L201 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA Type STEL	Value 3 mg/m3	Form Mist.

Switzerland. SUVA Grenz Components	Type	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
Biological limit values	No biological exposure limits noted for	the ingredient(s).	
Recommended monitoring procedures	Not available.		
Derived no effect levels (DNELs)	Not available.		
Predicted no effect concentrations (PNECs)	Not available.		
8.2. Exposure controls			
Appropriate engineering controls	Provide adequate ventilation, including occupational exposure limit is not exce		, to ensure that the defined
Individual protection measur	es, such as personal protective equip	oment	
General information	Not available.		
Eye/face protection	Goggles/face shield are recommended		
Skin protection			
- Hand protection	Chemical resistant gloves are recomme gloves. When prolonged or frequent re (Breakthrough time of > 240 minutes. gloves may be suitable.	peated contact occurs, Nitril	e gloves may be suitable.
- Other	Chemical/oil resistant clothing is recom	mended. Launder contamina	ated clothing before reuse.
Respiratory protection	Under normal conditions, respirator is concentrations above the exposure lim respiratory protection is ordinarily requ good industrial hygiene practices, prece engineering controls do not maintain a worker health, select respiratory prote and meeting relevant legislation. Checc air-filtering respirators are suitable, sel filter suitable for combined particulate, meeting EN14387.	it they must use appropriate ired under normal conditions autions should be taken to a irborne concentrations to a l ction equipment suitable for k with respiratory protective ect an appropriate combinat	certified respirators. No s of use. In accordance with void breathing of material. If evel which is adequate to protec the specific conditions of use equipment suppliers. Where ion of mask and filter. Select a
Thermal hazards	Not available.		
Hygiene measures	Always observe good personal hygiene before eating, drinking and/or smoking Discard contaminated footwear that ca	. Routinely wash work clothi	
Environmental exposure controls	Not available.		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear & bright
Physical state	Liquid.
Form	Liquid.
Colour	Light yellow. to Light Amber
Odour	Mild Petroleum Odor
Odour threshold	Not available.
рН	Not applicable.
Melting point/freezing point	-38 °C (-36,4 °F)
Initial boiling point and boiling range	> 253,89 °C (> 489 °F) ASTM D2887
Flash point	168,0 °C (334,4 °F) Pensky-Martens Closed Cup 180,0 °C (356,0 °F) Cleveland open cup ASTM D92

Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	
Flammability limit - lower	-
(%)	
Flammability limit -	Not available.
upper (%)	
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	0,906 (15,56 °C (60 °F) ASTM D4052)
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient	Not established.
(n-octanol/water)	
Auto-ignition temperature	> 315,56 °C (> 600 °F) ASTM E659
Decomposition temperature	Not available.
Viscosity	39,7 cSt (40 °C (104 °F) ASTM D445)
Explosive properties	Not available.
Oxidising properties	Not available.
9.2. Other information	No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity	Strong oxidising agents.
10.2. Chemical stability	Stable.
10.3. Possibility of hazardous reactions	Hazardous polymerisation does not occur.
10.4. Conditions to avoid	Avoid temperatures exceeding the flash point.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information	Not available.

Inhalation	May be harmful if swallowed and enters airways. However, this product does not currently meet the criteria for classification.
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis
Eye contact	May be irritating to eyes.
Ingestion	May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration.
Symptoms	Not available.

Symptoms

11.1. Information on toxicological effects

Acute toxicity	Not classified.
Skin corrosion/irritation	Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.
Serious eye damage/eye irritation	May be irritating to eyes.
Respiratory sensitisation	Not classified.
Skin sensitisation	Not classified.
Germ cell mutagenicity	Non-mutagenic based on Modified Ames Assay.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EL requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346. Nota L -
Hungary. 26/2000 EüM (at work (as amended)	Drdinance on protection against and preventing risk relating to exposure to carcinogens

Not listed.

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not applicable.
Mixture versus substance information	Not applicable.
Other information	Not assigned.

SECTION 12: Ecological information

	Not expected to be beyonful to equation experience
12.1. Toxicity	Not expected to be harmful to aquatic organisms.
12.2. Persistence and degradability	Not inherently biodegradable.
12.3. Bioaccumulative potential	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.
Partition coefficient n-octanol/water (log Kow)	Not established.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.
EU waste code	Not applicable. Waste codes should be assigned by the user based on the application for which the product was used.
Disposal methods/information	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

```
14.7. Transport in bulk
according to Annex II of
MARPOL 73/78 and the IBC
Code
```

General information

Not regulated as dangerous goods.

Not available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

	2012 concerning the export and import of dangerous chemica	ls, Annex I, Part 1 as
amended		
Not listed. Regulation (EU) No. 649/ amended	2012 concerning the export and import of dangerous chemica	ls, Annex I, Part 2 as
Not listed.		
	2012 concerning the export and import of dangerous chemica	ls, Annex I, Part 3 as
Not listed.		
	2012 concerning the export and import of dangerous chemica	ls, Annex V as amended
	2006 Annex II Pollutant Release and Transfer Registry, as am	ended
Not listed. Regulation (EC) No. 1907 Not listed.	/2006, REACH Article 59(10) Candidate List as currently public	shed by ECHA
Authorisations		
	/2006, REACH Annex XIV Substances subject to authorization	, as amended
Restrictions on use		
Regulation (EC) No. 1907 amended	/2006, REACH Annex XVII Substances subject to restriction or	n marketing and use as
Not listed.		
Directive 2004/37/EC: on mutagens at work, as amo Not listed.	the protection of workers from the risks related to exposure tended.	to carcinogens and
Other EU regulations		
-	major accident hazards involving dangerous substances, as a	mended
Not listed.		
Other regulations	The product is classified and labelled in accordance with EC directive This Safety Data Sheet complies with the requirements of Regulation	
National regulations	Germany: WGK 1	
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	nents of this product comply with the inventory requirements administered by e components of the product are not listed or exempt from listing on the inven	

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16: Other information

List of abbreviations

Not available.

References	ACGIH IARC Monographs. Overall Evaluation of Carcinogenicity ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics ILO Safety Cards International Labour Organization International Maritime Organization Marine Pollutants List NFPA Hazardous Chemical Data Sheets NIOSH Pocket Guide Registry of Toxic Effects of Chemical Substances (RTECS) US DOT Hazardous Materials Regulations
Information on evaluation method leading to the classification of mixture	Not available.
Full text of any H-statements not written out in full under	
Sections 2 to 15	H304 May be fatal if swallowed and enters airways. H350 May cause cancer.
Revision information	Product and Company Identification: Alternate Trade Names Physical & Chemical Properties: Multiple Properties Regulatory Information: United States GHS: Classification
Training information	Not available.
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Further information	Local CHEMTREC Numbers: CHEMTREC China: 4001-204937 CHEMTREC EU (Brussels): +(32)-28083237 CHEMTREC Indonesia: 001-803-017-9114 CHEMTREC Malaysia: +(60)-327884561 CHEMTREC Mexico: 1-800-681-9531 CHEMTREC Singapore: +(65)-31581349