

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Name of the substance	HyPrene L201
Identification number	649-465-00-7 (Index number)
Registration number	-
Synonyms	None.
Issue date	10-June-2019
Version number	01
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Identified uses	Tire Oils, Rubber Compounding, Automotive & Industrial Hoses, Dedusting, Plasticizer, Titanium Dioxide Wash, Compressor Wash Oils, Hydraulic Fracturing Oil, Adhesives, Carpet Backing, Feed Stock for White Oil, Refrigeration Oil, Diluents and Carriers, Carbon Black, Banbury Dust Stop, Defoamers, Sealants, Belts & Hoses, Coatings, Leather Tanning, Agriculture Oils.
Uses advised against	None known.
1.3. Details of the supplier of t	he safety data sheet
MANUFACTURER:	Ergon, Inc.
	P.O. Box 1639
	Jackson, MS 39181 USA
EU Contact:	Ergon International, Inc.
	Drève Richelle 161 Building C
	B-1410 Waterloo, Belgium
Emergency Phone Numbers:	
US Customer Service:	+ 1-800-222-7122
Chemtrec:	+ 1-800-424-9300 After Business Hours (North America)
	+ 1-703-5273887 (International)
	See Section 15 for additional CHEMTREC Hotline Numbers
E-mail:	sds@ergon.com

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended

Hazard summary	Not available.
2.2. Label elements	
Label according to Regulation	(EC) No. 1272/2008 as amended
Contains:	Distillates (petroleum), hydrotreated light naphthenic
Hazard pictograms	None.
Signal word	Not applicable.
Hazard statements	Not applicable.
Precautionary statements	
Prevention	Not available.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Supplemental label information	None.
2.3. Other hazards	None known.

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

## General information

Chemical name	%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
Distillates (petroleum), hydrotreated heavy naphthenic	55 - 75	64742-52-5 265-155-0	01-2119467170-45	649-465-00-7	
Classification: Carc. 1B;H	350				L
Distillates (petroleum), hydrotreated light naphthenic	25 - 45	64742-53-6 265-156-6	01-2119480375-34	649-466-00-2	
Classification: Asp. Tox. 1	;H304				

## **SECTION 4: First aid measures**

General information	Contact physician if discomfort continues.
4.1. Description of first aid me	easures
Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical advice/attention.
Skin contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.
Eye contact	Flush thoroughly with water. If irritation occurs, get medical assistance.
Ingestion	Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a poison control centre immediately.
4.2. Most important symptoms and effects, both acute and delayed	Defatting of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treat symptomatically.
SECTION 5. Eirefighting	maasuras

## **SECTION 5: Firefighting measures**

General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media Suitable extinguishing media	Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	No unusual fire or explosion hazards noted.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.
Special fire fighting procedures	Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a fire.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

olari electriar precadatione, pr	otocare equipment and emergency procedures
For non-emergency personnel	Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up	Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8. For waste disposal, see section 13.
SECTION 7: Handling and	d storage
7.1. Precautions for safe handling	Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.
7.2. Conditions for safe storage, including any incompatibilities	Use care in handling/storage. Keep away from heat, sparks and open flame. Store in a well-ventilated place.

7.3. Specific end use(s) Not available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Occupational exposure limits

## Belgium. Exposure Limit Values.

Material	Туре	Value	Form	
HyPrene L201	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

## Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Material	Туре	Value	
HyPrene L201	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	
Czech Republic. OELs. Governi	ment Decree 361		
Components	Туре	Value	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	Ceiling	1000 mg/m3	
	TWA	200 mg/m3	

Denmark. Exposure Limit Values Material	Туре	Value	Form
HyPrene L201	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TLV	1 mg/m3	Mist.
Finland. Workplace Exposure Limits Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Distillates (petroleum), nydrotreated light naphthenic (CAS 54742-53-6)	TWA	5 mg/m3	Mist.
Germany. DFG MAK List (advisory OB compounds in the Work Area (DFG)	-	-	
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Respirable fraction.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Respirable fraction
Greece. OELs (Decree No. 90/1999, a Material	as amended) Type	Value	Form
HyPrene L201	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy	TWA	5 mg/m3	Mist.
naphthenic (CAS 64742-52-5)			
	TWA	5 mg/m3	Mist.
64742-52-5) Distillates (petroleum), hydrotreated light naphthenic (CAS			Mist. Form
54742-52-5) Distillates (petroleum), hydrotreated light haphthenic (CAS 54742-53-6) Hungary. OELs. Joint Decree on Cher Material	nical Safety of Workplac	ces	
64742-52-5) Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6) <b>Hungary. OELs. Joint Decree on Cher</b>	nical Safety of Workplac Type	ces Value	Form
54742-52-5) Distillates (petroleum), hydrotreated light haphthenic (CAS 54742-53-6) Hungary. OELs. Joint Decree on Cher Material	nical Safety of Workplac Type Ceiling	<b>Value</b> 5 mg/m3	<b>Form</b> Mist.

Iceland. OELs. Regulation 154, Material	Туре	Value	Form
HyPrene L201	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	1 mg/m3	Mist.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposure Material	e Limits Type	Value	Form
HyPrene L201	TWA	0,2 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
Italy. Occupational Exposure L Material	imits Type	Value	Form
HyPrene L201	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
Latvia. OELs. Occupational exp Components	osure limit values of chemica Type	l substances in work enviro Value	onment
Distillates (petroleum), hydrotreated light naphthenic (CAS	TWA	5 mg/m3	
64742-53-6) Lithuania. OELs. Limit Values f	for Chemical Substances, Gen Type	eral Requirements Value	Form
64742-53-6) Lithuania. OELs. Limit Values f Material	-	-	<b>Form</b> Fume and mist.
64742-53-6) Lithuania. OELs. Limit Values f Material	Туре	Value	-
64742-53-6) <b>Lithuania. OELs. Limit Values f Material</b> HyPrene L201	Type STEL	Value 3 mg/m3	Fume and mist.
64742-53-6) Lithuania. OELs. Limit Values f Material HyPrene L201 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	Type STEL TWA	Value           3 mg/m3           1 mg/m3	Fume and mist. Fume and mist.
64742-53-6) Lithuania. OELs. Limit Values f Material HyPrene L201 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	Type STEL TWA Type	Value 3 mg/m3 1 mg/m3 Value	Fume and mist. Fume and mist. <b>Form</b>
64742-53-6) Lithuania. OELs. Limit Values f Material HyPrene L201 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	Type STEL TWA Type STEL	Value 3 mg/m3 1 mg/m3 Value 3 mg/m3	Fume and mist. Fume and mist. <b>Form</b> Fume and mist.

#### Netherlands. OELs (binding) Form Material Value Type HyPrene L201 TWA 5 mg/m3 Mist. Components Туре Value Form Distillates (petroleum), TWA 5 mg/m3 Mist. hydrotreated heavy naphthenic (CAS 64742-52-5) Distillates (petroleum), TWA 5 mg/m3 Mist. hydrotreated light naphthenic (CAS 64742-53-6)

## Norway. Administrative Norms for Contaminants in the Workplace

Material	Туре	Value	Form	
HyPrene L201	TLV	1 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TLV	1 mg/m3	Mist.	

# Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817

Material	Туре	Value	Form
HyPrene L201	STEL	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.

## Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

Material	Туре	Value	Form
HyPrene L201	STEL	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
Romania. OELs. Protection of	workers from exposure to che	emical agents at the workpla	ace

Material	Туре	value
HyPrene L201	STEL	10 mg/m3
	TWA	5 mg/m3

#### Romania. OELs. Protection of workers from exposure to chemical agents at the workplace Components Type Value

Components	гуре	value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	
	TWA	5 mg/m3	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	
	TWA	5 mg/m3	

## Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents Material Type Value Form

Material	туре	value	TOTIL
HyPrene L201	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
Spain. Occupational Exposure			_
Material	Туре	Value	Form
HyPrene L201	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Environn	nent Authority (AV), Occupati	onal Exposure Limit Values	(AFS 2015:7)
Material	Туре	Value	Form
HyPrene L201	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.

Sweden. OELs. Work Env Components	Туре	Value	Form
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenz Components	werte am Arbeitsplatz Type	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
ological limit values	No biological exposure limits noted for	the ingredient(s).	
ecommended monitoring rocedures	Not available.		
erived no effect levels DNELs)	Not available.		
redicted no effect oncentrations (PNECs)	Not available.		
2. Exposure controls			
opropriate engineering ontrols	Provide adequate ventilation, including occupational exposure limit is not exce		, to ensure that the defined
dividual protection measur	es, such as personal protective equip	oment	
General information	Not available.		
Eye/face protection	Goggles/face shield are recommended		
Skin protection			
- Hand protection	Chemical resistant gloves are recommon gloves. When prolonged or frequent re (Breakthrough time of > 240 minutes. gloves may be suitable.	peated contact occurs, Nitril	le gloves may be suitable.
- Other	Chemical/oil resistant clothing is recon	mended. Launder contamina	ated clothing before reuse.
Respiratory protection	Under normal conditions, respirator is concentrations above the exposure lim respiratory protection is ordinarily requ good industrial hygiene practices, prec engineering controls do not maintain a worker health, select respiratory prote and meeting relevant legislation. Chec air-filtering respirators are suitable, se filter suitable for combined particulate, meeting EN14387.	it they must use appropriate ired under normal condition autions should be taken to a irborne concentrations to a l ction equipment suitable for k with respiratory protective ect an appropriate combinat	e certified respirators. No s of use. In accordance with avoid breathing of material. If level which is adequate to prote the specific conditions of use equipment suppliers. Where cion of mask and filter. Select a
Thermal hazards	Not available.		
ygiene measures	Always observe good personal hygiene before eating, drinking and/or smoking Discard contaminated footwear that ca	<ol> <li>Routinely wash work cloth</li> </ol>	
vironmental exposure	Not available.		

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Appearance	Clear & bright
Physical state	Liquid.
Form	Liquid.
Colour	Light yellow. to Light Amber
Odour	Mild Petroleum Odor

Odour threshold	Not available.	
pH	Not applicable.	
Melting point/freezing point	-38 °C (-36,4 °F)	
Initial boiling point and boiling range	> 253,89 °C (> 489 °F) ASTM D2887	
Flash point	168,0 °C (334,4 °F) Pensky-Martens Closed Cup estimated 180,0 °C (356,0 °F) Cleveland open cup ASTM D92	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or e	xplosive limits	
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Vapour pressure	Not available.	
Vapour density	Not available.	
Relative density	0,906 (15,56 °C (60 °F) ASTM D4052)	
Solubility(ies)		
Solubility (water)	Insoluble	
Partition coefficient (n-octanol/water)	Not established.	
Auto-ignition temperature	> 315,56 °C (> 600 °F) ASTM E659	
Decomposition temperature	Not available.	
Viscosity	39,7 cSt (40 °C (104 °F) ASTM D445)	
Explosive properties	Not available.	
Oxidising properties	Not available.	
9.2. Other information	No relevant additional information available.	
SECTION 10: Stability and reactivity		

10.1. Reactivity	Strong oxidising agents.
10.2. Chemical stability	Stable.
10.3. Possibility of hazardous reactions	Hazardous polymerisation does not occur.
10.4. Conditions to avoid	Avoid temperatures exceeding the flash point.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## **SECTION 11: Toxicological information**

5	
General information	Not available.
Information on likely routes o	f exposure
Inhalation	May be harmful if swallowed and enters airways. However, this product does not currently meet the criteria for classification.
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis
Eye contact	May be irritating to eyes.
Ingestion	May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration.
Symptoms	Not available.
11.1. Information on toxicolog	jical effects
Acute toxicity	Based on available data, the classification criteria are not met
Skin corrosion/irritation	Not classified.
Serious eye damage/eye irritation	Not classified. May be irritating to eyes.
Respiratory sensitisation	Not classified.
Skin sensitisation	Not classified. Acts as a defatting agent on skin. May cause cracking of skin, and eczema.

Non-mutagenic based on Modified Ames Assay.

Germ cell mutagenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Nota L - Meet: EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

Hungary. 26/2000 EüM Or at work (as amended) Not listed.	dinance on protection against and preventing risk relating to exposure to carcinogens
NOL IISLEO.	
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction
Specific target organ toxicity - single exposure	Not classified. May cause irritation to the respiratory system.
Specific target organ toxicity - repeated exposure	Not available.
Aspiration hazard	Not applicable.
Mixture versus substance information	Not applicable.
Other information	Not assigned.
SECTION 12: Ecological i	information
12.1. Toxicity	Not expected to be harmful to aquatic organisms.
	New York and a state of the descent design of the state o

	Not expected to be narmal to aquatic organismor
12.2. Persistence and degradability	Not inherently biodegradable.
12.3. Bioaccumulative potential	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.
Partition coefficient n-octanol/water (log Kow)	Not established.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.
EU waste code	Not applicable. Waste codes should be assigned by the user based on the application for which the product was used.
Disposal methods/information	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

## **SECTION 14: Transport information**

A	D	R
	-	••

- 14.1. 14.6.: Not regulated as dangerous goods.
- RID
  - 14.1. 14.6.: Not regulated as dangerous goods.

#### ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

```
14.7. Transport in bulkNot available.according to Annex II ofMARPOL 73/78 and the IBCCodeNot regulated
```

Not regulated as dangerous goods.

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU** regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended** Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

### Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

#### Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

#### Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended** Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended** Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

#### **Other EU regulations**

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations	The product is classified and labelled in accordance with EC directives or respective national laws This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006
National regulations	Germany: WGK 1
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

## **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

## Country(s) or region Inventory name

Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## **SECTION 16: Other information**

List of abbreviations References	Not available. ACGIH IARC Monographs. Overall Evaluation of Carcinogenicity ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics ILO Safety Cards International Labour Organization International Labour Organization Marine Pollutants List NFPA Hazardous Chemical Data Sheets NIOSH Pocket Guide Registry of Toxic Effects of Chemical Substances (RTECS) US DOT Hazardous Materials Regulations
Information on evaluation method leading to the classification of mixture	Not available.
Full text of any H-statements not written out in full under	
Sections 2 to 15	H304 May be fatal if swallowed and enters airways. H350 May cause cancer.
Revision information	Product and Company Identification: Alternate Trade Names Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties Regulatory Information: United States HazReg Data: North America GHS: Classification
Training information	Not available.
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Further information	Local CHEMTREC Numbers: CHEMTREC China: 4001-204937 CHEMTREC EU (Brussels): +(32)-28083237 CHEMTREC Indonesia: 001-803-017-9114 CHEMTREC Malaysia: +(60)-327884561 CHEMTREC Mexico: 1-800-681-9531 CHEMTREC Singapore: +(65)-31581349