

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Name of the substance	HyPrene L285
Identification number	649-465-00-7 (Index number)
Registration number	01-2119467170-45
Synonyms	None.
Issue date	10-June-2019
Version number	01
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Identified uses	Tire Oils, Rubber Compounding, Automotive & Industrial Hoses, Dedusting, Plasticizer, Titanium Dioxide Wash, Compressor Wash Oils, Hydraulic Fracturing Oil, Adhesives, Carpet Backing, Feed Stock for White Oil, Refrigeration Oil, Diluents and Carriers, Carbon Black, Banbury Dust Stop, Defoamers, Sealants, Belts & Hoses, Coatings, Leather Tanning, Agriculture Oils.
Uses advised against	None known.
1.3. Details of the supplier of t	he safety data sheet
MANUFACTURER:	Ergon, Inc.
	P.O. Box 1639
	Jackson, MS 39181 USA
EU Contact:	Ergon International, Inc.
	Drève Richelle 161 Building C
	B-1410 Waterloo, Belgium
Emergency Phone Numbers:	
US Customer Service:	+ 1-800-222-7122
Chemtrec:	+ 1-800-424-9300 After Business Hours (North America)
	+ 1-703-5273887 (International)
	See Section 15 for additional CHEMTREC Hotline Numbers
E-mail:	sds@ergon.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended

Hazard summary Not available. 2.2. Label elements Label according to Regulation (EC) No. 1272/2008 as amended **Hazard pictograms** None. Signal word Not applicable. **Hazard statements** Not applicable. **Precautionary statements** Prevention Not available. Response Not applicable. Storage Not applicable. Disposal Not applicable. Supplemental label None. information 2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.1. Substances

General information Chemical name		%	CAS-No.	/ FC	REACH Registration No	Index No	Notes
		70	No.	,			110165
Distillates (petroleum), hydrol heavy naphthenic	reated	100	64742-5 265-155	-	01-2119467170-45	649-465-00-7	
Classification: Car	c. 1B;H350						L
SECTION 4: First aid me	asures						
General information	Contact pl	nysician	if discomfort	continu	les.		
I.1. Description of first aid me	asures						
Inhalation	Move to fr advice/att		Oxygen or a	tificial	respiration if needed. IF exp	oosed or concerne	d: Get medical
Skin contact					ter. Remove contaminated of or an allergic skin reaction		
Eye contact					on occurs, get medical assis		
Ingestion	aspiration	. Call a p	poison contro		occurs naturally, have victim immediately.	lean forward to r	educe risk of
I.2. Most important symptoms and effects, both acute and delayed	Defatting	of the sl	kin.				
I.3. Indication of any mmediate medical attention and special treatment needed	Treat sym	ptomati	cally.				
SECTION 5: Firefighting	measure	S					
General fire hazards	No unusua	al fire or	explosion ha	zards r	oted.		
5.1. Extinguishing media			•				
Suitable extinguishing media			cals. Foam. Ca nis will spread		lioxide (CO2). Water spray o e.	or fog. Do not use	water jet as a
Unsuitable extinguishing media	Do not use	e water	jet as an exti	nguishe	er, as this will spread the fir	e.	
5.2. Special hazards arising from the substance or nixture	No unusua	al fire or	explosion ha	zards r	oted.		
5.3. Advice for firefighters Special protective equipment for firefighters					helmet, self-contained pos ng and face mask.	itive pressure or p	ressure demai
Special fire fighting procedures	Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a fire.						
SECTION 6: Accidental r	elease m	easur	es				
5.1. Personal precautions, pro	tective equ	lipmen	t and emerg	jency j	procedures		
For non-emergency personnel	Keep unnecessary personnel away. Local authorities should be advised if significant spillages car be contained. Wear appropriate protective equipment and clothing during clean-up. Do not toucl damaged containers or spilled material unless wearing appropriate protective clothing.			Do not touch			
For emergency responders	-		•		e personal protection recon	•	-
5.2. Environmental precautions	or confine	d areas.	Avoid discha	rge to	afe to do so. Prevent entry the aquatic environment. Co Avoid discharge into drains	ontact local author	ities in case of
5.3. Methods and material for containment and cleaning up	area). Sto possible. (p the flo Cover wi	w of materia th plastic she	l, if this et to p	urces (no smoking, flares, s is without risk. Dike the sp revent spreading. Absorb in ct recovery, flush area with	illed material, whe vermiculite, dry s	ere this is

Never return spills in original containers for re-use.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.
7.2. Conditions for safe storage, including any incompatibilities	Use care in handling/storage. Keep away from heat, sparks and open flame. Store in a well-ventilated place.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Values.

Belgium. Exposure Limit Values. Material	Туре	Value	Form
HyPrene L285	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Bulgaria. OELs. Regulation No 13 on p Material	protection of workers a Type	against risks of exposure to Value	chemical agents at wo
HyPrene L285	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	
Denmark. Exposure Limit Values Material	Туре	Value	Form
HyPrene L285	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.
Finland. Workplace Exposure Limits			
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Germany. DFG MAK List (advisory OEI	s). Commission for th	e Investigation of Health H	azards of Chemical
Compounds in the Work Area (DFG) Material	Туре	Value	Form
HyPrene L285	TWA	5 mg/m3	Respirable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated beavy	TWA	5 mg/m3	Respirable fraction.

hydrotreated heavy naphthenic (CAS 64742-52-5)

Greece. OELs (Decree No. 90/1999, as Material	amended) Type	Value	Form
HyPrene L285	TWA	5 mg/m3	Mist.
Components	Type Val		Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Mist.
Hungary. OELs. Joint Decree on Chemi Material	cal Safety of Workplaces Type	Value	Form
HyPrene L285	Ceiling	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Ceiling	5 mg/m3	Mist.
Iceland. OELs. Regulation 154/1999 o Material	n occupational exposure limits Type	Value	Form
HyPrene L285	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposure Limits Material	Туре	Value	Form
HyPrene L285	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Italy. Occupational Exposure Limits Material	Туре	Value	Form
HyPrene L285	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Lithuania. OELs. Limit Values for Cher Material	nical Substances, General Requir Type	ements Value	Form
HyPrene L285	STEL	3 mg/m3	Fume and mist.
,	TWA	1 mg/m3	Fume and mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5)	STEL	3 mg/m3	Fume and mist.
		1 mg/m3	Fume and mist.
,	TWA	i ing/ins	i une una mise
Netherlands. OELs (binding) Material	Туре	Value	Form

Netherlands. OELs (binding) Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Mist.
Norway. Administrative Norm Material	s for Contaminants in the Wor Type	kplace Value	Form
HyPrene L285	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TLV	1 mg/m3	Mist.
and intensities of harmful hea	abour and Social Policy on 6 Ju Ith factors in the work environ —	nment, Journal of Laws 201	l4, item 817
Material	Туре	Value	Form
HyPrene L285	TWA —	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Portugal. VLEs. Norm on occuj Material	pational exposure to chemical Type	agents (NP 1796) Value	Form
HyPrene L285	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
	TWA workers from exposure to che		Inhalable fraction.
Material	Туре	Value	
HyPrene L285	STEL	10 mg/m3	
	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), nydrotreated heavy	STEL	10 mg/m3	
naphthenic (CAS 54742-52-5)			
haphthenic (CAS	TWA	5 mg/m3	
haphthenic (CAS 54742-52-5)	. 300/2007 concerning protec	_	chemical agents Form
aphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No Material	a. 300/2007 concerning protec Type	tion of health in work with Value	
aphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No Material	. 300/2007 concerning protec	tion of health in work with Value 3 mg/m3	Form
aphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No Material	a. 300/2007 concerning protec Type	tion of health in work with Value	Form Fume and mist.
aphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No Material	5. 300/2007 concerning protec Type STEL	tion of health in work with Value 3 mg/m3 15 ppm	Form Fume and mist. Fume and mist.
aphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No Material TyPrene L285	5. 300/2007 concerning protec Type STEL	tion of health in work with Value 3 mg/m3 15 ppm 1 mg/m3	Form Fume and mist. Fume and mist. Fume and mist.
Aphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No Material HyPrene L285 Distillates (petroleum), hydrotreated heavy haphthenic (CAS	5. 300/2007 concerning protec Type STEL TWA	tion of health in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist.
haphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No	5. 300/2007 concerning protec Type STEL TWA Type	tion of health in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm Value	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Form
Aphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No Material HyPrene L285 Distillates (petroleum), hydrotreated heavy haphthenic (CAS	5. 300/2007 concerning protec Type STEL TWA Type	tion of health in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm Value 3 mg/m3	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Form Fume and mist.

commended monitoring ceduresNot availablerived no effect levels Not availableNot availablerived no effect levels Not availableNot availablerecentrations (PNECs)Not available. Exposure controls propriate engineering ntrolsProvide occupalividual protection measures, such General informationNot available	Type STEL TWA Type STEL TWA TWA TWA Type TWA Type TWA Type TWA	Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 1 mg/m3 Value 5 mg/m3 Value 5 mg/m3	Mist. Form Mist. Mist. Mist. Mist. Form Mist. Form Mist. Form Inhalable fraction. Form Inhalable fraction.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. OELs. Work Environment Material HyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Switzerland. SUVA Grenzwerte and Material HyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Switzerland. SUVA Grenzwerte and Material HyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) logical limit values rived no effect levels rived no effect levels Not avaitable (PNECs) Exposure controls propriate engineering Provide occupa lividual protection measures, such avaitable (PNECs) Provide occupa	Type STEL Authority (AV), Occupation Type STEL TWA Type STEL TWA Type TWA	Value 10 mg/m3 5 mg/m3 hal Exposure Limit Values Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 1 mg/m3 Value 5 mg/m3 1 mg/m3 Value 5 mg/m3 5 mg/m3	Form Mist. Mist. (AFS 2015:7) Form Mist. Mist. Mist. Mist. Mist. Mist. Mist. Form Mist. Form Mist. Form Mist. Form Mist. Form Mist. Form Mist.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. OELs. Work Environment Material HyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Switzerland. SUVA Grenzwerte and Material HyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Switzerland. SUVA Grenzwerte and Material HyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) logical limit values rived no effect levels rived no effect levels Not avaitable (PNECs) Exposure controls propriate engineering Provide occupa lividual protection measures, such avaitable (PNECs) Provide occupa	STEL TWA Authority (AV), Occupation Type STEL TWA Type STEL TWA TWA TWA TWA Type TWA TWA TWA Type TWA	10 mg/m3 5 mg/m3 hal Exposure Limit Values Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 Value 5 mg/m3 Value 5 mg/m3	Mist. (AFS 2015:7) Form Mist. Mist. Form Mist. Mist. Mist. Eorm Inhalable fraction. Form
hydrotreated heavy naphthenic (CAS 64742-52-5) Sweden. OELs. Work Environment Material HyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Switzerland. SUVA Grenzwerte and Material HyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Jostillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Jogical limit values Not iol commended monitoring Not avaited the server of the serve	TWA Authority (AV), Occupation Type STEL TWA Type STEL TWA TWA Arbeitsplatz Type TWA Type TWA Type TWA Type TWA	5 mg/m3 hal Exposure Limit Values Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 1 mg/m3 Value 5 mg/m3 Value 5 mg/m3	Mist. (AFS 2015:7) Form Mist. Mist. Form Mist. Mist. Form Inhalable fraction. Form
Material HyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Switzerland. SUVA Grenzwerte am Material HyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Iostillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Iogical limit values No biol commended monitoring Not ava rived no effect levels Not ava roopriate engineering Provide occupa propriate engineering Provide occupa general information Not ava	Authority (AV), Occupation Type STEL Type STEL TWA Opical exposure limits noted for	hal Exposure Limit Values Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 1 mg/m3 Value 5 mg/m3 Value 5 mg/m3	s (AFS 2015:7) Form Mist. Form Mist. Mist. Form Inhalable fraction. Form
Material HyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Switzerland. SUVA Grenzwerte am Material HyPrene L285 Components Distillates (petroleum), hyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) logical limit values No biol commended monitoring Not ava rived no effect levels Not ava	Type STEL TWA Type STEL TWA TWA TWA Type TWA Type TWA Type TWA	Value 3 mg/m3 1 mg/m3 Value 3 mg/m3 1 mg/m3 Value 5 mg/m3 Value 5 mg/m3	Form Mist. Mist. Form Mist. Mist. Form Inhalable fraction. Form
Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Switzerland. SUVA Grenzwerte and Material HyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Ioistillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) logical limit values No biol commended monitoring Not available rived no effect levels Not available repriste engineering Provide propriate engineering Provide protecontrols occupa	TWA Type STEL TWA	1 mg/m3 Value 3 mg/m3 1 mg/m3 Value 5 mg/m3 Value 5 mg/m3	Mist. Form Mist. Mist. Form Inhalable fraction. Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Switzerland. SUVA Grenzwerte and Material HyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) logical limit values No biol commended monitoring Not avaitable rived no effect levels Not avaitable Sector Not avaitable Not av	Type STEL TWA Arbeitsplatz Type TWA Type TWA Type TWA Ogical exposure limits noted for	Value 3 mg/m3 1 mg/m3 Value 5 mg/m3 Value 5 mg/m3	Form Mist. Mist. Form Inhalable fraction. Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Switzerland. SUVA Grenzwerte and Material HyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) logical limit values No biol commended monitoring Not avaitable rived no effect levels Not avaitable Sector Not avaitable Not av	STEL TWA Arbeitsplatz Type TWA Type TWA TWA	3 mg/m3 1 mg/m3 Value 5 mg/m3 Value 5 mg/m3	Mist. Mist. Form Inhalable fraction. Form
hydrotreated heavy naphthenic (CAS 64742-52-5) Switzerland. SUVA Grenzwerte an Material HyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Jogical limit values No biol commended monitoring Not ava dedures rived no effect levels Not ava NeLs) dicted no effect mot ava the centrations (PNECs) . Exposure controls propriate engineering htrols Distillates protection measures, such General information Not ava	TWA A Arbeitsplatz Type TWA Type TWA TWA	1 mg/m3 Value 5 mg/m3 Value 5 mg/m3	Mist. Form Inhalable fraction. Form
Material HyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) logical limit values No biol commended monitoring Not avain to cedures rived no effect levels Not avain to centrations (PNECs) edicted no effect Not avain to centrations (PNECs) . Exposure controls Provide occupa propriate engineering Provide occupa lividual protection measures, such a General information Not avain	Arbeitsplatz Type TWA Type TWA TWA	Value 5 mg/m3 Value 5 mg/m3	Form Inhalable fraction. Form
Material HyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) logical limit values No biol commended monitoring Not avain to cedures rived no effect levels Not avain to centrations (PNECs) edicted no effect Not avain to centrations (PNECs) . Exposure controls Provide occupa propriate engineering Provide occupa lividual protection measures, such a General information Not avain	TWA TWA TWA TWA	5 mg/m3 Value 5 mg/m3	Inhalable fraction. Form
HyPrene L285 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) logical limit values No biol commended monitoring Not availates) rived no effect levels Not availates) edicted no effect Not availates not availates not availates rived no effect Not availates no	TWA Type TWA ogical exposure limits noted for	5 mg/m3 Value 5 mg/m3	Inhalable fraction. Form
ComponentsDistillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)logical limit valuesNo biol commended monitoringcommended monitoringNot available ceduresrived no effect levelsNot available centrations (PNECs)edicted no effectNot available centrations (PNECs). Exposure controls propriate engineering ntrolsProvide occupaividual protection measuresNot available occupaividual protection measuresNot availableKeneral informationNot available	Type TWA ogical exposure limits noted for	Value 5 mg/m3	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) logical limit values No biol commended monitoring Not ava recedures rived no effect levels Not ava vecedures rived no effect levels Not ava vecedures rived no effect Not ava necentrations (PNECs) . Exposure controls propriate engineering Provide occupa lividual protection measures, such General information Not ava	TWA ogical exposure limits noted for	5 mg/m3	
hydrotreated heavy naphthenic (CAS 64742-52-5)No biollogical limit valuesNo biolcommended monitoring oceduresNot ava aceduresrived no effect levels NELs)Not ava aceduresedicted no effect ncentrations (PNECs)Not ava aceduresedicted no effect ocentrations (PNECs)Not ava aceduresedicted no effect ncentrations (PNECs)Not ava aceduresedicted no effect ocentrations (PNECs)Not ava aceduresedicted no effect ncentrations (PNECs)Not ava aceduresedicted no effect ncentrations (PNECs)Not ava aceduresedicted no effect ncentrations (PNECs)Not ava aceduresedicted no effect ncentrations (PNECs)Not ava aceduresbiological limit values ntrolsNot ava aceduresorganization ntrolsNot ava acedures	ogical exposure limits noted fo		Inhalable fraction.
commended monitoring ceduresNot availablerived no effect levels velicted no effectNot availablevelicted no effect ncentrations (PNECs)Not available. Exposure controls propriate engineering ntrolsProvide occupalividual protection measures, such General informationNot available	-	r the ingredient(s).	
ceduresNot availablerived no effect levelsNot availablevedicted no effectNot available	ailable.		
NELs) Adjoint on offect Not avain the second of the secon			
Incentrations (PNECs). Exposure controlspropriate engineeringprovideprolsoccupalividual protection measures, suchGeneral informationNot ava	illable.		
propriate engineering itrolsProvide occupalividual protection measures, such General informationNot ava	iilable.		
General information Not ava	e adequate ventilation, including tional exposure limit is not exc		n, to ensure that the defined
		pment	
Eye/face protection Goggle			
	s/face shield are recommended].	
Skin protection	al vasistant alavas ava vasamm	and a If contact with forces	uma ia likah waan aa untlat atul
gloves. (Breakt	al resistant gloves are recomm When prolonged or frequent r hrough time of > 240 minutes may be suitable.	epeated contact occurs, Nitri	ile gloves may be suitable.
	· •		-
good ir engined worker and me air-filter filter su	Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse. No respiratory protection is ordinarily required under normal conditions of use. In accordance wit good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to prot worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for combined particulate/organic gases and vapours [boiling point >65 °C (149 °F)]		
Thermal hazards Not ava		gorganic gases and vapours	

Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
Environmental exposure controls	Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear & bright			
Physical state	Liquid.			
Form	Liquid.			
Colour	Amber			
Odour	Mild Petroleum Odor			
Odour threshold	Not available.			
рН	Not available.			
Melting point/freezing point	-33 °C (-27,4 °F) ASTM D5949/ ISO 3016			
Initial boiling point and boiling range	> 260 °C (> 500 °F) ASTM D2887			
Flash point	181,0 °C (357,8 °F) Pensky-Martens Closed Cup 189,0 °C (372,2 °F) Cleveland open cup ASTM D92/ ISO 2719/ IP36			
Evaporation rate	Not available.			
Flammability (solid, gas)	Not available.			
Upper/lower flammability or e	xplosive limits			
Flammability limit - lower (%)	Not available.			
Flammability limit - upper (%)	Not available.			
Vapour pressure	Not available.			
Vapour density	> 5			
Relative density	0,916 (15,56 °C (60 °F) ASTM D4052/ ISO 12185)			
Solubility(ies)				
Solubility (water)	Insoluble			
Partition coefficient (n-octanol/water)	Not established.			
Auto-ignition temperature	> 315,56 °C (> 600 °F) ASTM E659			
Decomposition temperature	Not available.			
Viscosity	54,7 cSt (40 °C (104 °F) ASTM D445/ ISO 3014)			
Explosive properties	Not available.			
Oxidising properties	Not available.			
9.2. Other information	No relevant additional information available.			

SECTION 10: Stability and reactivity

10.1. Reactivity 10.2. Chemical stability 10.3. Possibility of hazardous	Strong oxidising agents. Stable. Hazardous polymerisation does not occur.
reactions 10.4. Conditions to avoid	Avoid temperatures exceeding the flash point.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available.

	vot	av	an	av

Information on likely routes of exposureInhalationMay be harmful if swallowed and enters airways. However, this product does not currently meet
the criteria for classification.Skin contactFrequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis
May be irritating to eyes.

Ingestion	May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration.
Symptoms	Not available.
11.1. Information on toxicolo	gical effects
Acute toxicity	Not classified.
Skin corrosion/irritation	Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.
Serious eye damage/eye irritation	Not classified. May be irritating to eyes.
Respiratory sensitisation	Not classified.
Skin sensitisation	Not classified.
Germ cell mutagenicity	Non-mutagenic based on Modified Ames Assay.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Nota L - Meet: EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.	
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not available.
Aspiration hazard	Not applicable.
Mixture versus substance information	Not applicable.
Other information	Not assigned.

SECTION 12: Ecological information

12.1. Toxicity	Not expected to be harmful to aquatic organisms.
12.2. Persistence and degradability	Not inherently biodegradable.
12.3. Bioaccumulative potential	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.
Partition coefficient n-octanol/water (log Kow)	Not established.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.
EU waste code	Not applicable. Waste codes should be assigned by the user based on the application for which the product was used.
Disposal methods/information	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not available.	
General information	Not regulated as dangerous goods.	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 10	05/2009 on substances that deplete the ozone layer, Annex	x I and II, as amended
Not listed.		
	0/2004 On persistent organic pollutants, Annex I as amend	led
Not listed.	10/2012 concerning the ownest and impact of depressions abo	micele Anney T. Deut 1 ee
amended	19/2012 concerning the export and import of dangerous che	emicals, Annex I, Part I as
Not listed.		
amended	19/2012 concerning the export and import of dangerous che	emicals, Annex I, Part 2 as
Not listed.	10/2012	
Regulation (EU) No. 64 amended	19/2012 concerning the export and import of dangerous che	emicals, Annex I, Part 3 as
Not listed.		
	19/2012 concerning the export and import of dangerous che	emicals, Annex V as amended
Not listed. Regulation (EC) No. 16	6/2006 Annex II Pollutant Release and Transfer Registry, a	as amended
Not listed.		
	07/2006, REACH Article 59(10) Candidate List as currently	published by ECHA
Not listed.		
Authorisations		
Regulation (EC) No. 19	07/2006, REACH Annex XIV Substances subject to authoriz	ation, as amended
Not listed.		
Restrictions on use		
Regulation (EC) No. 19 amended	07/2006, REACH Annex XVII Substances subject to restrict	tion on marketing and use as
Not listed.		
Directive 2004/37/EC: mutagens at work, as	on the protection of workers from the risks related to expo amended.	osure to carcinogens and
Not listed.		
Other EU regulations		
	on major accident hazards involving dangerous substances,	, as amended
Not listed.		
Other regulations	The product is classified and labelled in accordance with EC di This Safety Data Sheet complies with the requirements of Reg	
National regulations	Germany: WGK 1	
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16: Other information

List of abbreviations	Not available.
References	ACGIH IARC Monographs. Overall Evaluation of Carcinogenicity ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics ILO Safety Cards International Labour Organization International Maritime Organization Marine Pollutants List NFPA Hazardous Chemical Data Sheets NIOSH Pocket Guide Registry of Toxic Effects of Chemical Substances (RTECS) US DOT Hazardous Materials Regulations
Information on evaluation method leading to the classification of mixture	Not available.
Full text of any H-statements not written out in full under Sections 2 to 15	H350 May cause cancer.
Revision information	Product and Company Identification: Alternate Trade Names SECTION 5: Firefighting measures: General fire hazards SECTION 7: Handling and storage: 7,2. Conditions for safe storage, including any incompatibilities Physical & Chemical Properties: Multiple Properties SECTION 11: Toxicological information: Carcinogenicity SECTION 11: Toxicological information: Acute toxicity SECTION 11: Toxicological information: Acute toxicity SECTION 11: Toxicological information: Skin contact SECTION 11: Toxicological information: Corrosivity SECTION 11: Toxicological information: Specific target organ toxicity - single exposure SECTION 11: Toxicological information: Specific target organ toxicity - repeated exposure SECTION 11: Toxicological information: Inhalation Regulatory Information: United States SECTION 16: Other information: Further information SECTION 16: Other information: References
Training information	Not available.
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Further information	Local CHEMTREC Numbers: CHEMTREC China: 4001-204937 CHEMTREC EU (Brussels): +(32)-28083237 CHEMTREC Indonesia: 001-803-017-9114 CHEMTREC Malaysia: +(60)-327884561 CHEMTREC Maizo: 1-800-681-9531 CHEMTREC Singapore: +(65)-31581349