

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or designation of the mixture	HyGold L751
Registration number	01-2119467170-45
Synonyms	None.
Issue date	12-June-2019
Version number	01
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Metalworking Fluids, Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy Duty Engine Oil, Bar & Chain, Carriers & Diluents, Engine Oil.
Uses advised against	None known.
1.3. Details of the supplier of t	he safety data sheet
MANUFACTURER:	Ergon, Inc.
	P.O. Box 1639
	Jackson, MS 39181 USA
EU Contact:	Ergon International, Inc.
	Drève Richelle 161 Building C
	B-1410 Waterloo, Belgium
Emergency Phone Numbers:	
US Customer Service:	+ 1-800-222-7122
Chemtrec:	+ 1-800-424-9300 After Business Hours (North America)
	+ 1-703-5273887 (International)
	See Section 15 for additional CHEMTREC Hotline Numbers
E-mail:	sds@ergon.com

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended

Hazard summary Not available.

#### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

None.
Not applicable.
Not applicable.
Not applicable.
Not applicable.
Not applicable.
Not applicable.
None.
None known.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

General information Chemical name		%	CAS-No.	/ FC	<b>REACH Registration No</b>	Index No	Notes
		-70	CAS-NO. No.	/ EU		. THUEX NO.	NOLES
Distillates (petroleum), hydro heavy naphthenic	treated	100	64742-5 265-15	-	01-2119467170-45	649-465-00-7	
Classification: Car	rc. 1B;H350						L
SECTION 4: First aid me	asures						
General information	Contact pl	hysician	if discomfort	contin	les.		
4.1. Description of first aid me	easures						
Inhalation	Move to fr advice/att		Oxygen or a	tificial	respiration if needed. IF exp	oosed or concerne	d: Get medical
Skin contact					ter. Remove contaminated or an allergic skin reaction		
Eye contact	Flush thor	oughly	with water. If	irritati	on occurs, get medical assis	tance.	
Ingestion	Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a poison control centre immediately.						
4.2. Most important symptoms and effects, both acute and delayed	Defatting	of the s	kin.				
4.3. Indication of any immediate medical attention and special treatment needed	Treat sym	ptomati	cally.				
SECTION 5: Firefighting	measure	s					
General fire hazards	No unusua	al fire or	explosion ha	zards r	oted. Flammability Class: C	ombustible IIIB	
5.1. Extinguishing media Suitable extinguishing media			cals. Foam. Ca		lioxide (CO2). Water spray e	or fog. Do not use	water jet as a
Unsuitable extinguishing media	Do not us	e a solid	water strear	n as it	may scatter and spread fire		
5.2. Special hazards arising from the substance or mixture	No unusua	al fire or	explosion ha	zards r	oted.		
5.3. Advice for firefighters Special protective equipment for firefighters					helmet, self-contained pos ng and face mask.	itive pressure or p	ressure dema
Special fire fighting procedures	Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a fire.						
SECTION 6: Accidental r	elease m	easur	es				
6.1. Personal precautions, pro	tective equ	uipmen	t and emerg	jency	procedures		
For non-emergency personnel	be contair	ned. We	ar appropriate	e prote	cal authorities should be ac ctive equipment and clothin I unless wearing appropriat	g during clean-up	Do not touch
For emergency responders	Keep unne	ecessary	personnel av	way. Us	e personal protection recon	nmended in Sectio	n 8 of the SDS
6.2. Environmental precautions	or confine	d areas.	Avoid discha	irge to	afe to do so. Prevent entry the aquatic environment. Co Avoid discharge into drains	ontact local author	ities in case o
6.3. Methods and material for containment and cleaning up	area). Sto possible. (	p the flo Cover wi	ow of materia ith plastic she	l, if this et to p	urces (no smoking, flares, s is without risk. Dike the sp revent spreading. Absorb in ct recovery, flush area with	illed material, whe vermiculite, dry s	ere this is
			up with absc ontamination		naterial (e.g. cloth, fleece).	Clean surface tho	roughly to

Never return spills in original containers for re-use.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling	Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.
7.2. Conditions for safe storage, including any incompatibilities	Use care in handling/storage. Keep away from heat, sparks and open flame. Store in a well-ventilated place.
7.3. Specific end use(s)	Not available.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### Occupational exposure limits

#### Belgium. Exposure Limit Values.

Material	Туре	Value	Form
HyGold L751	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Bulgaria. OELs. Regulation No	13 on protection of workers a	against risks of exposure to	chemical agents at worl
Material	Туре	Value	
HyGold L751	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	
Denmark. Exposure Limit Value Material	es Type	Value	Form
HyGold L751	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.
Finland. Workplace Exposure L			
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Germany. DFG MAK List (advise		e Investigation of Health H	azards of Chemical
Compounds in the Work Area ( Components	DFG) Type	Value	Form
•			
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Respirable fraction.
Greece. OELs (Decree No. 90/1		_	_
Material	Туре	Value	Form
HyGold L751	TWA	5 mg/m3	Mist.

Components	Туре	Value	Form
vistillates (petroleum), ydrotreated heavy aphthenic (CAS 4742-52-5)	TWA	5 mg/m3	Mist.
Hungary. OELs. Joint Decree on Ch Material	nemical Safety of Workplaces Type	Value	Form
HyGold L751	Ceiling	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	Ceiling	5 mg/m3	Mist.
celand. OELs. Regulation 154/19 Material	99 on occupational exposure limits Type	s Value	Form
HyGold L751	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposure Lin Components	mits Type	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Italy. Occupational Exposure Limit Components	ts Type	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Lithuania. OELs. Limit Values for ( Material	Chemical Substances, General Req Type	uirements Value	Form
HyGold L751	STEL	3 mg/m3	Fume and mist.
,	TWA	1 mg/m3	Fume and mist.
Components	Туре	Value	Form
· · · · · · · · · · · · · · · · · · ·	2.5		
Distillates (petroleum), hydrotreated heavy naphthenic (CAS	STEL	3 mg/m3	Fume and mist.
Distillates (petroleum), nydrotreated heavy naphthenic (CAS		3 mg/m3 1 mg/m3	Fume and mist. Fume and mist.
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 94742-52-5) Netherlands. OELs (binding)	STEL	-	
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 14742-52-5) Netherlands. OELs (binding) Naterial	STEL TWA <b>Type</b>	1 mg/m3 <b>Value</b>	Fume and mist. <b>Form</b>
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5) Netherlands. OELs (binding) Material	STEL	1 mg/m3	Fume and mist.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Netherlands. OELs (binding) Material HyGold L751 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	STEL TWA <b>Type</b> TWA	1 mg/m3 <b>Value</b> 5 mg/m3	Fume and mist. <b>Form</b> Mist.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Netherlands. OELs (binding) Material HyGold L751 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Norway. Administrative Norms for Material	STEL TWA Type TWA Type TWA	1 mg/m3 Value 5 mg/m3 Value	Fume and mist. Form Mist. Form

Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TLV	1 mg/m3	Mist.
Ordinance of the Minister of Labour and intensities of harmful health fac	tors in the work environment, Jo	urnal of Laws 201	4, item 817
Material	Туре	Value	Form
HyGold L751	STEL	10 mg/m3	Aerosol
	TWA _	5 mg/m3	Aerosol
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Portugal. VLEs. Norm on occupation Material	al exposure to chemical agents (N Type	NP 1796) Value	Form
HyGold L751	STEL	10 mg/m3	Aerosol
.,	TWA	5 mg/m3	Aerosol
Components	Туре	Value	Form
Distillates (petroleum),	TWA	5 mg/m3	Inhalable fraction.
hydrotreated heavy haphthenic (CAS 54742-52-5)		5 mg/m5	Initiable fraction.
Romania. OELs. Protection of worke Material	rs from exposure to chemical age Type	nts at the workpl Value	ace
HyGold L751	STEL	10 mg/m3	
	TWA	5 mg/m3	
Components	Туре	Value	
Components Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	<b>Type</b> STEL	Value 10 mg/m3	
Distillates (petroleum), nydrotreated heavy naphthenic (CAS			
Distillates (petroleum), nydrotreated heavy naphthenic (CAS	STEL	10 mg/m3 5 mg/m3	chemical agents Form
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No. 300/ Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS	STEL TWA 2007 concerning protection of he	10 mg/m3 5 mg/m3 alth in work with	
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No. 300/ Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS	STEL TWA 2007 concerning protection of he Type	10 mg/m3 5 mg/m3 alth in work with Value	Form
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No. 300/ Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS	STEL TWA 2007 concerning protection of he Type	10 mg/m3 5 mg/m3 ealth in work with Value 3 mg/m3	Form Fume and mist.
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No. 300/ Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS	TWA 2007 concerning protection of he Type STEL	10 mg/m3 5 mg/m3 salth in work with Value 3 mg/m3 15 ppm	Form Fume and mist. Fume and mist.
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No. 300/ Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5)	TWA 2007 concerning protection of he Type STEL TWA	10 mg/m3 5 mg/m3 Faith in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist.
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No. 300/ Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5)	TWA 2007 concerning protection of he Type STEL TWA	10 mg/m3 5 mg/m3 aalth in work with Value 3 mg/m3 15 ppm 1 mg/m3	Form Fume and mist. Fume and mist. Fume and mist.
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No. 300/ Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Spain. Occupational Exposure Limits Material	TWA 2007 concerning protection of he Type STEL TWA STEL STEL STEL	10 mg/m3 5 mg/m3 balth in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm Value 10 mg/m3	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist.
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No. 300/ Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Spain. Occupational Exposure Limits Material HyGold L751	TWA 2007 concerning protection of he Type STEL TWA STEL TWA STEL TWA STEL TWA	10 mg/m3 5 mg/m3 salth in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm Value 10 mg/m3 5 mg/m3	Form Fume and mist. Mist. Mist. Mist.
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No. 300/	TWA 2007 concerning protection of he Type STEL TWA STEL STEL STEL	10 mg/m3 5 mg/m3 balth in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm Value 10 mg/m3	Form Fume and mist. Mist.
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No. 300/ Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Spain. Occupational Exposure Limits Material HyGold L751	TWA 2007 concerning protection of he Type STEL TWA STEL TWA STEL TWA STEL TWA	10 mg/m3 5 mg/m3 salth in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm Value 10 mg/m3 5 mg/m3	Form Fume and mist. Mist. Mist. Mist.

Material	ironment Authority (AV), Occupation Type	Value	Form
HyGold L751	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenz	werte am Arbeitsplatz		
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
ological limit values	No biological exposure limits noted fo	the ingredient(s).	
commended monitoring ocedures	Not available.		
rived no effect levels NELs)	Not available.		
edicted no effect ncentrations (PNECs)	Not available.		
2. Exposure controls			
propriate engineering ntrols	Provide adequate ventilation, includin occupational exposure limit is not exc		n, to ensure that the defined
dividual protection measur General information	es, such as personal protective equi Not available.	pment	
Eye/face protection	Goggles/face shield are recommended	l.	
Skin protection			
- Hand protection	Chemical resistant gloves are recomm gloves. When prolonged or frequent r (Breakthrough time of > 240 minutes gloves may be suitable.	epeated contact occurs, Nitri	le gloves may be suitable.
- Other	Chemical/oil resistant clothing is recor	nmended. Launder contamin	ated clothing before reuse.
Respiratory protection	Under normal conditions, respirator is concentrations above the exposure lin respiratory protection is ordinarily req good industrial hygiene practices, pre engineering controls do not maintain worker health, select respiratory prote and meeting relevant legislation. Chec air-filtering respirators are suitable, se filter suitable for combined particulate meeting EN14387.	hit they must use appropriate uired under normal condition cautions should be taken to a airborne concentrations to a ection equipment suitable for the with respiratory protective elect an appropriate combinat	e certified respirators. No is of use. In accordance with avoid breathing of material. If level which is adequate to prote the specific conditions of use equipment suppliers. Where tion of mask and filter. Select a
Thermal hazards	Not available.		
giene measures	Always observe good personal hygien before eating, drinking and/or smokin Discard contaminated footwear that c	g. Routinely wash work cloth	
vironmental exposure	Not available.		

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Clear & bright
Liquid.
Liquid.
Amber.
Mild Petroleum Odor

Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	-25 °C (-13 °F) ASTM D5949/ ISO 3016
Initial boiling point and boiling range	> 332,22 °C (> 630 °F) ASTM D2887
Flash point	199,0 °C (390,2 °F) Pensky-Martens Closed Cup ISO 2719 210,0 °C (410,0 °F) Cleveland open cup ASTM D92/ ISO 2719/ IP36
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	> 5
Relative density	0,92 (15,56 °C (60 °F) ASTM D4052/ ISO 12185)
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not established.
Auto-ignition temperature	> 315,56 °C (> 600 °F) ASTM E659
Decomposition temperature	Not available.
Viscosity	146 cSt (40 °C (104 °F) ASTM D445/ ISO 3014)
Explosive properties	Not available.
Oxidising properties	Not available.
9.2. Other information	No relevant additional information available.
SECTION 10: Stability an	d reactivity
10.1. Reactivity	Strong oxidising agents.

10.1. Reactivity	Strong oxidising agents.
10.2. Chemical stability	Stable.
10.3. Possibility of hazardous reactions	Hazardous polymerisation does not occur.
10.4. Conditions to avoid	Avoid temperatures exceeding the flash point.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

# **SECTION 11: Toxicological information**

General information	Not available.		
Information on likely routes	of exposure		
Inhalation	May be harmful if swallowed and enters airways. However, this product does not currently meet the criteria for classification.		
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis		
Eye contact	May be irritating to eyes.		
Ingestion	May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration.		
Symptoms	Not available.		
11.1. Information on toxicological effects			
Acute toxicity	Not classified.		
Skin corrosion/irritation	Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.		
Serious eye damage/eye	Not classified.		

irritation	Not classified.
Respiratory sensitisation	Not classified.
Skin sensitisation	Not classified.
Germ cell mutagenicity	Non-mutagenic based on Modified Ames Assay.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Nota L - Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)		
Not listed.		
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not classified.	
Mixture versus substance information	Not available.	
Other information	Not available.	
SECTION 12: Ecological information		

### SECTION 12: Ecological information

12.1. Toxicity	Not expected to be harmful to aquatic organisms.
12.2. Persistence and degradability	Not inherently biodegradable.
12.3. Bioaccumulative potential	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.
Partition coefficient n-octanol/water (log Kow)	Not established.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.
EU waste code	Not applicable. Waste codes should be assigned by the user based on the application for which the product was used.
Disposal methods/information	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

### **SECTION 14: Transport information**

```
ADR
```

14.1. - 14.6.: Not regulated as dangerous goods.

```
RID
```

14.1. - 14.6.: Not regulated as dangerous goods.

### ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

```
Not available.
14.7. Transport in bulk
according to Annex II of
MARPOL 73/78 and the IBC
Code
General information
```

Not regulated as dangerous goods.

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended** Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

#### Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

#### Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended** Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended** Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

#### **Other EU regulations**

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations	The product is classified and labelled in accordance with EC directives or respective national laws This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006
National regulations	Not available.
15.2. Chemical safety	No Chemical Safety Assessment has been carried out.

#### assessment International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

### Country(s) or region Inventory name

Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### **SECTION 16: Other information**

List of abbreviations References	Not available. ACGIH IARC Monographs. Overall Evaluation of Carcinogenicity ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics ILO Safety Cards International Labour Organization International Maritime Organization Marine Pollutants List NFPA Hazardous Chemical Data Sheets NIOSH Pocket Guide Registry of Toxic Effects of Chemical Substances (RTECS) US DOT Hazardous Materials Regulations
Information on evaluation method leading to the classification of mixture	Not available.
Full text of any H-statements not written out in full under Sections 2 to 15	H350 May cause cancer.
Revision information	Product and Company Identification: Product and Company Identification Physical & Chemical Properties: Multiple Properties Regulatory Information: United States REACH: Registration Substance
Training information	Not available.
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Further information	Local CHEMTREC Numbers: CHEMTREC China: 4001-204937 CHEMTREC EU (Brussels): +(32)-28083237 CHEMTREC Indonesia: 001-803-017-9114 CHEMTREC Malaysia: +(60)-327884561 CHEMTREC Mexico: 1-800-681-9531 CHEMTREC Singapore: +(65)-31581349