ERGONE

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or HyGold 41

designation of the mixture

Registration number

Synonyms None.

Issue date 23-January-2020

Version number

Revision date 21-February-2020 Supersedes date 23-January-2020

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Metalworking Fluids, Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy

Duty Engine Oil, Bar & Chain, Carriers & Diluents, Engine Oil.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: Ergon, Inc. Address: P.O. Box 1639

Jackson, MS 39215

E-mail: sds@ergon.com

Emergency Contacts

1-800-222-7122 **Customer service:**

Chemtrec: 1-800-424-9300 After Business Hours (North America Only)

1-703-527-3887 After Business Hours (International)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classificatio applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 2 H315 - Causes skin irritation.

Specific target organ toxicity - single exposureCategory 3 narcotic effects H336 - May cause drowsiness or

dizziness.

Aspiration hazard H304 - May be fatal if swallowed Category 1

and enters airways.

May be fatal if swallowed and enters airways. Causes skin irritation. May cause central nervous **Hazard summary**

system effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Distillates (petroleum), hydrotreated light, Distillates (petroleum), hydrotreated light naphthenic

Hazard pictograms



Signal word Danger

Hazard statements

May be fatal if swallowed and enters airways. H304

Causes skin irritation. H315

May cause drowsiness or dizziness. H336

Precautionary statements

Prevention

P264 Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area. P271 Do not breathe gas/fumes/vapour/spray. P260 Keep out of reach of children. P102 Wear protective gloves/protective clothing/eye protection/face protection. P280 Response IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. P301 + P310 IF ON SKIN: Wash with plenty of water. P302 + P352 IF INHALED: Remove person to fresh air and keep comfortable for breathing P304 + P340 Call a POISON CENTRE/doctor if you feel unwell. P312 If skin irritation occurs: Get medical advice/attention. P332 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364 Collect spillage. P391 IF exposed or concerned: Get medical advice/attention. P308 + P313 Do NOT induce vomiting. P331 **Storage**

Store in a well-ventilated place. Keep container tightly closed P403 + P233

Store locked up. P405

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations P501

Supplemental label

information

None.

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrotreated light	40 - 100	64742-47-8 265-149-8	01-2119484819-18	649-422-00-2	
Classification: Asp. Tox. 1;	H304, Aqua	tic Chronic 2;H411			
Distillates (petroleum), hydrotreated light naphthenic	35 - 50	64742-53-6 265-156-6	01-2119480375-34	649-466-00-2	
Classification: Asp. Tox. 1;	H304				

SECTION 4: First aid measures

General information Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both

acute and delayed

Defatting of the skin.

4.3. Indication of any immediate medical attention and special treatment

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB

5.1. Extinguishing media

Suitable extinguishing Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an

extinguisher, as this will spread the fire.

Unsuitable extinguishing Do not use a solid water stream as it may scatter and spread fire.

media

media

5.2. Special hazards arising from the substance or mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Values. Material	Туре	Value	Form
HyGold 41	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	TWA	200 mg/m3	Vapour.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Material name: HyGold 41 SDS EU

6809 Version #: 02 Revision date: 21-February-2020 Issue date: 23-January-2020

HyGold 41	Туре	Value	
Try Gold TI	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	TWA	300 mg/m3	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	
Czech Republic. OELs. Government Material	: Decree 361 Type	Value	Form
HyGold 41	Ceiling	10 mg/m3	Aerosol
Try Colu TI	TWA	5 mg/m3	Aerosol
Components	Туре	Value	7.6.656
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	Ceiling	1000 mg/m3	
ŕ	TWA	200 mg/m3	
Denmark. Exposure Limit Values Material	Туре	Value	Form
HyGold 41	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TLV	1 mg/m3	Mist.
Finland. Workplace Exposure Limit Components	s Type	Value	Form
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	TWA	500 mg/m3	101111
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Mist.
Germany. DFG MAK List (advisory Compounds in the Work Area (DFG		Investigation of Health Ha	azards of Chemical
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	TWA	5 mg/m3	Respirable aerosol fraction
		350 mg/m3	Vapour.
·		E0 nnm	
		50 ppm	Vapour.
hydrotreated light naphthenic (CAS	TWA	50 ppm 5 mg/m3	Vapour. Respirable fraction.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6) Greece. OELs (Decree No. 90/1999 Material		• •	·

Material name: HyGold 41 SDS EU 4 / 12

6809 Version #: 02 Revision date: 21-February-2020 Issue date: 23-January-2020

e fraction.
e fraction.
d mist.
d mist.
d mist.

Netherlands. OELs (binding) Material	Туре	Value	Form
HyGold 41	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms for Material	Contaminants in the Workplace Type	Value	Form
HyGold 41	TLV	1 mg/m3	Mist.
, Components	Туре	Value	Form
Distillates (petroleum), nydrotreated light (CAS 54742-47-8)	TLV	275 mg/m3	
		40 ppm	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TLV	1 mg/m3	Mist.
	ur and Social Policy on 6 June 2014 factors in the work environment, Jo Type		
HyGold 41	STEL	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	STEL	300 mg/m3	
	TWA	100 mg/m3	
Distillates (petroleum), nydrotreated light naphthenic (CAS 54742-53-6)	TWA	5 mg/m3	Inhalable fraction.
Portugal. VLEs. Norm on occupatio Material	onal exposure to chemical agents (N Type	NP 1796) Value	Form
HyGold 41	STEL	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated light naphthenic (CAS 54742-53-6)	TWA	5 mg/m3	Inhalable fraction.
Romania. OELs. Protection of wor Material	kers from exposure to chemical age Type	nts at the workpla Value	ace
HyGold 41	STEL	10 mg/m3	
	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	
01/12-33-0)	TWA	5 mg/m3	
		5 .119/1115	

Distillates (petroleum),	Type STEL	3 mg/m3	Fume and mist.
hydrotreated light naphthenic (CAS 64742-53-6)	SIEL	3 mg/m3	rume and mist.
07/72-33-0)		15 ppm	Fume and mist.
Spain. Occupational Expos Material	ure Limits Type	Value	Form
HyGold 41	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	TWA	200 mg/m3	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	Mist.
,	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Envir Material	onment Authority (AV), Occupati Type	onal Exposure Limit Values (Value	(AFS 2015:7) Form
HyGold 41	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	STEL	500 mg/m3	
	TWA	350 mg/m3	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenzw	erte am Arbeitsplatz		
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	STEL	700 mg/m3	
	TWA	350 mg/m3	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
ogical limit values	No biological exposure limits noted	for the ingredient(s).	
ommended monitoring cedures	Not available.		
ived no effect levels ELs)	Not available.		
dicted no effect centrations (PNECs)	Not available.		
Exposure controls			
ropriate engineering trols	Provide adequate ventilation, includoccupational exposure limit is not e		to ensure that the define
-	s, such as personal protective eq	uipment	
General information	Not available.		
Eye/face protection	Goggles/face shield are recommend	led.	

Material name: HyGold 41

Skin protection

- Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

> gloves. When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable. (Breakthrough time of > 240 minutes.) For incidental contact/splash protection Neoprene, PVC

gloves may be suitable.

- Other Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Respiratory protection Under normal conditions, respirator is not normally required. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators. No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for combined particulate/organic gases and vapours [boiling point >65 °C (149 °F)]

meeting EN14387.

Thermal hazards Not available.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Clear & bright **Appearance**

Physical state Liquid. **Form** Liquid. Colour Not available.

Mild Petroleum Odor Odour

Odour threshold Not available. pН Not applicable.

Melting point/freezing point -75 °C (-103 °F) ASTM D5950/ ISO 3016

Initial boiling point and

boiling range Flash point

> 212,78 °C (> 415 °F) ASTM D2887/ ISO 3294

121,0 °C (249,8 °F) Cleveland open cup ASTM D92 estimated

111,0 °C (231,8 °F) Pensky-Martens Closed Cup

Evaporation rate Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower 0,7 % estimated

(%)

Flammability limit -

upper (%)

5 % estimated

Vapour pressure 0,64 hPa estimated Vapour density Not available.

0,871 (15,56 °C (60 °F) ASTM D4052) **Relative density**

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not established.

(n-octanol/water)

Auto-ignition temperature

> 315,56 °C (> 600 °F) ASTM E659

Decomposition temperature Not available.

Viscosity 4,2 cSt @40°C (40 °C (104 °F) ASTM D445/ ISO 3104)

Explosive properties Not available. **Oxidising properties** Not available.

9.2. Other information No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity Strong oxidising agents.

10.2. Chemical stability Stable.

10.3. Possibility of hazardous Hazardous polymerisation does not occur.

reactions

10.4. Conditions to avoid Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong oxidising agents.

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular 10.6. Hazardous

weight hydrocarbons. decomposition products

SECTION 11: Toxicological information

General information Not available. Information on likely routes of exposure

Inhalation May be fatal if swallowed and enters airways

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis

Eve contact May be irritating to eyes.

May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may Ingestion

increase risk of product aspiration. May be fatal if swallowed and enters airways.

Defatting of the skin. Coughing. Shortness of breath. Discomfort in the chest. **Symptoms**

11.1. Information on toxicological effects

Acute toxicity Not applicable. Skin corrosion/irritation Irritating to skin.

Serious eye damage/eye

irritation

Not classified. May cause minor irritation on eye contact.

Respiratory sensitisation

Not classified. Skin sensitisation Not classified.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Not classified

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

Causes central nervous system effects.

- single exposure

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard

May be fatal if swallowed and enters airways

Mixture versus substance

information

Not available.

Risk of chemical pneumonia after aspiration. Other information

SECTION 12: Ecological information

12.1. Toxicity Not expected to be harmful to aquatic organisms.

Product Species Test Results

HyGold 41

Aquatic

Fish LC50 Fish 5,0435 mg/l, 96 hours estimated

Components Species Test Results

Distillates (petroleum), hydrotreated light (CAS 64742-47-8)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 2,9 mg/l, 96 hours

(Oncorhynchus mykiss)

Not available. * Estimates for product may be based on additional component data not shown.

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient

n-octanol/water (log Kow)

Not established.

Bioconcentration factor (BCF) Not available. **12.4. Mobility in soil** Not available.

12.5. Results of PBT and

vPvB assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

ground.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

EU waste codeNot applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

Disposal Disposal recommendations are based on material as supplied. Disposal must be in accordance with

methods/information current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk Not available. according to Annex II of

MARPOL 73/78 and the IBC

Code

General information Not regulated as dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)

Inventory name

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006

National regulations Germanv: WGK 1

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

SECTION 16: Other information

List of abbreviations Not available. References **ACGIH**

IARC Monographs. Overall Evaluation of Carcinogenicity

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

ILO Safety Cards

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

Information on evaluation method leading to the classification of mixture

Not available.

Material name: HyGold 41 SDS EU

6809 Version #: 02 Revision date: 21-February-2020 Issue date: 23-January-2020

On inventory (yes/no)*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Full text of any H-statements not written out in full under

Sections 2 to 15 H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

Revision information SECTION 2: Hazards identification: Response

SECTION 2: Hazards identification: Hazard statements SECTION 2: Hazards identification: GHS Symbols

Transport Information: Material Transportation Information

GHS: Classification

Training information

Disclaimer

Not available.

The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Further information Local CHEMTREC Numbers:

CHEMTREC China: 4001-204937

CHEMTREC EU (Brussels): +(32)-28083237 CHEMTREC Indonesia: 001-803-017-9114 CHEMTREC Malaysia: +(60)-327884561 CHEMTREC Mexico: 1-800-681-9531 CHEMTREC Singapore: +(65)-31581349

Material name: HyGold 41 SDS EU

6809 Version #: 02 Revision date: 21-February-2020 Issue date: 23-January-2020