ERGON E

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HyPrene L2000

Identification number 649-465-00-7 (Index number)

Registration number 01-2119467170-45

Synonyms None.

Issue date 13-August-2018

Version number 04

Revision date 30-March-2021 **Supersedes date** 24-March-2020

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesTire Oils, Rubber Compounding, Automotive & Industrial Hoses, Dedusting, Plasticizer, Titanium
Dioxide Wash, Compressor Wash Oils, Hydraulic Fracturing Oil, Adhesives, Carnet Backing, Feed

Dioxide Wash, Compressor Wash Oils, Hydraulic Fracturing Oil, Adhesives, Carpet Backing, Feed Stock for White Oil, Refrigeration Oil, Diluents and Carriers, Carbon Black, Banbury Dust Stop,

Defoamers, Sealants, Belts & Hoses, Coatings, Leather Tanning, Agriculture Oils.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

MANUFACTURER: Ergon, Inc.

P.O. Box 1639

Jackson, MS 39181 USA

EU Contact: Ergon International, Inc.

Drève Richelle 161 Building C B-1410 Waterloo, Belgium

Emergency Phone

Numbers:

US Customer Service: + 1-800-222-7122

Chemtrec: + 1-800-424-9300 After Business Hours (North America)

+ 1-703-527.-3887 (International)

See Section 15 for additional CHEMTREC Hotline Numbers

E-mail: sds@ergon.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended

Hazard summary Not available.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word Not applicable. **Hazard statements** Not applicable.

Precautionary statements

PreventionNot available.ResponseNot applicable.StorageNot applicable.DisposalNot applicable.

Supplemental label

information

None.

2.3. Other hazards None known.

Material name: HyPrene L2000 - Ergon International

4726 Version #: 04 Revision date: 30-March-2021 Issue date: 13-August-2018

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrotreated heavy naphthenic	<=100	64742-52-5 265-155-0	01-2119467170-45	649-465-00-7	
Classification: -					L

Composition comments

Note L - Not classified as a carcinogen. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

SECTION 4: First aid measures

General information Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention and special treatment

needed

Treat symptomatically.

Defatting of the skin.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB

5.1. Extinguishing media

Suitable extinguishing

media

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an

extinguisher, as this will spread the fire.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or

mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a

fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

Material name: HyPrene L2000 - Ergon International SDS EU 4726 Version #: 04 Revision date: 30-March-2021 Issue date: 13-August-2018

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Valu	ues.
------------------------------	------

Material	Туре	Value	Form
HyPrene L2000	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work Material Type Value

HyPrene L2000	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum),	TWA	5 mg/m3	

hydrotreated heavy naphthenic (CAS 64742-52-5)

64742-52-5)

Czech Republic. OELs. Government Decree 361

Material	Туре	Value
HyPrene L2000	Ceiling	1000 mg/m3
	TWA	200 mg/m3

Denmark. Exposure Limit Values

Material	Туре	Value	Form
HyPrene L2000	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS	TLV	1 mg/m3	Mist.

Material name: HyPrene L2000 - Ergon International

4726 Version #: 04 Revision date: 30-March-2021 Issue date: 13-August-2018 3 / 10

Finland. Workplace Exposure Lim Components	its Type	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Compounds in the Work Area (DF	-		
Material	Туре	Value	Form
HyPrene L2000	TWA	5 mg/m3	Respirable fraction
Greece. OELs (Decree No. 90/199 Material	9, as amended) Type	Value	Form
HyPrene L2000	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Hungary. OELs. Joint Decree on C Material	hemical Safety of Workplaces Type	Value	Form
HyPrene L2000	Ceiling	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Ceiling	5 mg/m3	Mist.
Iceland. OELs. Regulation 154/19 Material	999 on occupational exposure limit Type	s Value	Form
HyPrene L2000	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposure L Material	imits Type	Value	Form
HyPrene L2000 Components	TWA Type	5 mg/m3 Value	Inhalable fraction. Form
Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Italy. Occupational Exposure Lim Material	its Type	Value	Form
	TWA	5 mg/m3	Inhalable fraction.
HvPrene I 2000		2 1119/1113	I I I I I I I I I I I I I I I I I I I
•		Value	Form
Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	Type TWA	Value 5 mg/m3	Form Inhalable fraction.
HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Lithuania. OELs. Limit Values for Material	Туре	5 mg/m3	
Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Lithuania. OELs. Limit Values for	Type TWA Chemical Substances, General Req	5 mg/m3	Inhalable fraction.

Material name: HyPrene L2000 - Ergon International

SDS EU 4726 Version #: 04 Revision date: 30-March-2021 Issue date: 13-August-2018

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Netherlands. OELs (binding)	_		_
Material	Туре	Value	Form
HyPrene L2000	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms Material	for Contaminants in the Wor	rkplace Value	Form
HyPrene L2000	TLV	 1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.
Ordinance of the Minister of La and intensities of harmful healt Material			
HyPrene L2000	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupa Material		-	Inhalable fraction. Form
hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupa Material	ational exposure to chemical Type	agents (NP 1796) Value	
hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occup a	ational exposure to chemical	agents (NP 1796)	Form
hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupa Material HyPrene L2000	ational exposure to chemical Type TWA	agents (NP 1796) Value 5 mg/m3	Form Inhalable fraction.
hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupa Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of w	ational exposure to chemical Type TWA Type TWA	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupa Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	ational exposure to chemical Type TWA Type TWA TWA	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupa Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of w	ational exposure to chemical Type TWA Type TWA TWA TWA TWA TWA	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 emical agents at the workpl	Form Inhalable fraction. Form Inhalable fraction.
hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupa Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of w	ational exposure to chemical Type TWA Type TWA TWA TWA TWA TORKETS FROM EXPOSURE to Che Type STEL	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 emical agents at the workpl Value 10 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupa Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of w Material HyPrene L2000	TWA Type TWA Type TWA Type TWA Type TWA TYPE TWA TORKETS FROM EXPOSURE to Che Type STEL TWA	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 emical agents at the workpl Value 10 mg/m3 5 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupa Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of w Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	ational exposure to chemical Type TWA Type TWA TWA TYPE TWA TOPIC STEL TWA Type	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 emical agents at the workpl Value 10 mg/m3 5 mg/m3 Value	Form Inhalable fraction. Form Inhalable fraction.
hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupa Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of w Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	Type TWA Type TWA TYPE TWA TWA TOPE TWA TOPE STEL TWA Type STEL TWA Type STEL TWA Type STEL TWA Type	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 emical agents at the workpl Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 10 mg/m3	Form Inhalable fraction. Form Inhalable fraction. ace
hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupa Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of w Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Slovakia. OELs. Regulation No.	TWA Type TWA Type TWA Type TWA Type TWA Type STEL TWA Type	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 emical agents at the workpl Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 ction of health in work with	Form Inhalable fraction. Form Inhalable fraction. ace chemical agents
hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupa Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of w Material HyPrene L2000 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Slovakia. OELs. Regulation No. Material	Type TWA Type TWA Type TWA TYPE TWA TORKETS FROM EXPOSURE to Che Type STEL TWA Type	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 emical agents at the workpl Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 ction of health in work with Value	Form Inhalable fraction. Form Inhalable fraction. ace chemical agents Form

Material name: HyPrene L2000 - Ergon International

SDS EU **5 / 10** 4726 Version #: 04 Revision date: 30-March-2021 Issue date: 13-August-2018

		5 ppm	Fume and mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Spain. Occupational Expo Material	sure Limits Type	Value	Form
HyPrene L2000	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Envi Material	ronment Authority (AV), Occupatio Type	nal Exposure Limit Values Value	(AFS 2015:7) Form
HyPrene L2000	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenz Material	werte am Arbeitsplatz Type	Value	Form
HyPrene L2000	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
ogical limit values ommended monitoring edures	No biological exposure limits noted for Not available.	or the ingredient(s).	
	Not available.		
ved no effect levels ELs) licted no effect centrations (PNECs)	Not available.		
ELs) licted no effect	Not available.		

Material name: HyPrene L2000 - Ergon International

Eye/face protection

Skin protection

SDS EU 4726 Version #: 04 Revision date: 30-March-2021 Issue date: 13-August-2018

Goggles/face shield are recommended.

Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style - Hand protection

gloves. When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable. (Breakthrough time of > 240 minutes.) For incidental contact/splash protection Neoprene, PVC

gloves may be suitable.

- Other Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Under normal conditions, respirator is not normally required. When workers are facing Respiratory protection

concentrations above the exposure limit they must use appropriate certified respirators.

Thermal hazards Not available.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear & bright

Physical state Liquid. **Form** Liquid. Colour Amber.

Odour Mild Petroleum Odor

Odour threshold Not available. Not available.

-20 °C (-4 °F) ASTM D5950/ ISO 3016 Melting point/freezing point Initial boiling point and 350 °C (662 °F) ASTM D2887/ ISO 3294

boiling range

Flash point 240,0 °C (464,0 °F) Pensky-Martens Closed Cup ASTM D93/ ISO 2719

264,0 °C (507,2 °F) Cleveland open cup ASTM D92/ ISO 2592

Evaporation rate Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit -

upper (%)

Not available.

Vapour pressure Not available.

> 5 Vapour density

0,92 (15,56 °C (60 °F) ASTM D4052/ ISO 12185) Relative density

Solubility(ies)

Insoluble Solubility (water) Insoluble

Partition coefficient Not established.

(n-octanol/water)

Auto-ignition temperature > 315,56 °C (> 600 °F) ASTM E659

Decomposition temperature Not available.

384 cSt (40 °C (104 °F) ASTM D445) **Viscosity**

Explosive properties Not available. **Oxidising properties** Not available.

9.2. Other information No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity Strong oxidising agents.

10.2. Chemical stability Stable.

10.3. Possibility of hazardous Hazardous polymerisation does not occur.

reactions

10.4. Conditions to avoid Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong oxidising agents. 10.6. Hazardous decomposition products Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available. Information on likely routes of exposure

Inhalation May be harmful if inhaled. However, this product does not currently meet the criteria for

classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis

Eve contact May be irritating to eyes.

May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may Ingestion

increase risk of product aspiration.

Symptoms Not available. 11.1. Information on toxicological effects

Acute toxicity Not classified.

Skin corrosion/irritation Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

Not classified.

Respiratory sensitisation Not classified. Skin sensitisation Not classified.

Germ cell mutagenicity Non-mutagenic based on Modified Ames Assay.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EL

requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346. Note L -

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard Not classified. Mixture versus substance

information

Not available.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Not expected to be harmful to aquatic organisms.

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient

n-octanol/water (log Kow)

Not established.

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil Not available.

12.5. Results of PBT and

vPvB assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

Material name: HyPrene L2000 - Ergon International

SDS EU 8 / 10 **EU** waste code Not applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

Disposal No components are identified as hazardous wastes. Disposal recommendations are based on

methods/information material as supplied. Disposal must be in accordance with current applicable laws and regulations,

and material characteristics at time of disposal.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

General information Not regulated as dangerous goods.

Not available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006

Material name: HyPrene L2000 - Ergon International

SDS EU 4726 Version #: 04 Revision date: 30-March-2021 Issue date: 13-August-2018

National regulations Germany: WGK 1

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

International Inventories

Country(s) or region

Australian Inventory of Chemical Substances (AICS)	Yes
Domestic Substances List (DSL)	Yes
Non-Domestic Substances List (NDSL)	No
Inventory of Existing Chemical Substances in China (IECSC)	Yes
European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
European List of Notified Chemical Substances (ELINCS)	No
Inventory of Existing and New Chemical Substances (ENCS)	Yes
Existing Chemicals List (ECL)	Yes
New Zealand Inventory	Yes
Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan Chemical Substance Inventory (TCSI)	Yes
Toxic Substances Control Act (TSCA) Inventory	Yes
	Domestic Substances List (DSL) Non-Domestic Substances List (NDSL) Inventory of Existing Chemical Substances in China (IECSC) European Inventory of Existing Commercial Chemical Substances (EINECS) European List of Notified Chemical Substances (ELINCS) Inventory of Existing and New Chemical Substances (ENCS) Existing Chemicals List (ECL) New Zealand Inventory Philippine Inventory of Chemicals and Chemical Substances (PICCS) Taiwan Chemical Substance Inventory (TCSI)

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

SECTION 16: Other information

List of abbreviations Not available.

References Chemical Abstracts Service Registry Handbook

Inventory name

CRC: Handbook of Chemistry and Physics **International Labour Organization**

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

ACGIH

IARC Monographs. Overall Evaluation of Carcinogenicity

Information on evaluation method leading to the classification of mixture

Not available.

Full text of any H-statements not written out in full under

Sections 2 to 15

None.

Revision information Composition / Information on Ingredients: Disclosure Overrides

Physical & Chemical Properties: Multiple Properties

Training information

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a

quidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Local CHEMTREC Numbers: **Further information**

CHEMTREC China: 4001-204937

CHEMTREC EU (Brussels): +(32)-28083237 CHEMTREC Indonesia: 001-803-017-9114 CHEMTREC Malaysia: +(60)-327884561 CHEMTREC Mexico: 1-800-681-9531 CHEMTREC Singapore: +(65)-31581349

SDS EU 4726 Version #: 04 Revision date: 30-March-2021 Issue date: 13-August-2018

On inventory (yes/no)*