# ERGONE

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HyPrene L101

**Identification number** 649-465-00-7 (Index number) **Registration number** 01-2119467170-45-0017

**Synonyms** None.

24-May-2019 **Issue date** 

**Version number** 03

**Revision date** 16-April-2021 Supersedes date 07-December-2020

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Tire Oils, Rubber Compounding, Automotive & Industrial Hoses, Dedusting, Plasticizer, Titanium

Dioxide Wash, Compressor Wash Oils, Hydraulic Fracturing Oil, Adhesives, Carpet Backing, Feed Stock for White Oil, Refrigeration Oil, Diluents and Carriers, Carbon Black, Banbury Dust Stop,

Defoamers, Sealants, Belts & Hoses, Coatings, Leather Tanning, Agriculture Oils.

Uses advised against None known.

#### 1.3. Details of the supplier of the safety data sheet

**MANUFACTURER:** Ergon, Inc.

P.O. Box 1639

Jackson, MS 39181 USA

**EU Contact:** Ergon International, Inc.

> Drève Richelle 161 Building C B-1410 Waterloo, Belgium

**Emergency Phone** 

**Numbers:** 

**US Customer Service:** + 1-800-222-7122

**Chemtrec:** + 1-800-424-9300 After Business Hours (North America)

+ 1-703-527.-3887 (International)

See Section 15 for additional CHEMTREC Hotline Numbers

F-mail: sds@ergon.com

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended

**Hazard summary** Not available.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

**Hazard pictograms** None.

Signal word Not applicable. **Hazard statements** Not applicable.

**Precautionary statements** 

**Prevention** Not applicable. Response Not applicable. Storage Not applicable.

Disposal

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with P501

applicable laws and regulations, and product characteristics at time of disposal.

**Supplemental label** 

information

None.

Material name: HyPrene L101 - Ergon International SDS EU 5492 Version #: 03 Revision date: 16-April-2021 Issue date: 24-May-2019

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

**General information** 

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrotreated heavy naphthenic	<=100	64742-52-5 265-155-0	01-2119467170-45	649-465-00-7	
Classification: -					L

**Composition comments** 

Note L - Not classified as a carcinogen. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

# **SECTION 4: First aid measures**

**General information** Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention and special treatment

Treat symptomatically.

Defatting of the skin.

needed

# **SECTION 5: Firefighting measures**

**General fire hazards** No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB

5.1. Extinguishing media

Suitable extinguishing

media

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an

extinguisher, as this will spread the fire.

**Unsuitable extinguishing** 

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or

mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting

procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

Material name: HyPrene L101 - Ergon International 5492 Version #: 03 Revision date: 16-April-2021 Issue date: 24-May-2019

## 6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame.

7.3. Specific end use(s) Not available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

# **Occupational exposure limits**

Belgium.	<b>Exposure</b>	Limit	Va	lues.
----------	-----------------	-------	----	-------

Material	Туре	Value	Form
HyPrene L101	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

#### Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work **Material Type** Value

	<b>7</b> •		
HyPrene L101	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum),	TWA	5 mg/m3	

naphthenic (CAS 64742-52-5)

#### Czech Republic. OELs. Government Decree 361

Material	Туре	Value
HyPrene L101	Ceiling	1000 mg/m3
	TWA	200 mg/m3

## **Denmark. Exposure Limit Values**

Material	Туре	Value	Form	
HyPrene L101	TLV	1 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS	TLV	1 mg/m3	Mist.	

64742-52-5)

SDS EU 5492 Version #: 03 Revision date: 16-April-2021 Issue date: 24-May-2019

Finland. Workplace Exposure I	imits		
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Germany. DFG MAK List (advis Compounds in the Work Area	ory OELs). Commission for the Invest (DFG)	igation of Health H	lazards of Chemical
Material	Туре	Value	Form
HyPrene L101	TWA	5 mg/m3	Respirable fraction
Greece. OELs (Decree No. 90/ Material	1999, as amended) Type	Value	Form
HyPrene L101	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Mist.
Hungary. OELs. Joint Decree o Material	n Chemical Safety of Workplaces Type	Value	Form
HyPrene L101	Ceiling	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	Ceiling	5 mg/m3	Mist.
Iceland. OELs. Regulation 154 Material	/1999 on occupational exposure limit Type	s Value	Form
HyPrene L101	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposur Material	e Limits Type	Value	Form
HyPrene L101 Components	TWA <b>Type</b>	5 mg/m3 <b>Value</b>	Inhalable fraction.  Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Italy. Occupational Exposure l Material	imits Type	Value	Form
HyPrene L101	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS	TWA	5 mg/m3	Inhalable fraction.
64742-52-5)	for Chemical Substances, General Req Type	uirements Value	Form
64742-52-5) Lithuania. OELs. Limit Values	-		Form Fume and mist.

Material name: HyPrene L101 - Ergon International

5492 Version #: 03 Revision date: 16-April-2021 Issue date: 24-May-2019 4 /

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Netherlands. OELs (binding)	<b>-</b>	Walter	Fa
Material	Туре	Value	Form
HyPrene L101	TWA _	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms fo Material	r Contaminants in the Wor Type	rkplace Value	Form
HyPrene L101	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.
Ordinance of the Minister of Labo and intensities of harmful health Material			
HyPrene L101	TWA	5 mg/m3	Inhalable fraction.
Cammamamta	Туре	Value	Form
Components	. , , , ,	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupati	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.  Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupati	TWA onal exposure to chemical	5 mg/m3 agents (NP 1796)	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupati Material	TWA  Twa  onal exposure to chemical  Type	5 mg/m3 agents (NP 1796) Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupati Material  HyPrene L101	TWA  onal exposure to chemical Type  TWA	5 mg/m3 agents (NP 1796) Value 5 mg/m3	<b>Form</b> Inhalable fraction.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupati Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS	TWA  TWA  onal exposure to chemical Type  TWA Type  TWA Type	5 mg/m3  agents (NP 1796) Value  5 mg/m3 Value  5 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupati Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Romania. OELs. Protection of wor	TWA  TWA  onal exposure to chemical Type  TWA Type  TWA  TWA  TWA	5 mg/m3  agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupati Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Romania. OELs. Protection of wor Material	TWA  onal exposure to chemical Type  TWA Type  TWA  TYPE  TWA  WA  TYPE  TWA  TYPE	5 mg/m3  agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 emical agents at the workpl Value	Form Inhalable fraction. Form Inhalable fraction.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupati Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Romania. OELs. Protection of wor Material	TWA  onal exposure to chemical Type  TWA Type  TWA  TWA  We see the second of the seco	5 mg/m3  agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3  emical agents at the workpl Value 10 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupati Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Romania. OELs. Protection of wor Material  HyPrene L101	TWA  onal exposure to chemical Type  TWA  Type  TWA  Type  TWA  kers from exposure to che Type  STEL  TWA	5 mg/m3  agents (NP 1796) Value  5 mg/m3 Value  5 mg/m3  emical agents at the workpl Value  10 mg/m3 5 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupati Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Romania. OELs. Protection of wor Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS	TWA  Type  TWA  Type  TWA  Type  TWA  Type  TWA  Sters from exposure to cherype  STEL  TWA  Type	5 mg/m3  agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3  **mical agents at the workpl Value 10 mg/m3 5 mg/m3 Value	Form Inhalable fraction. Form Inhalable fraction.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupati Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Romania. OELs. Protection of wor Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS	TWA  onal exposure to chemical Type  TWA  Type  TWA  Type  TWA  kers from exposure to che Type  STEL  TWA  Type  STEL  TWA  Type  STEL  TWA  Type  STEL	5 mg/m3  agents (NP 1796) Value  5 mg/m3 Value  5 mg/m3  emical agents at the workpl Value  10 mg/m3 5 mg/m3 Value  10 mg/m3 5 mg/m3 Value  10 mg/m3	Form Inhalable fraction. Form Inhalable fraction.  ace
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupati Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Romania. OELs. Protection of wor Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Slovakia. OELs. Regulation No. 30	TWA  onal exposure to chemical Type  TWA  Type  TWA  Type  TWA  kers from exposure to che Type  STEL  TWA  Type  STEL  TWA  Type  STEL  TWA  Type  STEL	5 mg/m3  agents (NP 1796) Value  5 mg/m3 Value  5 mg/m3  emical agents at the workpl Value  10 mg/m3 5 mg/m3 Value  10 mg/m3  5 mg/m3  value  10 mg/m3	Form Inhalable fraction. Form Inhalable fraction.  ace  chemical agents
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupati Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Romania. OELs. Protection of wor Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Slovakia. OELs. Regulation No. 30 Material	TWA  onal exposure to chemical Type  TWA  Type  TWA  Type  TWA  kers from exposure to che Type  STEL  TWA  Type  STEL  TWA  Type  STEL  TWA  Type  STEL  TWA  Type	5 mg/m3  agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3  emical agents at the workpl Value 10 mg/m3 5 mg/m3 Value 10 mg/m3  5 mg/m3  value 10 mg/m3  tion of health in work with Value	Form Inhalable fraction. Form Inhalable fraction.  ace  chemical agents Form

Material name: HyPrene L101 - Ergon International

5492 Version #: 03 Revision date: 16-April-2021 Issue date: 24-May-2019 5

		5 ppm	Fume and mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Spain. Occupational Expo Material	sure Limits Type	Value	Form
HyPrene L101	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Envi Material	ronment Authority (AV), Occupatio Type	nal Exposure Limit Values Value	(AFS 2015:7) Form
HyPrene L101	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
		2 / 2	Mist.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS	STEL TWA	3 mg/m3 1 mg/m3	Mist.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Switzerland. SUVA Grenzy	TWA werte am Arbeitsplatz	1 mg/m3	Mist.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA		
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Switzerland. SUVA Grenzy	TWA werte am Arbeitsplatz	1 mg/m3	Mist.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Switzerland. SUVA Grenzy Material	TWA werte am Arbeitsplatz Type	1 mg/m3 <b>Value</b>	Mist. <b>Form</b>
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Switzerland. SUVA Grenze Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS	TWA werte am Arbeitsplatz Type TWA	1 mg/m3 <b>Value</b> 5 mg/m3	Mist.  Form  Inhalable fraction.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Switzerland. SUVA Grenzy Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA werte am Arbeitsplatz Type TWA Type	1 mg/m3  Value  5 mg/m3  Value  5 mg/m3	Mist.  Form  Inhalable fraction. Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Switzerland. SUVA Grenze Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS	TWA werte am Arbeitsplatz Type TWA Type TWA	1 mg/m3  Value  5 mg/m3  Value  5 mg/m3  or the ingredient(s).	Mist.  Form  Inhalable fraction. Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Switzerland. SUVA Grenzy Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  logical limit values commended monitoring cedures ived no effect levels	TWA werte am Arbeitsplatz Type TWA Type TWA  TYPE TWA  No biological exposure limits noted for	1 mg/m3  Value  5 mg/m3  Value  5 mg/m3  or the ingredient(s).	Mist.  Form  Inhalable fraction. Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Switzerland. SUVA Grenze Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  logical limit values commended monitoring	TWA werte am Arbeitsplatz Type TWA Type TWA  Type  TWA  No biological exposure limits noted for Follow standard monitoring procedure	1 mg/m3  Value  5 mg/m3  Value  5 mg/m3  or the ingredient(s).	Mist.  Form  Inhalable fraction.  Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  Switzerland. SUVA Grenze Material  HyPrene L101  Components  Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)  logical limit values commended monitoring cedures ived no effect levels IELs)  dicted no effect	TWA werte am Arbeitsplatz Type TWA Type TWA  No biological exposure limits noted for Follow standard monitoring procedure. Not available.	1 mg/m3  Value  5 mg/m3  Value  5 mg/m3  or the ingredient(s).	Mist.  Form  Inhalable fraction.  Form

Individual protection measures, such as personal protective equipment

General information Wear suitable protective equipment.

Eye/face protection Goggles/face shield are recommended.

**Skin protection** 

Material name: HyPrene L101 - Ergon International

5492 Version #: 03 Revision date: 16-April-2021 Issue date: 24-May-2019 6 / 10

- Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

aloves.

- Other Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Respiratory protection Under normal conditions, respirator is not normally required.

Thermal hazards Not available.

**Hygiene measures** Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

**Environmental exposure** 

controls

Environmental manager must be informed of all major releases.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

**Appearance** Clear & bright **Physical state** Liquid. **Form** Liauid. Colour Amber.

Odour Mild Petroleum Odor

**Odour threshold** Not available. pН Not available.

Melting point/freezing point -44 °C (-47,2 °F) ASTM D5949/ ISO 3016

Initial boiling point and

boiling range

> 371,11 °C (> 700 °F) ASTM D2887/ ISO 3294

Flash point 155,0 °C (311,0 °F) Pensky-Martens Closed Cup

167,0 °C (332,6 °F) Cleveland open cup ASTM D92/ ISO 2592

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit -

Not available.

upper (%)

Not available. Vapour pressure Vapour density Not available.

0,898 (15,56 °C (60 °F) ASTM D4052/ ISO 12185) **Relative density** 

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not established.

(n-octanol/water)

> 315,56 °C (> 600 °F) ASTM E659 **Auto-ignition temperature** 

**Decomposition temperature** Not available.

21,9 cSt (40 °C (104 °F) ASTM D445/ ISO 3104) **Viscosity** 

**Explosive properties** Not available. **Oxidising properties** Not available

No relevant additional information available. 9.2. Other information

## **SECTION 10: Stability and reactivity**

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport

10.2. Chemical stability

10.3. Possibility of hazardous Hazardous polymerisation does not occur.

reactions

10.4. Conditions to avoid Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

decomposition products weight hydrocarbons.

#### **SECTION 11: Toxicological information**

**General information** Not available.

Material name: HyPrene L101 - Ergon International SDS EU Information on likely routes of exposure

Inhalation May be harmful if inhaled. However, this product does not currently meet the criteria for

classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis

Eye contact May be irritating to eyes.

Ingestion May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration.

**Symptoms** Not available. 11.1. Information on toxicological effects

**Acute toxicity** No data available.

Skin corrosion/irritation Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

May be irritating to eyes.

Not classified. Respiratory sensitisation Skin sensitisation Not classified.

Germ cell mutagenicity Non-mutagenic based on Modified Ames Assay.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Note L - Meet:

EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

Not available.

- single exposure

Specific target organ toxicity

- repeated exposure

Not available.

Not classified. **Aspiration hazard** Mixture versus substance

information

Not available.

Other information

Not available.

# **SECTION 12: Ecological information**

12.1. Toxicity Not expected to be harmful to aquatic organisms.

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

**Partition coefficient** 

Not established.

n-octanol/water (log Kow) **Bioconcentration factor (BCF)** 

Not available. Not available.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

**Residual waste** Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

**EU** waste code Not applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

Disposal Disposal recommendations are based on material as supplied. Disposal must be in accordance with

methods/information current applicable laws and regulations, and material characteristics at time of disposal.

Material name: HyPrene L101 - Ergon International SDS EU

# **SECTION 14: Transport information**

#### **ADR**

14.1. - 14.6.: Not regulated as dangerous goods.

#### RID

14.1. - 14.6.: Not regulated as dangerous goods.

#### **ADN**

14.1. - 14.6.: Not regulated as dangerous goods.

#### **IATA**

14.1. - 14.6.: Not regulated as dangerous goods.

#### **IMDG**

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk

Not available.

according to Annex II of MARPOL 73/78 and the IBC

Code

**General information** Not regulated as dangerous goods.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

# **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

**Other regulations**The product is classified and labelled in accordance with EC directives or respective national laws

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006

National regulations Not available.

**15.2. Chemical safety** No Chemical Safety Assessment has been carried out.

assessment

5492 Version #: 03 Revision date: 16-April-2021 Issue date: 24-May-2019

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# **SECTION 16: Other information**

List of abbreviations Not available. References **ACGIH** 

US. IARC Monographs on Occupational Exposures to Chemical Agents

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

**ILO Safety Cards** 

**International Labour Organization** 

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

**US DOT Hazardous Materials Regulations** 

Information on evaluation method leading to the classification of mixture

Not available.

**Full text of any H-statements** not written out in full under

Sections 2 to 15

None.

**Revision information** 

This document has undergone significant changes and should be reviewed in its entirety

**Training information** Not available.

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Further information** HMIS® is a registered trade and service mark of the NPCA

SDS EU 5492 Version #: 03 Revision date: 16-April-2021 Issue date: 24-May-2019