# ERGONE

## SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HyPrint L2000

**Identification number** 649-465-00-7 (Index number)

**Registration number** 01-2119467170-45

**Synonyms** None.

**Issue date** 27-April-2021

Version number 01

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Pigments; Printing Inks

**Uses advised against** None known.

1.3. Details of the supplier of the safety data sheet

**MANUFACTURER:** Ergon, Inc.

P.O. Box 1639

Jackson, MS 39181 USA

**EU Contact:** Ergon International, Inc.

Drève Richelle 161 Building C B-1410 Waterloo, Belgium

**Emergency Phone** 

**Numbers:** 

**US Customer Service:** + 1-800-222-7122

**Chemtrec:** + 1-800-424-9300 After Business Hours (North America)

+ 1-703-527.-3887 (International)

See Section 15 for additional CHEMTREC Hotline Numbers

**E-mail:** sds@ergon.com

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

**Hazard summary** Not available.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

**Hazard pictograms** None.

**Signal word**Not applicable. **Hazard statements**Not applicable.

**Precautionary statements** 

PreventionNot available.ResponseNot applicable.StorageNot applicable.DisposalNot applicable.

Supplemental label None.

information

**2.3. Other hazards** None known.

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

**General information** 

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrotreated heavy naphthenic	100	64742-52-5 265-155-0	01-2119467170-45	649-465-00-7	
Classification: -					L

**Composition comments** 

Note L - Not classified as a carcinogen. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

### **SECTION 4: First aid measures**

**General information** Contact physician if discomfort continues.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

**Skin contact** Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

**Eye contact** Flush thoroughly with water. If irritation occurs, get medical assistance.

**Ingestion** Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both acute and delayed

Defatting of the skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

**General fire hazards**No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB

5.1. Extinguishing media

Suitable extinguishing

media

 $\hbox{Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an $(CO2)$ water spray or fog. The spray$ 

extinguisher, as this will spread the fire.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a fire.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

**6.2. Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.

Material name: HyPrint L2000 - Ergon International 4718 Version #: 01 Issue date: 27-April-2021

## 6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work.

Value

Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame.

**7.3. Specific end use(s)** Not available.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Occupational exposure limits**

**Belgium. Exposure Limit Values.** 

Material	Туре	Value	Form	
HyPrint L2000	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

## Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work Material Type Value

HyPrint L2000	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy	TWA	5 mg/m3	

hydrotreated heavy naphthenic (CAS 64742-52-5)

64742-52-5)

Czech Republic. OELs. Government Decree 361

Material	Туре	Value
HyPrint L2000	Ceiling	1000 mg/m3
	TWA	200 ma/m3

**Denmark. Exposure Limit Values** 

Material	Туре	Value	Form	
HyPrint L2000	TLV	1 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS	TLV	1 mg/m3	Mist.	

Material name: HyPrint L2000 - Ergon International 4718 Version #: 01 Issue date: 27-April-2021

Components	imits Type	Value	Form
istillates (petroleum), ydrotreated heavy aphthenic (CAS 4742-52-5)	TWA	5 mg/m3	Mist.
Germany. DFG MAK List (advis Compounds in the Work Area (	ory OELs). Commission for the Invest (DFG)	tigation of Health H	
Material	Туре	Value	Form
lyPrint L2000	TWA	5 mg/m3	Respirable fraction.
Greece. OELs (Decree No. 90/1 Material	1999, as amended) Type	Value	Form
HyPrint L2000	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Mist.
lungary. OELs. Joint Decree o Material	n Chemical Safety of Workplaces Type	Value	Form
HyPrint L2000	Ceiling	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	Ceiling	5 mg/m3	Mist.
iceland. OELs. Regulation 154 Material	/1999 on occupational exposure limit Type	ts Value	Form
HyPrint L2000	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	1 mg/m3	Mist.
ireland. Occupational Exposur Material	e Limits Type	Value	Form
lyPrint L2000	TWA	5 mg/m3 <b>Value</b>	Inhalable fraction.  Form
Components	Туре		
Sintillate a (a atual a una)	TMA	E ~ / ?	T
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Inhalable fraction.
nydrotreated heavy naphthenic (CAS 54742-52-5) Italy. Occupational Exposure L		5 mg/m3 <b>Value</b>	Inhalable fraction.  Form
nydrotreated heavy haphthenic (CAS 14742-52-5) Staly. Occupational Exposure L Material	imits	-	
nydrotreated heavy naphthenic (CAS 64742-52-5) Staly. Occupational Exposure L Material	imits Type	Value	Form
nydrotreated heavy naphthenic (CAS	imits Type TWA	<b>Value</b> 5 mg/m3	Form Inhalable fraction.
nydrotreated heavy naphthenic (CAS 54742-52-5)  Italy. Occupational Exposure L Material  HyPrint L2000  Components  Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	imits Type TWA Type	Value 5 mg/m3 Value 5 mg/m3	Form Inhalable fraction. Form
nydrotreated heavy naphthenic (CAS 54742-52-5)  Italy. Occupational Exposure L Material  HyPrint L2000  Components  Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)  Lithuania. OELs. Limit Values 1	imits Type TWA Type TWA Type TWA	Value 5 mg/m3 Value 5 mg/m3	Form Inhalable fraction. Form Inhalable fraction.

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Netherlands. OELs (binding) Material	Туре	Value	Form
HyPrint L2000	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms for Material	Contaminants in the Wor Type	kplace Value	Form
HyPrint L2000	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.
Ordinance of the Minister of Labou and intensities of harmful health f Material			
HyPrint L2000	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
hydrotreated heavy naphthenic (CAS		_	Inhalable fraction.  Form
hydrotreated heavy naphthenic (CAS 64742-52-5) <b>Portugal. VLEs. Norm on occupatio</b>	onal exposure to chemical	agents (NP 1796)	
hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupation	onal exposure to chemical Type	agents (NP 1796) Value	Form
hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occupation Material HyPrint L2000	onal exposure to chemical Type TWA	<b>agents (NP 1796) Value</b> 5 mg/m3	<b>Form</b> Inhalable fraction.
hydrotreated heavy haphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupation Material  HyPrint L2000  Components  Distillates (petroleum), hydrotreated heavy haphthenic (CAS	onal exposure to chemical Type TWA Type TWA	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
hydrotreated heavy haphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupation Material  HyPrint L2000  Components  Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5)  Romania. OELs. Protection of worl	onal exposure to chemical Type  TWA Type  TWA  TWA  TWA	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
hydrotreated heavy haphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupation Material  HyPrint L2000  Components  Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5)  Romania. OELs. Protection of worl Material	onal exposure to chemical Type  TWA Type  TWA  TWA  TWA  TWA  TWA	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 mical agents at the workpla	Form Inhalable fraction. Form Inhalable fraction.
hydrotreated heavy haphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupation Material  HyPrint L2000  Components  Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5)  Romania. OELs. Protection of worl Material	TWA Type TWA Type TWA Type TWA  TYPE TWA  TYPE TWA  SETS FROM EXPOSURE to Che Type  STEL	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3  mical agents at the workplate Value  10 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
hydrotreated heavy haphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupation Material  HyPrint L2000  Components  Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5)  Romania. OELs. Protection of worl Material  HyPrint L2000	TWA Type TWA Type TWA Type TWA  TYPE TWA  TYPE TWA  SEES FROM EXPOSURE to Che Type  STEL TWA	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3  mical agents at the workplay Value  10 mg/m3 5 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
hydrotreated heavy haphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupation Material  HyPrint L2000  Components  Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5)  Romania. OELs. Protection of worl Material  HyPrint L2000  Components  Distillates (petroleum), hydrotreated heavy haphthenic (CAS	TWA Type TWA Type TWA Type TWA  TYPE TWA  TWA  SEES FROM EXPOSURE to Che Type  STEL TWA Type	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3  mical agents at the workplate Value  10 mg/m3 5 mg/m3 Value	Form Inhalable fraction. Form Inhalable fraction.
hydrotreated heavy haphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupation Material  HyPrint L2000  Components  Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5)  Romania. OELs. Protection of worl Material  HyPrint L2000  Components  Distillates (petroleum), hydrotreated heavy haphthenic (CAS	TWA Type TWA Type TWA  TYPE TWA  TWA  Cers from exposure to che Type  STEL TWA Type  STEL TWA Type  STEL TWA Type  STEL	agents (NP 1796) Value  5 mg/m3 Value  5 mg/m3  mical agents at the workplay Value  10 mg/m3 5 mg/m3 Value  10 mg/m3 5 mg/m3 Value	Form Inhalable fraction. Form Inhalable fraction.
hydrotreated heavy haphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupation Material  HyPrint L2000  Components  Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5)  Romania. OELs. Protection of work Material  HyPrint L2000  Components  Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5)  Slovakia. OELs. Regulation No. 30  Slovakia. OELs. Regulation No. 30	TWA Type TWA Type TWA  TYPE TWA  Cers from exposure to che Type STEL TWA Type STEL TWA Type STEL TWA Type STEL TWA Type	agents (NP 1796) Value  5 mg/m3 Value  5 mg/m3  mical agents at the workplate Value  10 mg/m3 5 mg/m3 Value  10 mg/m3  5 mg/m3  Value  10 mg/m3	Form Inhalable fraction. Form Inhalable fraction.  ace  chemical agents
hydrotreated heavy haphthenic (CAS 64742-52-5)  Portugal. VLEs. Norm on occupation Material  HyPrint L2000  Components  Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5)  Romania. OELs. Protection of worl Material  HyPrint L2000  Components  Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5)  Slovakia. OELs. Regulation No. 306 Material	Type  TWA  Type  TWA  Type  TWA  Type  TWA  Seers from exposure to che Type  STEL  TWA  Type	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3  mical agents at the workplate Value 10 mg/m3 5 mg/m3 Value 10 mg/m3  5 mg/m3  tion of health in work with Value	Form Inhalable fraction. Form Inhalable fraction.  ace  chemical agents Form

		5 ppm	Fume and mist.
Components	Туре	յ թթու <b>Value</b>	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Spain. Occupational Expo Material	sure Limits Type	Value	Form
HyPrint L2000	STEL	10 mg/m3	Mist.
•	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Envi Material	ronment Authority (AV), Occupatio Type	nal Exposure Limit Values Value	(AFS 2015:7) Form
HyPrint L2000	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenzv Material	werte am Arbeitsplatz Type	Value	Form
HyPrint L2000	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
ogical limit values	No biological exposure limits noted for	or the ingredient(s).	
ommended monitoring redures	Not available.		
ved no effect levels ELs)	Not available.		
licted no effect centrations (PNECs)	Not available.		
Exposure controls			

Goggles/face shield are recommended.

**Eye/face protection** 

Skin protection

- **Hand protection** Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves. When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable. (Breakthrough time of > 240 minutes.) For incidental contact/splash protection Neoprene, PVC

gloves may be suitable.

- Other Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

**Respiratory protection** Under normal conditions, respirator is not normally required. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators.

**Thermal hazards** Not available.

**Hygiene measures** Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

**Environmental exposure** 

controls

Not available.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Appearance** Clear & bright

Physical stateLiquid.FormLiquid.ColourAmber.

**Odour** Mild Petroleum Odor

Odour threshold Not available.

pH Not available.

Melting point/freezing point -20 °C (-4 °F) ASTM D5950/ ISO 3016 Initial boiling point and 350 °C (662 °F) ASTM D2887/ ISO 3294

boiling range

Flash point 240,0 °C (464,0 °F) Pensky-Martens Closed Cup ASTM D93/ ISO 2719

264,0 °C (507,2 °F) Cleveland open cup ASTM D92/ ISO 2592

Evaporation rate
Not available.
Flammability (solid, gas)
Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit -

upper (%)

Not available.

**Vapour pressure** Not available.

**Vapour density** > 5

**Relative density** 0,92 (15,56 °C (60 °F) ASTM D4052/ ISO 12185)

Solubility(ies)

**Solubility (water)**Insoluble
Insoluble

Partition coefficient Not established.

(n-octanol/water)

**Auto-ignition temperature** > 315,56 °C (> 600 °F) ASTM E659

**Decomposition temperature** Not available.

**Viscosity** 384 cSt (40 °C (104 °F) ASTM D445)

**Explosive properties**Not available. **Oxidising properties**Not available.

**9.2. Other information** No relevant additional information available.

### **SECTION 10: Stability and reactivity**

**10.1. Reactivity** Strong oxidising agents.

**10.2. Chemical stability** Stable.

**10.3. Possibility of hazardous** Hazardous polymerisation does not occur.

reactions

**10.4. Conditions to avoid** Avoid temperatures exceeding the flash point.

**10.5. Incompatible materials** Strong oxidising agents.

10.6. Hazardous decomposition products Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

## **SECTION 11: Toxicological information**

**General information** Not available. Information on likely routes of exposure

**Inhalation** May be harmful if inhaled. However, this product does not currently meet the criteria for

classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

**Eve contact** May be irritating to eyes.

May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may Ingestion

increase risk of product aspiration.

**Symptoms** Not available. 11.1. Information on toxicological effects

**Acute toxicity** Not classified.

Skin corrosion/irritation Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

Not classified.

Respiratory sensitisation Not classified. Skin sensitisation Not classified.

Germ cell mutagenicity Non-mutagenic based on Modified Ames Assay.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EU

requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

**Aspiration hazard** Not classified. Mixture versus substance

information

Not available.

Other information Not available

**SECTION 12: Ecological information** 

12.1. Toxicity Not expected to be harmful to aquatic organisms.

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

**Partition coefficient** Not established.

n-octanol/water (log Kow)

**Bioconcentration factor (BCF)** Not available.

12.4. Mobility in soil Not available. 12.5. Results of PBT and

vPvB assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

**Residual waste** Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

Material name: HyPrint L2000 - Ergon International 4718 Version #: 01 Issue date: 27-April-2021

**EU waste code**Not applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

**Disposal** No components are identified as hazardous wastes. Disposal recommendations are based on

methods/information material as supplied. Disposal must be in accordance with current applicable laws and regulations,

and material characteristics at time of disposal.

### **SECTION 14: Transport information**

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

**ADN** 

14.1. - 14.6.: Not regulated as dangerous goods.

**IATA** 

14.1. - 14.6.: Not regulated as dangerous goods.

**IMDG** 

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

**General information** Not regulated as dangerous goods.

Not available.

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

## **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

## Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

**Other regulations**The product is classified and labelled in accordance with EC directives or respective national laws
This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

Material name: HyPrint L2000 - Ergon International 4718 Version #: 01 Issue date: 27-April-2021

National regulations Germany: WGK 1

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

#### **International Inventories**

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)

### **SECTION 16: Other information**

**List of abbreviations** Not available.

**References** Chemical Abstracts Service Registry Handbook

**Inventory name** 

CRC: Handbook of Chemistry and Physics

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

**ACGIH** 

IARC Monographs. Overall Evaluation of Carcinogenicity

Information on evaluation method leading to the classification of mixture

Not available.

Full text of any H-statements not written out in full under

Sections 2 to 15

None.

**Revision information** Product and Company Identification: Alternate Trade Names

SECTION 3: Composition/information on ingredients: Composition comments

Physical & Chemical Properties: Multiple Properties

**Training information** Not available.

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Further information** Local CHEMTREC Numbers:

CHEMTREC China: 4001-204937

CHEMTREC EU (Brussels): +(32)-28083237 CHEMTREC Indonesia: 001-803-017-9114 CHEMTREC Malaysia: +(60)-327884561 CHEMTREC Mexico: 1-800-681-9531 CHEMTREC Singapore: +(65)-31581349

Material name: HyPrint L2000 - Ergon International 4718 Version #: 01 Issue date: 27-April-2021

On inventory (yes/no)\*