ERGON E

SAFETY DATA SHEET

1. Identification

Product identifier	HyGold 41
Other means of identification	None.
Recommended use	Metalworking Fluids, Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy Duty Engine Oil, Bar & Chain, Carriers & Diluents, Engine Oil.
Recommended restrictions	None known.
Manufacturer/Importer/Suppl	ier/Distributor information
Company:	Ergon, Inc.
Address:	P.O. Box 1639
	Jackson, MS 39215
E-mail:	sds@ergon.com
Emergency Contacts	
Customer Service:	1-800-222-7122
Chemtrec:	1-800-424-9300 After Business Hours (North America Only)
	1-703-527-3887 After Business Hours (International)

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
	Aspiration hazard	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger
Hazard statement	Causes skin irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.
Precautionary statement	
Prevention	Keep out of reach of children. Do not breathe gas/fumes/vapor/spray. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling.
Response	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed or concerned: Get medical advice/attention. Do NOT induce vomiting. Collect spillage. Call a POISON CENTER/doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT		64742-47-8	40 - 100
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC		64742-53-6	35 - 50
4. First-aid measures			
Inhalation	Move to fresh air. Oxygen or artificial respirati advice/attention.	on if needed. IF exposed or c	concerned: Get medical
Skin contact	Wash contact areas with soap and water. Ren clothing before reuse. If skin irritation or an a		
Eye contact	Flush thoroughly with water. If irritation occur	s, get medical assistance.	
Ingestion	Do NOT induce vomiting. If vomiting occurs n aspiration. Call a poison control center immed		vard to reduce risk of
Most important symptoms/effects, acute and delayed	Defatting of the skin.		
Indication of immediate medical attention and special treatment needed	Treat symptomatically.		
General information	Contact physician if discomfort continues.		
5. Fire-fighting measures	5		
Suitable extinguishing media	Halon. Dry chemicals. Foam. Carbon dioxide (extinguisher, as this will spread the fire.	CO2). Water spray or fog. Do	not use water jet as an
Unsuitable extinguishing media	Do not use a solid water stream as it may sca	tter and spread fire.	
Specific hazards arising from the chemical	No unusual fire or explosion hazards noted.		
Special protective equipment and precautions for firefighters	Wear full protective clothing, including helmet breathing apparatus, protective clothing and f		sure or pressure demand
Fire fighting equipment/instructions	Cool containers exposed to flames with water standard protective equipment including flame rubber boots, and in enclosed spaces, SCBA. I fire.	e retardant coat, helmet with	face shield, gloves,
General fire hazards	No unusual fire or explosion hazards noted. Fl	ammability Class: Combustibl	e IIIB
6. Accidental release me	asures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Local auth be contained. Wear appropriate protective equidamaged containers or spilled material unless adequate ventilation.	uipment and clothing during o	lean-up. Do not touch
Methods and materials for containment and cleaning up	Large Spills: ELIMINATE all ignition sources (r area). Stop the flow of material, if this is with possible. Cover with plastic sheet to prevent s absorbent material then place into containers	out risk. Dike the spilled mate preading. Absorb in vermiculi	rial, where this is te, dry sand or earth or
	Small Spills: Wipe up with absorbent material remove residual contamination.	(e.g. cloth, fleece). Clean sur	face thoroughly to
Environmental precautions	Never return spills in original containers for re Prevent further leakage or spillage if safe to d or confined areas. Avoid discharge to the aqua spillage to drain/aquatic environment. Avoid d ground. If this material is spilled into navigabl to the National Response Center.	o so. Prevent entry into wate atic environment. Contact loca lischarge into drains, water co	rways, sewer, basements al authorities in case of ourses or onto the

7. Handling and storage

Precautions for safe handling	DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands after handling and before eating. Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Store in a well-ventilated place. Use care in handling/storage.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limit Components	ts for Air Contaminants (29 CFR 191 Type	0.1000) Value	Form
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC (CAS 64742-53-6)	PEL	5 mg/m3	Mist.
US. NIOSH: Pocket Guide Material	e to Chemical Hazards Type	Value	Form
HyGold 41	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT (CAS 64742-47-8)	TWA	100 mg/m3	
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC (CAS 64742-53-6)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
ological limit values	No biological exposure limits noted fo	r the ingredient(s).	
ppropriate engineering ontrols	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.		
dividual protection measur	es, such as personal protective equi	-	
Eye/face protection	Goggles/face shield are recommended	d.	
Skin protection			
Hand protection	Chemical resistant gloves are recomm gloves.	nended. If contact with forearn	ns is likely wear gauntlet style
Other	Chemical/oil resistant clothing is reco	mmended. Launder contamina	ted clothing before reuse.
Respiratory protection	Under normal conditions, respirator is concentrations above the exposure lir		
Thermal hazards	Not available.		
eneral hygiene onsiderations	Always observe good personal hygien before eating, drinking, and/or smoki Discard contaminated footwear that c	ng. Routinely wash work clothi	
. Physical and chemica	al properties		
ppearance	Clear & bright		
Physical state	Liquid.		
-			

Color	Not availab	le.
Odor	Mild Petrole	eum Odor
Material name: HyGold	41	
(000 Varaian #, 02	Devision dates 02 21 2020	Teaus dates 07 01 2010

Form

Liquid.

Odor threshold	Not available.
рН	Not applicable.
Melting point/freezing point	-103 °F (-75 °C) ASTM D5950/ ISO 3016
Initial boiling point and boiling range	> 415 °F (> 212.78 °C) ASTM D2887/ ISO 3294
Flash point	249.8 °F (121.0 °C) Cleveland Open Cup ASTM D92 estimated 231.8 °F (111.0 °C) Pensky-Martens Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	0.7 % estimated
Flammability limit - upper (%)	5 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.64 hPa estimated
Vapor density	Not available.
Relative density	0.871 (60 °F (15.56 °C) ASTM D4052)
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not established.
Auto-ignition temperature	> 600 °F (> 315.56 °C) ASTM E659
Decomposition temperature	Not available.
Viscosity	4.2 cSt @40°C (104 °F (40 °C) ASTM D445/ ISO 3104)
	L.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport
Chemical stability	Stable.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks. Avoid temperatures exceeding the flash point.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May be fatal if swallowed and enters airways.
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis
Eye contact	May be irritating to eyes.
Ingestion	May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration. May be fatal if swallowed and enters airways.
Symptoms related to the physical, chemical and toxicological characteristics	Defatting of the skin. Coughing. Shortness of breath. Discomfort in the chest.
Information on toxicological e	effects
Acute toxicity	Not applicable.
Skin corrosion/irritation	Irritating to skin.
Serious eye damage/eye irritation	Not classified. May cause minor irritation on eye contact.

Respiratory or skin sensitizatior	n
Respiratory sensitization	Not classified.
Skin sensitization	Not classified.
	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Not classified
IARC Monographs. Overall E	Evaluation of Carcinogenicity
Not listed.	
OSHA Specifically Regulated	d Substances (29 CFR 1910.1001-1052)
Not regulated. US. National Toxicology Pro	ogram (NTP) Report on Carcinogens
Not listed.	
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction
Specific target organ toxicity - single exposure	Causes central nervous system effects.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	May be fatal if swallowed and enters airways.
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects
Further information	Risk of chemical pneumonia after aspiration.

12. Ecological information

cotoxicity Not expected to be harmful to aquatic organisms.			
Product		Species	Test Results
HyGold 41			
Aquatic			
Fish	LC50	Fish	5.0435 mg/l, 96 hours estimated
Components		Species	Test Results
DISTILLATES (PETRO	LEUM), HYDROTRE	ATED LIGHT (CAS 64742-47-8)	
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2.9 mg/l, 96 hours

Not available. * Estimates for product may be based on additional component data not shown.

Persistence and degradability	Not inherently biodegradable.
Bioaccumulative potential	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.
Mobility in soil	Not available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	When this product as supplied is to be discarded as waste, it does not meet the definition of a RCRA waste under 40 CFR 261. Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.
Hazardous waste code	Not applicable.
Waste from residues / unused products	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78 and the IBC Code

General information

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Haz 29 CFR 1910.1200.	ard Communication Standard
	All components are on the U.S. EPA TSCA Inventory List.	
	CERCLA/SARA Hazardous Substances - Not applicable.	
• • •	t Notification (40 CFR 707, Subpt. D)	
Not regulated. CERCLA Hazardous Subst	ance List (40 CFR 302.4)	
Not listed. SARA 304 Emergency rele	ease notification	
Not regulated. OSHA Specifically Regulat Not regulated.	ted Substances (29 CFR 1910.1001-1052)	
Superfund Amendments and I SARA 302 Extremely haza Not listed.	Reauthorization Act of 1986 (SARA) ardous substance	
Classified hazard categories	Skin corrosion or irritation Specific target organ toxicity (single or repeated exposure) Aspiration hazard	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
	on 112 Hazardous Air Pollutants (HAPs) List	
	on 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	This product does not contain a chemical known to the State of Cali defects or other reproductive harm. California Safe Drinking Water a 1986 (Proposition 65): This material is not known to contain any che carcinogens or reproductive toxins.	and Toxic Enforcement Act of
California Proposition 65		
US. California. Candid 69502.3, subd. (a))	ate Chemicals List. Safer Consumer Products Regulations (Cal	. Code Regs, tit. 22,
	OLEUM), HYDROTREATED LIGHT (CAS 64742-47-8) OLEUM), HYDROTREATED LIGHT NAPHTHENIC (CAS 64742-53-6)	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	07-01-2019
Revision date	02-21-2020
Version #	02
Further information	Local CHEMTREC Numbers: CHEMTREC Mexico: 1-800-681-9531
NFPA ratings	Health: 2 Flammability: 1 Instability: 0
References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics ILO Safety Cards International Labour Organization International Maritime Organization Marine Pollutants List NFPA Hazardous Chemical Data Sheets NIOSH Pocket Guide Registry of Toxic Effects of Chemical Substances (RTECS) US DOT Hazardous Materials Regulations
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Hazard(s) identification: Response Hazard(s) identification: Hazard statement Hazard(s) identification: GHS Symbols Transport Information: Material Transportation Information GHS: Classification