ERGON E

SAFETY DATA SHEET

1. Identification

Product identifier	HyPrint 60	
Other means of identification	None.	
Recommended use	Pigments; Printing Inks	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Company:	Ergon, Inc.	
Address:	P.O. Box 1639	
	Jackson, MS 39215	
E-mail:	sds@ergon.com	
Emergency Contacts		
Customer Service:	1-800-222-7122	
Chemtrec:	1-800-424-9300 After Business Hours (North America Only)	
	1-703-527-3887 After Business Hours (International)	

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Aspiration hazard	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger
Hazard statement	May be fatal if swallowed and enters airways.
Precautionary statement	
Prevention	Do not breathe gas/fumes/vapor/spray.
Response	IF exposed or concerned: Get medical advice/attention.
Storage	Store in accordance with local/regional/national/international regulation.
Disposal	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. See section 13 of this SDS for disposal instructions.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Substances			
Chemical name	Common name and synonyms	CAS number	%
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC		64742-53-6	100
Composition comments	A complex combination of hydrocarbons obtain the presence of a catalyst. It consists of hydrocarbons of hydrocarbons are set of the presence of a catalyst.		

the range of C15 through C30 and produces finished oil with a viscosity near 60 SUS at 100°F.

4. First-aid measures

Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical advice/attention.
Skin contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.
Eye contact	Flush thoroughly with water. If irritation occurs, get medical assistance.
Ingestion	Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a poison control center immediately.
Most important symptoms/effects, acute and delayed	Defatting of the skin.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Contact physician if discomfort continues.
5. Fire-fighting measures	5
Suitable extinguishing media	Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an

	extinguisher, as this will spread the fire.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	No unusual fire or explosion hazards noted.
Special protective equipment and precautions for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.
Fire fighting equipment/instructions	Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurized air mask if product is involved in a fire.

General fire hazards No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.
Methods and materials for containment and cleaning up	Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.
7. Handling and storage	

Precautions for safe handling DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands after handling and before eating. Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly. Store locked up. Keep away from heat, sparks and open flame. Store in a well-ventilated place. Use care in handling/storage.

8. Exposure controls/personal protection

Occupational exposure limits

Components	Type	Value	Form
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC (CAS 64742-53-6)	PEL	5 mg/m3	Mist.
US. NIOSH: Pocket Guide Material	to Chemical Hazards Type	Value	Form
HyPrint 60	Ceiling	1800 mg/m3	
,	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC (CAS 64742-53-6)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
Biological limit values	No biological exposure limits noted for	or the ingredient(s).	
Appropriate engineering controls	Provide adequate ventilation, includir occupational exposure limit is not exc		to ensure that the defined
Individual protection measure Eye/face protection Skin protection Hand protection	es, such as personal protective equi Goggles/face shield are recommende Chemical resistant gloves are recomm	d.	ns is likely wear gauntlet style
	gloves.		
Other Respiratory protection	Chemical/oil resistant clothing is reco Under normal conditions, respirator is concentrations above the exposure lin	s not normally required. When	workers are facing
Thermal hazards	Not available.	,	·
General hygiene considerations	Always observe good personal hygier before eating, drinking, and/or smoki Discard contaminated footwear that o	ng. Routinely wash work cloth	
9. Physical and chemical	l properties		
Appearance	Clear & bright		
Physical state	Liquid.		
Form	Liquid.		
Color	colorless to slight yellow tint		
Odor	Mild Petroleum Odor		
Odor threshold	Not available.		
рН	Not applicable		
Melting point/freezing point	-81.4 °F (-63 °C) ASTM D5950/ISO 3	016	
Initial boiling point and boiling range	543.2 °F (284 °C) ASTM D86/ ISO 32	94	
Flash point	289.4 °F (143.0 °C) Pensky-Martens		19

307.4 °F (153.0 °C) Cleveland Open Cup ASTM D92/ ISO 2592

Evaporation rate

Not available.

Flammability (solid, gas)	Not available.		
Upper/lower flammability or e	Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available.		
Flammability limit - upper (%)	Not available.		
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
Vapor pressure	Not available.		
Vapor density	> 5		
Relative density	0.885 (60 °F (15.56 °C) ASTM D4052/ ISO 12185)		
Solubility(ies)			
Solubility (water)	Insoluble		
Partition coefficient (n-octanol/water)	Not established.		
Auto-ignition temperature	> 600 °F (> 315.56 °C) ASTM E659		
Decomposition temperature	Not available.		
Viscosity	9.34 (104 °F (40 °C) ASTM D445/ISO 3104)		

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks. Avoid temperatures exceeding the flash point.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May be fatal if swallowed and enters airways.
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis
Eye contact	May be irritating to eyes.
Ingestion	May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration. May be fatal if swallowed and enters airways.
Symptoms related to the physical, chemical and toxicological characteristics	Defatting of the skin. Coughing. Shortness of breath. Discomfort in the chest.
Information on toxicological e	ffects
Acute toxicity	Not applicable.
Skin corrosion/irritation	May cause defatting of the skin, but is neither an irritant nor a sensitizer.
Serious eye damage/eye irritation	Not classified. May cause minor irritation on eye contact.
Respiratory or skin sensitization	on la
Respiratory sensitization	Not classified.
Skin sensitization	Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Nota L - Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346. Not classified.

Not listed.	Evaluation of Carcinogenicity ed Substances (29 CFR 1910.1001-1052)	
Not regulated.		
US. National Toxicology Program (NTP) Report on Carcinogens		
Not listed.		
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	May be fatal if swallowed and enters airways.	
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.	
Further information	Risk of chemical pneumonia after aspiration.	

12. Ecological information

Ecotoxicity	Not expected to be harmful to aquatic organisms.
Persistence and degradability	Not inherently biodegradable.
Bioaccumulative potential	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.
Mobility in soil	Not available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	When this product as supplied is to be discarded as waste, it does not meet the definition of a RCRA waste under 40 CFR 261. Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.
Hazardous waste code	Not applicable.
Waste from residues / unused products	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code **General information**

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Not regulated.		
OSHA Specifically Regulat	ed Substances (29 CFR 1910.1001-1052)	
Not regulated.		
perfund Amendments and F SARA 302 Extremely haza Not listed.	teauthorization Act of 1986 (SARA) rdous substance	
SARA 311/312 Hazardous chemical	Yes	
Classified hazard categories	Aspiration hazard	
SARA 313 (TRI reporting) Not regulated.		
her federal regulations		
Clean Air Act (CAA) Sectio	n 112 Hazardous Air Pollutants (HAPs) List	
Not regulated.		
	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.	N	
Safe Drinking Water Act (SDWA)	Not regulated.	
state regulations	This product does not contain a chemical known to the State of Califor defects or other reproductive harm. California Safe Drinking Water an 1986 (Proposition 65): This material is not known to contain any cher carcinogens or reproductive toxins.	d Toxic Enforcement Act o
ternational Inventories		
Country(s) or region	Inventory name	On inventory (yes/no
Australia	Australian Inventory of Chemical Substances (AICS)	
Canada	Domestic Substances List (DSL)	
	Non-Domestic Substances List (NDSL)	
Canada		
Canada China	Inventory of Existing Chemical Substances in China (IECSC)	
	Inventory of Existing Chemical Substances in China (IECSC) European Inventory of Existing Commercial Chemical Substances (EINECS)	
China	European Inventory of Existing Commercial Chemical Substances	
China Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	
China Europe Europe	European Inventory of Existing Commercial Chemical Substances (EINECS) European List of Notified Chemical Substances (ELINCS)	
China Europe Europe Japan	European Inventory of Existing Commercial Chemical Substances (EINECS) European List of Notified Chemical Substances (ELINCS) Inventory of Existing and New Chemical Substances (ENCS)	
China Europe Europe Japan Korea	European Inventory of Existing Commercial Chemical Substances (EINECS) European List of Notified Chemical Substances (ELINCS) Inventory of Existing and New Chemical Substances (ENCS) Existing Chemicals List (ECL)	、 、 、
China Europe Europe Japan Korea New Zealand	European Inventory of Existing Commercial Chemical Substances (EINECS) European List of Notified Chemical Substances (ELINCS) Inventory of Existing and New Chemical Substances (ENCS) Existing Chemicals List (ECL) New Zealand Inventory Philippine Inventory of Chemicals and Chemical Substances	```````````````````````````````````````

country(s).

16. Other information, including date of preparation or last revision

Issue date	05-12-2014
Revision date	03-27-2019
Version #	05
Further information	Local CHEMTREC Numbers: CHEMTREC Mexico: 1-800-681-9531

References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics ILO Safety Cards International Labour Organization International Maritime Organization Marine Pollutants List NFPA Hazardous Chemical Data Sheets NIOSH Pocket Guide Registry of Toxic Effects of Chemical Substances (RTECS) US DOT Hazardous Materials Regulations
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Hazard(s) identification: Hazard statement Physical & Chemical Properties: Multiple Properties