

# **SAFETY DATA SHEET**

## 1. Identification

Product identifier	HyPrene L250E
Other means of identification	None.
Recommended use	Tire Oils, Rubber Compounding, Automotive & Industrial Hoses, Dedusting, Plasticizer, Titanium Dioxide Wash, Compressor Wash Oils, Hydraulic Fracturing Oil, Adhesives, Carpet Backing, Feed Stock for White Oil, Refrigeration Oil, Diluents and Carriers, Carbon Black, Banbury Dust Stop, Defoamers, Sealants, Belts & Hoses, Coatings, Leather Tanning, Agriculture Oils.
Recommended restrictions	None known.
Manufacturer/Importer/Suppl	ier/Distributor information
Company:	Ergon, Inc.
Address:	P.O. Box 1639
	Jackson, MS 39215
E-mail:	sds@ergon.com
Emergency Contacts	
Customer Service:	1-800-222-7122
Chemtrec:	1-800-424-9300 After Business Hours (North America Only)
	1-703-527-3887 After Business Hours (International)

## 2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	Not available.
Precautionary statement	
Prevention	Not applicable.
Response	IF exposed or concerned: Get medical advice/attention.
Storage	Store in accordance with local/regional/national/international regulation.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

## 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC		64742-52-5	100

### 4. First-aid measures

Material server 11 Duese 1 2000	
Eye contact	Flush thoroughly with water. If irritation occurs, get medical assistance.
Skin contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.
Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical advice/attention.

Ingestion	Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a poison control center immediately.
Most important symptoms/effects, acute and delayed	Defatting of the skin.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Contact physician if discomfort continues.
5. Fire-fighting measure	S
Suitable extinguishing media	Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	No unusual fire or explosion hazards noted.
Special protective equipment and precautions for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.
Fire fighting equipment/instructions	Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurized air mask if product is involved in a fire.
General fire hazards	No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB
6. Accidental release me	asures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.
protective equipment and	be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure
protective equipment and emergency procedures Methods and materials for	<ul> <li>be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.</li> <li>Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or</li> </ul>
protective equipment and emergency procedures Methods and materials for	<ul> <li>be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.</li> <li>Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water.</li> <li>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to</li> </ul>
protective equipment and emergency procedures Methods and materials for	<ul> <li>be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.</li> <li>Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water.</li> <li>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</li> </ul>
protective equipment and emergency procedures Methods and materials for containment and cleaning up	<ul> <li>be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.</li> <li>Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water.</li> <li>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</li> <li>Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.</li> <li>Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable</li> </ul>
protective equipment and emergency procedures Methods and materials for containment and cleaning up Environmental precautions	<ul> <li>be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.</li> <li>Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water.</li> <li>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</li> <li>Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.</li> <li>Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable</li> </ul>
protective equipment and emergency procedures Methods and materials for containment and cleaning up Environmental precautions <b>7. Handling and storage</b>	<ul> <li>be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.</li> <li>Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water.</li> <li>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</li> <li>Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.</li> <li>Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.</li> </ul>

#### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

U.S OSHA Material	Туре	Value	
HyPrene L250E	PEL	5 mg/m3	

	Туре	Value	
	TWA	5 mg/m3	
US. OSHA Table Z-1 Limit	s for Air Contaminants (29 CFR 1910.1000)	-	
Material	Туре	Value	Form
HyPrene L250E	PEL	5 mg/m3	Mist.
		500 ppm	
Components	Туре	Value	Form
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
ACGIH			
Material	Туре	Value	
HyPrene L250E	STEL	10 mg/m3	
	TWA	5 mg/m3	
US. ACGIH Threshold Lim		Malaa	<b>Form</b>
Components	Туре	Value	Form
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide Material	to Chemical Hazards Type	Value	Form
HyPrene L250E	REL	5 mg/m3	Mist.
HyPrene L250E	REL STEL	5 mg/m3 10 mg/m3	Mist. Mist.
HyPrene L250E		•	
	STEL	10 mg/m3	Mist.
Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS	STEL <b>Type</b>	10 mg/m3 Value	Mist.
Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS	STEL <b>Type</b> Ceiling	10 mg/m3 Value 1800 mg/m3	Mist. <b>Form</b>
Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS	STEL Type Ceiling STEL	10 mg/m3 Value 1800 mg/m3 10 mg/m3 350 mg/m3	Mist. <b>Form</b>
Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)	STEL Type Ceiling STEL TWA	10 mg/m3 Value 1800 mg/m3 10 mg/m3 350 mg/m3 dient(s).	Mist. Form Mist.
Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) logical limit values propriate engineering trols	STEL Type Ceiling STEL TWA No biological exposure limits noted for the ingred Provide adequate ventilation, including appropria	10 mg/m3 Value 1800 mg/m3 10 mg/m3 350 mg/m3 dient(s).	Mist. <b>Form</b> Mist.
Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) logical limit values propriate engineering trols	STEL Type Ceiling STEL TWA No biological exposure limits noted for the ingree Provide adequate ventilation, including appropria occupational exposure limit is not exceeded.	10 mg/m3 Value 1800 mg/m3 10 mg/m3 350 mg/m3 dient(s).	Mist. <b>Form</b> Mist.
Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) ogical limit values propriate engineering trols ividual protection measur Eye/face protection Skin protection	STEL Type Ceiling STEL TWA No biological exposure limits noted for the ingree Provide adequate ventilation, including appropria occupational exposure limit is not exceeded. es, such as personal protective equipment Goggles/face shield are recommended.	10 mg/m3 Value 1800 mg/m3 10 mg/m3 350 mg/m3 dient(s).	Mist. Form Mist. to ensure that the defined
Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) logical limit values propriate engineering trols ividual protection measur Eye/face protection	STEL Type Ceiling STEL TWA No biological exposure limits noted for the ingree Provide adequate ventilation, including appropria occupational exposure limit is not exceeded. res, such as personal protective equipment	10 mg/m3 Value 1800 mg/m3 10 mg/m3 350 mg/m3 dient(s).	Mist. Form Mist. to ensure that the defined
Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) ogical limit values propriate engineering trols ividual protection measur Eye/face protection Skin protection	STEL Type Ceiling STEL TWA No biological exposure limits noted for the ingree Provide adequate ventilation, including appropria occupational exposure limit is not exceeded. es, such as personal protective equipment Goggles/face shield are recommended. If o	10 mg/m3 Value 1800 mg/m3 10 mg/m3 350 mg/m3 dient(s). ate local extraction,	Mist. Form Mist. to ensure that the defined
Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) logical limit values propriate engineering trols ividual protection measur Eye/face protection Skin protection Hand protection	STEL Type Ceiling STEL TWA No biological exposure limits noted for the ingree Provide adequate ventilation, including appropria occupational exposure limit is not exceeded. es, such as personal protective equipment Goggles/face shield are recommended. If or gloves.	10 mg/m3 Value 1800 mg/m3 10 mg/m3 350 mg/m3 dient(s). ate local extraction, contact with forearr Launder contamina illy required. When	Mist. Form Mist. to ensure that the defined ns is likely wear gauntlet st ted clothing before reuse. workers are facing

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

### 9. Physical and chemical properties

	p. op ol 0.00
Appearance	Clear & bright
Physical state	Liquid.
Form	Liquid.
Color	Light Amber to Golden
Odor	Mild Petroleum Odor
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-38.2 °F (-39 °C)
Initial boiling point and boiling range	> 510 °F (> 265.56 °C)
Flash point	361.4 °F (183.0 °C) Pensky-Martens Closed Cup 375.8 °F (191.0 °C) Cleveland Open Cup
Evaporation rate	Not available.
- Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	0.914
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	> 600 °F (> 315.56 °C)
Decomposition temperature	Not available.
Viscosity	45.9 cSt @ 40°C
Viscosity temperature	104 °F (40 °C)
	L_

### 10. Stability and reactivity

Reactivity Chemical stability	The product is stable and non-reactive under normal conditions of use, storage and transport Stable.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks. Avoid temperatures exceeding the flash point.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

### **11.** Toxicological information

#### Information on likely routes of exposure

Inhalation	May be harmful if swallowed and enters airways. However, this product does not currently r the criteria for classification.	neet
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and derma	ititis
Material name: HyPrene L250E		SDS US

Eye contact	May be irritating to eyes.
Ingestion	May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration.
Symptoms related to the physical, chemical and toxicological characteristics	Not available.
Information on toxicological e	ffects
Acute toxicity	Not available.
Skin corrosion/irritation	Not available.
Serious eye damage/eye irritation	Not available.
Respiratory or skin sensitization	on
Respiratory sensitization	Not available.
Skin sensitization	Not available.
Germ cell mutagenicity	Non-mutagenic based on Modified Ames Assay.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EL requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.
Not listed. OSHA Specifically Regulate Not regulated.	Evaluation of Carcinogenicity ed Substances (29 CFR 1910.1001-1052) rogram (NTP) Report on Carcinogens
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction
Specific target organ toxicity - single exposure	May cause irritation to the respiratory system.
Specific target organ toxicity - repeated exposure	Not available.
Aspiration hazard	Not available.
12. Ecological information	n
Ecotoxicity	This product has no known eco-toxicological effects. Not expected to be harmful to aquatic organisms.
Persistence and degradability	Not inherently biodegradable.
<b>Bioaccumulative potential</b>	Not available.
Mobility in soil	Not available.
Other adverse effects	Not available.
12 Discussed someidenstig	

# 13. Disposal considerations

Disposal instructions	When this product as supplied is to be discarded as waste, it does not meet the definition of a RCRA waste under 40 CFR 261. Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.
Waste from residues / unused products	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.

## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

IMDG Not regulated as dangerous goods. Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code **General information** This product is not regulated as a hazardous material by the United States (DOT) or Canadiar (TDG) transportation regulations. 15. Regulatory information **US** federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazarc Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List. CERCLA/SARA Hazardous Substances - Not applicable. TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. SARA 304 Emergency release notification Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated. Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance Not listed. SARA 311/312 No Hazardous chemical SARA 313 (TRI reporting) Not regulated. Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Safe Drinking Water Act Not regulated. (SDWA) **US state regulations** This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

#### Country(s) or region Inventory name

#### United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date Version # Further information NFPA ratings	06-10-2019 01 CHEMTREC Mexico: 1-800-681-9531 Health: 1 Flammability: 1 Instability: 0
References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics ILO Safety Cards International Labour Organization International Maritime Organization Marine Pollutants List NFPA Hazardous Chemical Data Sheets NIOSH Pocket Guide Registry of Toxic Effects of Chemical Substances (RTECS) US DOT Hazardous Materials Regulations
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Product and Company Identification: Product and Company Identification Physical & Chemical Properties: Multiple Properties Regulatory Information: United States