# ERGON. 5.

# **SAFETY DATA SHEET**

# 1. Identification

Product identifier	HyPrene 41	
Other means of identification		
CAS number	64742-46-7	
Recommended use	Tire Oils, Rubber Compounding, Automotive & Industrial Hoses, Dedusting, Plasticizer, Compresso Wash Oils, Hydraulic Fracturing Oil, Adhesives, Carpet Backing, Diluents and Carriers, Carbon Black, Banbury Dust Stop, Defoamers, Sealants, Belts & Hoses, Coatings, Leather Tanning.	
<b>Recommended restrictions</b>	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Company:	Ergon, Inc.	
Address:	P.O. Box 1639	
	Jackson, MS 39215	
E-mail:	sds@ergon.com	
Emergency Contacts		
Customer Service:	1-800-222-7122	
Chemtrec:	1-800-424-9300 After Business Hours (North America Only)	
	1-703-527-3887 After Business Hours (International)	

# 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
	Aspiration hazard	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

**Label elements** 



Signal word	Danger
Hazard statement	Causes skin irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.
Precautionary statement	
Prevention	Keep out of reach of children. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing mist/vapor. Wash thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.
Response	IF exposed or concerned: Get medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. Specific treatment see Section 4 of this SDS. IF ON SKIN: Wash with plenty of water. Collect spillage. Call a POISON CENTER/doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.
Storage	Store locked up. Store in a well-ventilated place. Keep container tightly closed.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations. See section 13 of this SDS for disposal instructions.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

# 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT		64742-47-8	40 - 100
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT		64742-53-6	35 - 50

## 4. First-aid measures

NAPHTHENIC

Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical advice/attention.
Skin contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.
Eye contact	Flush thoroughly with water. If irritation occurs, get medical assistance.
Ingestion	Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a poison control center immediately.
Most important symptoms/effects, acute and delayed	Defatting of the skin.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Contact physician if discomfort continues.

#### 5. Fire-fighting measures

Suitable extinguishing media	Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	No unusual fire or explosion hazards noted.
Special protective equipment and precautions for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.
Fire fighting equipment/instructions	Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurized air mask if product is involved in a fire.
General fire hazards	No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB
6. Accidental release me	asures

# Personal precautions,<br/>protective equipment and<br/>emergency proceduresKeep unnecessary personnel away. Local authorities should be advised if significant spillages cannot<br/>be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch<br/>damaged containers or spilled material unless wearing appropriate protective clothing. Ensure<br/>adequate ventilation.Methods and materials for<br/>containment and cleaning upLimit Limit Lim

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

# 7. Handling and storage

Precautions for safe handling	DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands after handling and before eating. Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Store in a well-ventilated place. Use care in handling/storage.

# 8. Exposure controls/personal protection

#### 00

Components	Туре	Value	Form
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC (CAS 64742-53-6)	PEL	5 mg/m3	Mist.
US. NIOSH: Pocket Guide Material	e to Chemical Hazards Type	Value	Form
HyPrene 41 (CAS 64742-46-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT (CAS 64742-47-8)	TWA	100 mg/m3	
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC (CAS 64742-53-6)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
logical limit values	No biological exposure limits noted for	r the ingredient(s).	
propriate engineering ntrols	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.		
lividual protection measur	es, such as personal protective equi	pment	
Eye/face protection	Goggles/face shield are recommende	d.	
Skin protection			
Hand protection	Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves.		
Other	•	Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.	
Respiratory protection	Under normal conditions, respirator is not normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.		
Thermal hazards	Not available.		
neral hygiene nsiderations	Always observe good personal hygiene measures, such as washing after handling the material a before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.		

# 9. Physical and chemical properties

Si i nysicai ana chemicai	properties
Appearance	Clear & bright
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Mild Petroleum Odor
Odor threshold	Not available.
рН	Not applicable.
Melting point/freezing point	-103 °F (-75 °C) ASTM D5950/ ISO 3016
Initial boiling point and boiling range	> 415 °F (> 212.78 °C) ASTM D2887/ ISO 3294
Flash point	249.8 °F (121.0 °C) Cleveland Open Cup ASTM D92 estimated 231.8 °F (111.0 °C) Pensky-Martens Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	0.7 % estimated
Flammability limit - upper (%)	5 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.64 hPa estimated
Vapor density	Not available.
Relative density	0.871 (60 °F (15.56 °C) ASTM D4052)
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not established.
Auto-ignition temperature	> 600 °F (> 315.56 °C) ASTM E659
Decomposition temperature	Not available.
Viscosity	4.2 cSt @40°C (104 °F (40 °C) ASTM D445/ ISO 3104)

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport
Chemical stability	Stable.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks. Avoid temperatures exceeding the flash point.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

# **11.** Toxicological information

## Information on likely routes of exposure

Inhalation	May be fatal if swallowed and enters airways.
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis
Eye contact	May be irritating to eyes.
Ingestion	May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics	Defatting of the skin. Coughing. Shortness of breath. Discomfort in the chest.		
Information on toxicological e	Information on toxicological effects		
Acute toxicity	Not applicable.		
Skin corrosion/irritation	Irritating to skin.		
Serious eye damage/eye irritation	Not classified. May cause minor irritation on eye contact.		
Respiratory or skin sensitization	on and a second s		
<b>Respiratory sensitization</b>	Not classified.		
Skin sensitization	Not classified.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Not classified		
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Not listed.			
	ed Substances (29 CFR 1910.1001-1052)		
Not regulated.	(NTD) Depart on Consistence		
Not listed.	ogram (NTP) Report on Carcinogens		
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction		
Specific target organ toxicity - single exposure	Causes central nervous system effects.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	May be fatal if swallowed and enters airways.		
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects		
Further information	Risk of chemical pneumonia after aspiration.		

# **12. Ecological information** Ecotoxicity

Ecotoxicity	Not expec	ted to be harmful to aquatic organisms.		
Product		Species	Test Results	
HyPrene 41 (CAS 64742	2-46-7)			
Aquatic				
Fish	LC50	Fish	5.0435 mg/l, 96 hours estimated	
Components		Species	Test Results	
DISTILLATES (PETROLE	UM), HYDROTRE	ATED LIGHT (CAS 64742-47-8)		
Aquatic				
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2.9 mg/l, 96 hours	
Not available. * Estimat	es for product ma	y be based on additional component data	not shown.	
ersistence and degrada	bility Not inhere	ently biodegradable.		
ioaccumulative potentia	al Bioaccum	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.		
lobility in soil	Not availa	Not available.		
ther adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal conside	erations			
Disposal instructions			waste, it does not meet the definition of a additions are based on material as supplied.	

Hazardous waste code	Not applicable.
	RCRA waste under 40 CFR 261. Disposal recommendations are based on material as supplied Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

Material name: HyPrene 41

Waste from residues / unused products Contaminated packaging Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

# Transport in bulk according to Not available. Annex II of MARPOL 73/78

#### and the IBC Code

General information

General information

Not regulated as dangerous goods.

#### 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

TSCA Section 12(b) Expor Not regulated. CERCLA Hazardous Substa	t Notification (40 CFR 707, Subpt. D) ance List (40 CFR 302.4)	
Not listed. SARA 304 Emergency rele		
Not regulated. OSHA Specifically Regulat Not regulated.	ed Substances (29 CFR 1910.1001-1052)	
5	Reauthorization Act of 1986 (SARA) rdous substance	
Classified hazard categories	Skin corrosion or irritation Specific target organ toxicity (single or repeated exposure) Aspiration hazard	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations Clean Air Act (CAA) Sectio	n 112 Hazardous Air Pollutants (HAPs) List	
Not regulated.	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm. California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No

Material name: HyPrene 41

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	01-12-2016
Revision date	02-21-2020
Version #	05
Further information	Local CHEMTREC Numbers: CHEMTREC Mexico: 1-800-681-9531
NFPA ratings	Health: 2 Flammability: 1 Instability: 0
References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics ILO Safety Cards International Labour Organization International Maritime Organization Marine Pollutants List NFPA Hazardous Chemical Data Sheets NIOSH Pocket Guide Registry of Toxic Effects of Chemical Substances (RTECS) US DOT Hazardous Materials Regulations
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Hazard(s) identification: Response Hazard(s) identification: Prevention Hazard(s) identification: Hazard statement Hazard(s) identification: GHS Symbols Physical & Chemical Properties: Multiple Properties Transport Information: Material Transportation Information GHS: Classification