# ERGONE

# SAFETY DATA SHEET

# 1. Identification

**Product identifier** HyGold BO150

Other means of identification

Recommended use Tire Oils, Rubber Compounding, Automotive & Industrial Hoses, Adhesives, Carpet Backing, Carbor

Black, Banbury Dust Stop, Defoamers, Sealants, Belts & Hoses.

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Company: Ergon, Inc. Address: P.O. Box 1639 Jackson, MS 39215

E-mail: sds@ergon.com

**Emergency Contacts** 

**Customer Service:** 1-800-222-7122

**Chemtrec:** 1-800-424-9300 After Business Hours (North America Only)

1-703-527-3887 After Business Hours (International)

# 2. Hazard(s) identification

**Physical hazards** Not classified. Not classified. **Health hazards Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 

**Hazard symbol** None.

Signal word Not applicable. **Hazard statement** Not applicable.

**Precautionary statement** 

**Prevention** Not applicable. Response Not applicable. Not applicable. Storage **Disposal** Not applicable.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%	_
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC		64742-52-5	60 - 95	
ASPHALT		8052-42-4	5 - 40	

## 4. First-aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Flush thoroughly with water. If irritation occurs, get medical assistance. Eye contact

Material name: HyGold BO150 SDS US **Ingestion** Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control center immediately.

Most important

symptoms/effects, acute and delayed

Defatting of the skin.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

General information

Contact physician if discomfort continues.

## 5. Fire-fighting measures

Suitable extinguishing media

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an

extinguisher, as this will spread the fire.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Fire fighting equipment/instructions

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurized air mask if product is involved in a fire.

**General fire hazards** 

No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.

Methods and materials for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

#### 7. Handling and storage

Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands after handling and before eating. Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Store in a well-ventilated place. Use care in handling/storage.

## 8. Exposure controls/personal protection

# **Occupational exposure limits**

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Material	Туре	Value	Form
HyGold BO150	PEL	5 mg/m3	Mist.

Material name: HyGold BO150 SDS US

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

ComponentsTypeValueFormDISTILLATES<br/>(PETROLEUM),PEL5 mg/m3Mist.

HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)

NAPHTHENIC (CAS 64742-52-5)

**US. ACGIH Threshold Limit Values** 

ComponentsTypeValueFormASPHALT (CAS 8052-42-4)TWA0.5 mg/m3Inhalable fume.DISTILLATES<br/>(PETROLEUM),<br/>HYDROTREATED HEAVYTWA5 mg/m3Inhalable fraction.

**US. NIOSH: Pocket Guide to Chemical Hazards** 

Material	Туре	Value	Form
HyGold BO150	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
ASPHALT (CAS 8052-42-4)	Ceiling	5 mg/m3	Fume.
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)	Ceiling	1800 mg/m3	
•	STEL	10 mg/m3	Mist.
	TWA	350 mg/m3	

**Biological limit values**No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Goggles/face shield are recommended.

Skin protection

**Hand protection** Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

**Other** Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

**Respiratory protection** Under normal conditions, respirator is not normally required. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators.

**Thermal hazards** Not available.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

## 9. Physical and chemical properties

Appearance Heavy Black Oil

Physical stateLiquid.FormLiquid.

Color Dark brown to Black
Odor Mild Petroleum Odor

**Odor threshold** Not available.

Material name: HyGold BO150 SDS US

7154 Version #: 01 Issue date: 03-16-2021

**pH** Not available.

Melting point/freezing point 17.6 °F (-8 °C) ASTM D5949/ ISO 3016 Initial boiling point and > 650 °F (> 343.33 °C) ASTM D7169

boiling range Flash point

469.4 °F (243.0 °C) Cleveland Open Cup ASTM D92/ ISO 2592

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits
Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressure Not available.

**Vapor density** > 5

**Relative density** 0.942 (60 °F (15.56 °C) ASTM D4052/ ISO 12185)

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not established.

(n-octanol/water)

**Auto-ignition temperature** > 600 °F (> 315.56 °C) ASTM E659

**Decomposition temperature** Not available.

**Viscosity** 682 cSt (104 °F (40 °C) ASTM D445/ ISO 3104)

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport

**Chemical stability** Stable.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

**Conditions to avoid** Heat, flames and sparks. Avoid temperatures exceeding the flash point.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** 

products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

# 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** May be harmful if swallowed and enters airways. However, this product does not currently meet

the criteria for classification.

**Skin contact** Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis

**Eye contact** May be irritating to eyes.

**Ingestion** May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration.

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

## Information on toxicological effects

Acute toxicity Not classified.

**Skin corrosion/irritation** May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye Not classified.

irritation

Material name: HyGold BO150 SDS US

Respiratory or skin sensitization

**Respiratory sensitization** Not classified. **Skin sensitization** Not classified.

**Germ cell mutagenicity** Non-mutagenic based on Modified Ames Assay.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EL

requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346.

IARC Monographs. Overall Evaluation of Carcinogenicity

ASPHALT (CAS 8052-42-4) 2B Possibly carcinogenic to humans.

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans.

NAPHTHENIC (CAS 64742-52-5)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens** 

Not listed.

**Reproductive toxicity**Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

**Aspiration hazard** Not classified.

**Chronic effects** Prolonged or repeated contact may cause drying, cracking, or irritation of the skin

12. Ecological information

**Ecotoxicity** Not expected to be harmful to aquatic organisms.

**Persistence and degradability** Not inherently biodegradable.

resistence and degradability Not innerently blodegradable

**Bioaccumulative potential**Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Mobility in soil Not available.

**Other adverse effects**No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261. Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material

characteristics at time of disposal.

**Hazardous waste code** Not applicable.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

ground.

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

14. Transport information

**DOT** 

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

**General information** Not regulated as dangerous goods.

Material name: HyGold BO150 SDS US

## 15. Regulatory information

**US federal regulations** 

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazarc

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

# **CERCLA Hazardous Substance List (40 CFR 302.4)**

ASPHALT (CAS 8052-42-4) Listed.

#### SARA 304 Emergency release notification

Not regulated.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

**US state regulations** This product does not contain a chemical known to the State of California to cause cancer, birth

> defects or other reproductive harm. California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as

carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
ALA IDA III II II II II II		

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

country(s).

## 16. Other information, including date of preparation or last revision

**Issue date** 03-16-2021

Version #

**Further information** CHEMTREC Mexico: 1-800-681-9531

Material name: HyGold BO150 SDS US 6/7 NFPA ratings Health: 1

Flammability: 1 Instability: 0

**References** ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

**ILO Safety Cards** 

**International Labour Organization** 

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

**US DOT Hazardous Materials Regulations** 

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: HyGold BO150 SDS US

7154 Version #: 01 Issue date: 03-16-2021