

SAFETY DATA SHEET

Ergon-West Virginia, Inc.

1. Identification

| | |
|---|---|
| Product identifier | HyPrene P71N |
| Other means of identification | None. |
| Recommended use | Tire Oils, Rubber Compounding, Automotive & Industrial Hoses, Dedusting, Plasticizer, Titanium Dioxide Wash, Compressor Wash Oils, Hydraulic Fracturing Oil, Adhesives, Carpet Backing, Feed Stock for White Oil, Refrigeration Oil, Diluents and Carriers, Carbon Black, Banbury Dust Stop, Defoamers, Sealants, Belts & Hoses, Coatings, Leather Tanning, Agriculture Oils. |
| Recommended restrictions | None known. |
| Manufacturer/Importer/Supplier/Distributor information | |
| Manufacturer: | Ergon - West Virginia, Inc. |
| Address: | 9995 Ohio River Blvd. Newell, WV 26050 |
| E-mail: | sds@ergon.com |
| Emergency Contacts | |
| Ergon - West Virginia, Inc. : | 1-304-387-4343 Normal Business Hours |
| Chemtrec: | 1-800-424-9300 After Business Hours (North America Only) 1-703-527-3887 After Business Hours (International) |

2. Hazard(s) identification

| | | |
|------------------------------|-------------------|------------|
| Physical hazards | Not classified. | |
| Health hazards | Aspiration hazard | Category 1 |
| Environmental hazards | Not classified. | |
| OSHA defined hazards | Not classified. | |

Label elements



| | |
|--|--|
| Signal word | Danger |
| Hazard statement | May be fatal if swallowed and enters airways. |
| Precautionary statement | |
| Prevention | Do not breathe gas/fumes/vapor/spray. |
| Response | IF exposed or concerned: Get medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. |
| Storage | Store in accordance with local/regional/national/international regulation. Store locked up. |
| Disposal | Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. See section 13 of this SDS for disposal instructions. |
| Hazard(s) not otherwise classified (HNOC) | None known. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|---|--|-------------------|----------|
| DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC | | 64742-56-9 | 100 |
| Composition comments | A complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists of hydrocarbons having carbon numbers predominantly in the range of C15 through C30. It produces finished oil with a viscosity of less than 100 SUS @ 100°F. | | |
| 4. First-aid measures | | | |
| Inhalation | Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical advice/attention. | | |
| Skin contact | Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention. | | |
| Eye contact | Flush thoroughly with water. If irritation occurs, get medical assistance. | | |
| Ingestion | Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a poison control center immediately. | | |
| Most important symptoms/effects, acute and delayed | Defatting of the skin. | | |
| Indication of immediate medical attention and special treatment needed | Treat symptomatically. | | |
| General information | Contact physician if discomfort continues. | | |
| 5. Fire-fighting measures | | | |
| Suitable extinguishing media | Halon. Dry chemicals. Foam. Carbon dioxide (CO ₂). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire. | | |
| Unsuitable extinguishing media | Do not use a solid water stream as it may scatter and spread fire. | | |
| Specific hazards arising from the chemical | No unusual fire or explosion hazards noted. | | |
| Special protective equipment and precautions for firefighters | Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. | | |
| Fire fighting equipment/instructions | Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurized air mask if product is involved in a fire. | | |
| General fire hazards | No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB | | |
| 6. Accidental release measures | | | |
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. | | |
| Methods and materials for containment and cleaning up | <p>Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.</p> | | |
| Environmental precautions | Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center. | | |

7. Handling and storage

Precautions for safe handling

DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands after handling and before eating. Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Store in a well-ventilated place. Use care in handling/storage.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value | Form |
|--|------|---------------------|-------|
| DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC (CAS 64742-56-9) | PEL | 5 mg/m ³ | Mist. |

US. ACGIH Threshold Limit Values

| Material | Type | Value | Form |
|--------------|------|---------------------|---------------------|
| HyPrene P71N | TWA | 5 mg/m ³ | Inhalable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Material | Type | Value | Form |
|--------------|------|----------------------|-------|
| HyPrene P71N | STEL | 10 mg/m ³ | Mist. |
| | TWA | 5 mg/m ³ | Mist. |

| Components | Type | Value | Form |
|--|------|----------------------|-------|
| DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC (CAS 64742-56-9) | STEL | 10 mg/m ³ | Mist. |
| | TWA | 5 mg/m ³ | Mist. |

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection

Goggles/face shield are recommended.

Skin protection

Hand protection

Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves.

Other

Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Respiratory protection

Under normal conditions, respirator is not normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Thermal hazards

Not available.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Oily Liquid Clear.

Physical state

Liquid.

Form

Liquid.

Color

Water White or Pale

Odor

Hydrocarbon-like.

Odor threshold

Not available.

| | |
|---|---|
| pH | Not available. |
| Melting point/freezing point | < 5 °F (< -15 °C) ASTM D5949/ ISO 3016 |
| Initial boiling point and boiling range | > 560 °F (> 293.33 °C) ASTM D2887/ ISO 3294 |
| Flash point | >= 330.0 °F (>= 165.6 °C) Cleveland Open Cup ASTM D92/ ISO 2592 |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | > 1 |
| Relative density | 0.86 (60 °F (15.56 °C) ASTM D4052/ ISO 12185) |
| Solubility(ies) | |
| Solubility (water) | Insoluble |
| Partition coefficient (n-octanol/water) | Not established. |
| Auto-ignition temperature | > 600 °F (> 315.56 °C) ASTM E659 |
| Decomposition temperature | Not available. |
| Viscosity | 12.5 cSt (104 °F (40 °C) ASTM D445/ ISO 3104) |
| Other information | |
| Specific gravity | 0.87 estimated |
| Surface tension | < 35 mN/m (77 °F (25 °C)) |

10. Stability and reactivity

| | |
|---|--|
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | Stable. |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. |
| Conditions to avoid | Heat, flames and sparks. Avoid temperatures exceeding the flash point. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. |

11. Toxicological information

Information on likely routes of exposure

| | |
|---------------------|---|
| Inhalation | May be fatal if swallowed and enters airways. |
| Skin contact | Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis |
| Eye contact | May be irritating to eyes. |
| Ingestion | May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration. May be fatal if swallowed and enters airways. |

Symptoms related to the physical, chemical and toxicological characteristics Defatting of the skin. Coughing. Shortness of breath. Discomfort in the chest.

Information on toxicological effects

| | |
|----------------------------------|---|
| Acute toxicity | Not applicable. |
| Skin corrosion/irritation | May cause defatting of the skin, but is neither an irritant nor a sensitizer. |

| | |
|---|---|
| Serious eye damage/eye irritation | Not classified. May cause minor irritation on eye contact. |
| Respiratory or skin sensitization | |
| Respiratory sensitization | Not classified. |
| Skin sensitization | Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer. |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| Carcinogenicity | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Nota L - Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346. Not classified. |
| IARC Monographs. Overall Evaluation of Carcinogenicity | Not listed. |
| US. National Toxicology Program (NTP) Report on Carcinogens | Not listed. |
| US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) | Not regulated. |
| Reproductive toxicity | Contains no ingredient listed as toxic to reproduction |
| Specific target organ toxicity - single exposure | Not classified. |
| Specific target organ toxicity - repeated exposure | Not classified. |
| Aspiration hazard | May be fatal if swallowed and enters airways. |
| Chronic effects | Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. |
| Further information | Risk of chemical pneumonia after aspiration. |

12. Ecological information

| | |
|--------------------------------------|---|
| Ecotoxicity | Not expected to be harmful to aquatic organisms. |
| Persistence and degradability | Not inherently biodegradable. |
| Bioaccumulative potential | Bioaccumulation is unlikely to be significant because of the low water solubility of this product. |
| Mobility in soil | Not available. |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

13. Disposal considerations

| | |
|--|---|
| Disposal instructions | When this product as supplied is to be discarded as waste, it does not meet the definition of a RCRA waste under 40 CFR 261. Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. |
| Hazardous waste code | Not applicable. |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground. |
| Contaminated packaging | Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities. |

14. Transport information

| | |
|---|-----------------------------------|
| DOT | Not regulated as dangerous goods. |
| IATA | Not regulated as dangerous goods. |
| IMDG | Not regulated as dangerous goods. |
| Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not available. |
| General information | Not regulated as dangerous goods. |

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm. California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC (CAS 64742-56-9)

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|-------------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|-------------------------------|
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 02-23-2017

Version # 01

NFPA ratings Health: 2
Flammability: 0
Instability: 0

References ACGIH
EPA: AQUIRE database
NLM: Hazardous Substances Data Base
US. IARC Monographs on Occupational Exposures to Chemical Agents
IARC Monographs. Overall Evaluation of Carcinogenicity
National Toxicology Program (NTP) Report on Carcinogens
ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
Chemical Abstracts Service Registry Handbook
CRC: Handbook of Chemistry and Physics
ILO Safety Cards
International Labour Organization
International Maritime Organization Marine Pollutants List
NFPA Hazardous Chemical Data Sheets
NIOSH Pocket Guide
Registry of Toxic Effects of Chemical Substances (RTECS)
US DOT Hazardous Materials Regulations

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.