### SAFETY DATA SHEET



### 1. Identification

**Product identifier** EP29XX Series Part A Coating and Lining (All Colors)

Other means of identification Not available. Synonym(s) EP2920 Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Manufacturer** 

**Company Name Ergon Armor** 

**Address** 2829 Lakeland Drive

Jackson, MS 39232

USA

After hours telephone

number

1-800-222-7122

**Normal work hours** 

telephone number

1-877-982-7667

Website www.ergonarmor.com E-mail sds@ergon.com

**Emergency 24-hour** 

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

telephone number

**Information on operation** 8:00 a.m. to 5:00 p.m.

hours

### 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Skin corrosion/irritation Category 2

Serious eye damage/eye irritation

Category 2

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 



Signal word Warning

**Hazard statement** Causes eye irritation. Causes skin irritation.

**Prevention** Wear protective gloves. Wear eye/face protection. Wash thoroughly after handling.

Response Specific treatment see Section 4 of this SDS. Wash contaminated clothing before reuse. IF exposed

or concerned: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

**Storage** Store in accordance with local/regional/national regulations.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

## 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name                | Common name and synonyms | CAS number | %       |
|------------------------------|--------------------------|------------|---------|
| BISPHENOL A-(EPICHLORHYDRIN) |                          | 25068-38-6 | 25 - 45 |
| EPOXY RESIN                  |                          |            |         |

Material name: EP29XX Series Part A Coating and Lining (All Colors)

**Chemical name** Common name and synonyms **CAS** number % MINERAL FILLER Mixture 10 - 30 Other components below reportable levels 36.5663322183

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. Wash

contaminated clothing before reuse.

Eye contact Rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if irritation

persists after washing.

Rinse mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that Ingestion

stomach vomit doesn't enter the lungs. Call a POISON CENTER or doctor/physician if you feel

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

**Indication of immediate** medical attention and special

treatment needed

**General information** 

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

**Unsuitable extinguishing** 

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

**Special protective equipment** and precautions for

firefighters

Move containers from fire area if you can do so without risk.

Fire-fighting

equipment/instructions

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

# **Environmental precautions**

7. Handling and storage Precautions for safe handling

Conditions for safe storage, including any

incompatibilities

Avoid prolonged exposure. Observe good industrial hygiene practices.

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of

the SDS).

Material name: EP29XX Series Part A Coating and Lining (All Colors) 4886 Version #: 01 Issue date: 06-11-2015

### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

**US. AIHA Workplace Environmental Exposure Level (WEEL) Guides** 

Components Value **Type** 2-METHOXY-1-METHYLETH TWA 50 ppm YL ACETATE (CAS 108-65-6)

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

**US - California OELs: Skin designation** 

2-METHOXY-1-METHYLETHYL ACETATE (CAS 108-65-6) Can be absorbed through the skin.

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined Appropriate engineering occupational exposure limit is not exceeded.

controls

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses; chemical goggles (if splashing is possible).

Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

Other Wear suitable protective clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

**General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

### 9. Physical and chemical properties

**Appearance** Not available.

**Physical state** Liquid. **Form** Liquid.

Color Not available. Odor Not available. **Odor threshold** Not available. рH Not available. Melting point/freezing point Not available.

Initial boiling point and

boiling range

212 °F (100 °C) estimated

Flash point 482.0 °F (250.0 °C) estimated

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Not available. Vapor pressure Not available. Vapor density **Relative density** Not available.

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Density 11.80

Flammability class Combustible IIIB estimated

### 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions. **Possibility of hazardous** Hazardous polymerization does not occur.

reactions

**Conditions to avoid** Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

### 11. Toxicological information

#### Information on likely routes of exposure

IngestionExpected to be a low ingestion hazard.InhalationProlonged inhalation may be harmful.

**Skin contact**Causes skin irritation. **Eye contact**Causes eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

#### Information on toxicological effects

**Acute toxicity** Not available.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. This product

contains crystalline silica. Silica is a known carcinogen; however in this encapsulated form the

normal routes of exposure are unavailable.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity** 

single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

**Aspiration hazard** Not available.

**Chronic effects** Prolonged inhalation may be harmful.

# 12. Ecological information

**Ecotoxicity** The product contains a substance which is toxic to aquatic organisms.

| Product              |                    | Species                    | Test Results                    |
|----------------------|--------------------|----------------------------|---------------------------------|
| EP29XX Series Part A | Coating and Lining | (All Colors) (CAS Mixture) |                                 |
| Crustacea            | EC50               | Daphnia                    | 6.8031 mg/l, 48 hours estimated |
| Fish                 | LC50               | Fish                       | 3.7795 mg/l, 96 hours estimated |
| Components           |                    | Species                    | Test Results                    |
| BISPHENOL A-(EPICH   | ILORHYDRIN) EPOX   | Y RESIN (CAS 25068-38-6)   |                                 |
| Crustacea            | EC50               | Daphnia magna              | 2.7 mg/l, 48 hours              |
|                      |                    |                            |                                 |

Material name: EP29XX Series Part A Coating and Lining (All Colors)

4886 Version #: 01 Issue date: 06-11-2015 4 /

**Components Species Test Results** LC50 Fish Salmo gairdneri (new name 1.5 mg/l, 96 hours Oncorhynchus mykiss)

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential** No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions** When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

### 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

**UN number** UN3082

**UN** proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es)

**Subsidiary risk Packing group** III **Environmental hazards** 

Marine pollutant Yes

F-A, S-F

Special precautions for Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78

and the IBC Code

Not available.





4886 Version #: 01 Issue date: 06-11-2015

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

#### Marine pollutant



# 15. Regulatory information

**US federal regulations** All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312** No

**Hazardous chemical** 

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** Not regulated.

(SDWA)

**US state regulations** 

**US. Massachusetts RTK - Substance List** 

Not regulated.

**US. New Jersey Worker and Community Right-to-Know Act** 

Not regulated.

**US. Pennsylvania RTK - Hazardous Substances** 

Not regulated.

**US. Rhode Island RTK** 

Not regulated.

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

### **International Inventories**

| Country(s) or region | Inventory name   | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia            | Australian Inventory of Chemical Substances (AICS)                     | No                     |
| Canada               | Domestic Substances List (DSL)   | No                     |
| Canada               | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                | Inventory of Existing Chemical Substances in China (IECSC)             | No                     |
| Europe               | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                     |

| Country(s) or region        | Inventory name  | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Europe                      | European List of Notified Chemical Substances (ELINCS)            | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)          | No                     |
| Korea                       | Existing Chemicals List (ECL)                                     | No                     |
| New Zealand                 | New Zealand Inventory   | No                     |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | No                     |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                     | No                     |

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

**Issue date** 06-11-2015

Version # 01

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision Information** Product and Company Identification: Synonyms

Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

Transport Information: Material Transportation Information

Regulatory Information: Risk Phrases - Labeling

HazReg Data: International Inventories

Material name: EP29XX Series Part A Coating and Lining (All Colors)

4886 Version #: 01 Issue date: 06-11-2015 7 / 7