# **SAFETY DATA SHEET**



1. Identification	
Product identifier	RECLAMITE B
Other means of identification	
Product Code	2818
Recommended use	Asphalt Rejuvenator
<b>Recommended restrictions</b>	Follow the manufacturer's instructions.
Manufacturer/Importer/Suppli	er/Distributor information
Manufacturer	
Manufacturer:	Tricor Refining, LLC.
Address:	P.O. Box 5877
	Bakersfield, CA 93388
24-hour Telephone	(661) 393-7110
Number:	
CHEMTREC:	1-800-424-9300 (North America)
	1-703-527-3887 (International)

# 2. Hazard(s) identification

Physical hazards	Not classified.		
Health hazards	Carcinogenicity	Category 1B	
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			



Signal word	Danger
Hazard statement	Not available.
Prevention	Obtain special instructions before use. Wear protective gloves/protective clothing/eye protection/face protection. Do not handle until all safety precautions have been read and understood.
Response	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. IF exposed or concerned: Get medical advice/attention.
Storage	Store in accordance with international regulations. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Not applicable.

# 3. Composition/information on ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
DISTILLATES (PETROLEUM), HEAVY NAPHTHENIC		64741-53-3	< 80
EXTRACTS (PETROLEUM), HEAVY NAPHTHENIC DISTILLATE SOLVENT		64742-11-6	< 35

### 4. First-aid measures

Inhalation Skin contact	Move to fresh air. Call a physician if symptoms develop or persist. Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Material name: RECLAMITE B 5661 Version #: 01 Issue date: 04-20-2015

Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	5
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Dry chemicals. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Cool containers exposed to heat with water spray and remove container, if no risk is involved.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
6. Accidental release mea	asures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this

**Methods and materials for containment and cleaning up** Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautionsNever return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.Avoid discharge into drains, water courses or onto the ground.

#### 7. Handling and storage

Precautions for safe handlingAvoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in<br/>well-ventilated areas.Conditions for safe storage,<br/>including any<br/>incompatibilitiesKeep away from heat and sources of ignition. Store in original tightly closed container. Store away<br/>from incompatible materials (see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

Components	r Contaminants (29 CFR 1910.1000 Type	, Value	Form	
DISTILLATES (PETROLEUM), HEAVY NAPHTHENIC (CAS 64741-53-3)	PEL	5 mg/m3	Mist.	
EXTRACTS (PETROLEUM), HEAVY NAPHTHENIC DISTILLATE SOLVENT (CAS 64742-11-6)	PEL	5 mg/m3	Mist.	
US. NIOSH: Pocket Guide to Che	mical Hazards			
Components	Туре	Value	Form	
DISTILLATES (PETROLEUM), HEAVY NAPHTHENIC (CAS 64741-53-3)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

Components	Туре	Value	Form
EXTRACTS (PETROLEUM), HEAVY NAPHTHENIC DISTILLATE SOLVENT (CAS 64742-11-6)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
iological limit values	No biological exposure limits noted for	the ingredient(s).	
ppropriate engineering ontrols	Provide adequate ventilation, including occupational exposure limit is not exce	••••	to ensure that the defined
ndividual protection measure	s, such as personal protective equip	ment	
Eye/face protection	Wear safety glasses with side shields (	or goggles).	
Hand protection	Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves.		
Other	Wear appropriate chemical resistant cl	othing.	
Respiratory protection	Not available.		
Thermal hazards	Wear appropriate thermal protective cl	othing, when necessary.	
General hygiene onsiderations	Always observe good personal hygiene before eating, drinking, and/or smokin remove contaminants.		-

# 9. Physical and chemical properties

<b>5.</b> Filysical and chemical	h ober ries
Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	550 °F (287.78 °C) IBP
Flash point	> 413.6 °F (> 212.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	explosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	0.95
Solubility(ies)	
Solubility (water)	Nil
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	500 °F (260 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
10. Stability and reactivi	ity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport Material is stable under normal conditions. **Chemical stability** 

Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.
11. Toxicological information	

# Information on likely routes of exposure

information on intery routes of	exposule
Ingestion	Expected to be a low ingestion hazard.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological ef	fects

Acute toxicity	Not available.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.

#### **Respiratory or skin sensitization**

Respiratory sensitization	Not available.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Contains a substance/a group of substances which may cause cancer. Contains polycyclic aromatic compounds (PACs). Prolonged and/or repeated skin contact with certain PACs has been shown to cause skin cancer. Prolonged and/or repeated exposures by inhalation of certain PACs may also cause cancer of the lung and of other sites of the body.

## IARC Monographs. Overall Evaluation of Carcinogenicity

DISTILLATES (PETROLEUM), HEAVY NAPHTHENIC (CAS 1 Carcinogenic to humans. 64741-53-3)

#### US. National Toxicology Program (NTP) Report on Carcinogens

DISTILLATES (PETROLEUM), HEAVY NAPHTHENIC (CAS Known To Be Human Carcinogen. 64741-53-3)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful.

### **12. Ecological information**

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
<b>Bioaccumulative potential</b>	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.

Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some produce residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.	
14. Transport informat	tion	
DOT		
Not regulated as dangerou	s goods.	
ΙΑΤΑ		
Not regulated as dangerou	s goods.	
IMDG		
Not regulated as dangerou	s goods.	
Transport in bulk according Annex II of MARPOL 73/78 and the IBC Code		
15. Regulatory information	ation	
US federal regulations	All components are on the U.S. EPA TSCA Inventory List.	
TSCA Section 12(b) Exp	ort Notification (40 CFR 707, Subpt. D)	
Not regulated. CERCLA Hazardous Sub Not listed.	stance List (40 CFR 302.4)	
	egulated Substances (29 CFR 1910.1001-1050)	
Not listed.		
Superfund Amendments and	d Reauthorization Act of 1986 (SARA)	
Hazard categories	Immediate Hazard - No Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely ha	izardous substance	
Not listed.		

SARA 311/312 Hazardous chemical

#### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Yes

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

# US state regulations

WARNING: This product contains a chemical known to the State of California to cause cancer.

### US. Massachusetts RTK - Substance List

DISTILLATES (PETROLEUM), HEAVY NAPHTHENIC (CAS 64741-53-3)

#### US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

## US. Pennsylvania RTK - Hazardous Substances

DISTILLATES (PETROLEUM), HEAVY NAPHTHENIC (CAS 64741-53-3)

#### US. Rhode Island RTK

Not regulated.

## US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	04-20-2015
Version #	01
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.