

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name or designation of the mixture	NuovoPrene T4 RR
Registration number	-
Synonyms	None.
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Identified uses	Process Oil
Uses advised against	None known.
1.3. Details of the supplier of t	he safety data sheet
MANUFACTURER:	Ergon, Inc.
	P.O. Box 1639
	Jackson, MS 39181 USA
EU Contact:	Ergon International, Inc.
	Drève Richelle 161 Building C
	B-1410 Waterloo, Belgium
Emergency Phone Numbers:	
US Customer Service:	+ 1-800-222-7122
CHEMTREC:	+ 1-800-424-9300 After Business Hours (North America)
	+ 1-703-5273887 (International),
	+32-28083237 (Belgium)
	+33-975181407 (France)
	+49-69643508409 (Germany)
	+39-0245557031 (Italy)
	+34-931768545 (Spain)
E-mail:	sds@ergon.com
Poison Centre (Centre Antipoisons - Belgium):	+32022649636

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.
2.3. Other hazards	None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

The components are not hazardous or are below required disclosure limits.

SECTION 4: First aid measures

General information

Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical advice/attention.
Skin contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a poison control centre immediately.
4.2. Most important symptoms and effects, both acute and delayed	Defatting of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treat symptomatically.
SECTION 5: Firefighting	measures
General fire hazards	No unusual fire or explosion hazards noted.

General fire hazards	No unusual fire or explosion hazards noted.	
5.1. Extinguishing media Suitable extinguishing media	Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.	
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.	
5.2. Special hazards arising from the substance or mixture	No unusual fire or explosion hazards noted.	
5.3. Advice for firefighters Special protective equipment for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.	
Special fire fighting procedures	Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a fire.	

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

0.1. Personal precautions, pro-	tective equipment and emergency procedures
For non-emergency personnel	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material. Ensure adequate ventilation. Avoid breathing mist/vapours. Local authorities should be advised if significant spillages cannot be contained.
For emergency responders	Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Do not touch or walk through spilled material. Use personal protection recommended in Section 8 of the SDS. Avoid breathing mist/vapours. Ensure adequate ventilation.
6.2. Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.
6.3. Methods and material for containment and cleaning up	Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe	Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating.
handling	Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. All handling to take place
	in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

TWA S mg/m3 Mist. Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at wor Material Type Value NuovoPrene T4 RR TWA 5 mg/m3 Except Regulation No 13 on grotection of workers against risks of exposure to chemical agents at wor Value NuovoPrene T4 RR TWA 5 mg/m3 Except Regulation No 13 on grotection of workers against risks of exposure to chemical agents at wor Value NuovoPrene T4 RR TWA 200 mg/m3 Denmark. Exposure Limit Values TWA 200 mg/m3 Material Type Value Form NuovoPrene T4 RR TLV 1 mg/m3 Mist. Material Type Value Form NuovoPrene T4 RR TWA 5 mg/m3 Mist. Hungary. OELs. Joint Decree on Chemical Safety of Workplaces Material Type Value Form NuovoPrene T4 RR Celling 5 mg/m3 Mist. Inhalole faction. Teland. OELs. Regulation 154/1999 on occupational exposure limits Mist. Form NuovoPrene T4 RR TWA 0,2 mg/m3 Inhalole fraction. Table. Type Value Form NuovoPrene T4 RR TWA 0,2 mg/m3 Inhalole fraction. Table. Type <td< th=""><th>Belgium. Exposure Limit Values Material</th><th>Туре</th><th>Value</th><th>Form</th></td<>	Belgium. Exposure Limit Values Material	Туре	Value	Form
Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at wor Material NuovoPrene T4 RR TWA 5 mg/m3 Cech Republic. OELs. Government Decree 361 Ype Value MuovoPrene T4 RR Celling 1000 mg/m3 Denmark. Exposure Limit Values TYPE Value Form Material Type Value Form NuovoPrene T4 RR Celling 1000 mg/m3 Mist. Greece. OELs (Decree No. 90/1999, as amended) Value Form NuovoPrene T4 RR TWA 5 mg/m3 Mist. Hungary. OELs. Joint Decree on Chemical Safety of Workplaces Material Type Value Form NuovoPrene T4 RR Celling 5 mg/m3 Mist. Iteration Mist. Iceland. OELs. Regulation 154/1999 on occupational exposure limits Material Type Value Form NuovoPrene T4 RR TWA 1 mg/m3 Mist. Itelation. Itelation. Iceland. OELs. Regulation 154/1999 on occupational exposure limits Material Type Value Form NuovoPrene T4 RR TWA 0.2 mg/m3	NuovoPrene T4 RR	STEL	10 mg/m3	Mist.
Material Type Value NuovoPrene T4 RR TWA 5 mg/m3 Czech Republic. OELs. Government Decree 361. Material Type Value NuovoPrene T4 RR Celling 1000 mg/m3 TWA 200 mg/m3 Denmark. Exposure Limit Values Material Type Value Form NuovoPrene T4 RR TLV 1 mg/m3 Mist. Greece. OELs (Decree No. 90/1999, as amended) Material Type Value Form NuovoPrene T4 RR TLV 1 mg/m3 Mist. Hungary. OELs. Joint Decree on Chemical Safety of Workplaces Material Form NuovoPrene T4 RR Celling 5 mg/m3 Mist. Ecland. OELs. Regulation 154/1999 on occupational exposure limits Material Type Value Form NuovoPrene T4 RR TWA 1 mg/m3 Mist. Inhalable fraction. NuovoPrene T4 RR TWA 2 mg/m3 Inhalable fraction. NuovoPrene T4 RR TWA 1 mg/m3 Mist. Teland. OELs. Regulation 154/1999 on occupational exposure Limits Material		TWA	5 mg/m3	Mist.
Czech Republic. OELs. Government Decree 361 Material Type Value NuovoPrene T4 RR Celling 1000 mg/m3 Denmark. Exposure Limit Values Type Value Form NuovoPrene T4 RR TLV 1 mg/m3 Mist. Greece. OELs (Decree No. 90/1999, as amended) Material Type Value Form NuovoPrene T4 RR TWA 5 mg/m3 Mist. Mist. Hungary, OELs. Joint Decree on Chemical Safety of Workplaces Yalue Form NuovoPrene T4 RR TWA 5 mg/m3 Mist. Celling Type Value Form NuovoPrene T4 RR Celling S mg/m3 Mist. Celland. OELs. Regulation 154/1999 on occupational exposure limits Type Value Form NuovoPrene T4 RR TWA 1 mg/m3 Mist. Inhalable fraction. Iteland. OELs. Regulation 154/1999 on occupational exposure limits Form Material Type Value Form NuovoPrene T4 RR TWA 1 mg/m3 Mist. Inhalable fraction. Ithit inhalable fraction. Ithit inhalable fraction. I				chemical agents at wor
Material Type Value NuovoPrene T4 RR Ceilling 1000 mg/m3 TWA 200 mg/m3 Material Type Value Form NuovoPrene T4 RR TLV 1 mg/m3 Mist. Greece. OELs (Decree No. 90/1999, as amended) Type Value Form NuovoPrene T4 RR TWA 5 mg/m3 Mist. Hungary. OELs. Joint Decree on Chemical Safety of Workplaces Type Value Form NuovoPrene T4 RR Ceilling 5 mg/m3 Mist. NuovoPrene T4 RR Ceilling 5 mg/m3 Mist. NuovoPrene T4 RR Ceilling 5 mg/m3 Mist. Retarial Type Value Form NuovoPrene T4 RR TWA 1 mg/m3 Mist. Retarial Type Value Form NuovoPrene T4 RR TWA 0,2 mg/m3 Inhalable fraction. Italy. Occupational Exposure Limits Type Value Form NuovoPrene T4 RR TWA 5 mg/m3 Inhala	NuovoPrene T4 RR	TWA	5 mg/m3	
TWA200 mg/m3Denmark. Exposure Limit Values MaterialFormNuovoPrene T4 RRTLV1 mg/m3Mist.Greece. OELs (Decree No. 90/1999, as amended) MaterialTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Mist.Hungary. OELs. Joint Decree on Chemical Safety of Workplaces MaterialTypeValueFormNuovoPrene T4 RRCelling5 mg/m3Mist.Celand. OELs. Regulation 154/1999 on occupational exposure limits MaterialTypeValueFormNuovoPrene T4 RRTWA1 mg/m3Mist.Teland. OCcupational Exposure Limits MaterialTypeValueFormNuovoPrene T4 RRTWA0,2 mg/m3Inhalable fraction.Teland. Occupational Exposure Limits MaterialTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Inhalable fraction.NuovoPrene T4 RRTWA5 mg/m3Inhalable fraction.NuovoPrene T4 RRTWA5 mg/m3Fume and mist.NuovoPrene T4 RRTYPeValueFormNuovoPrene T4 RRTYPeValueFormNuovoPrene T4 RRTWA5 mg/m3Inhalable fraction.NuovoPrene T4 RRTYPeValueFormNuovoPrene T4 RRTWA5 mg/m3Mist.NuovoPrene T4 RRTYPeValueFormNuovoPrene T4 RRTWA5 mg/m3Mist.NuovoPrene T4 RRTWA5 mg/m3Mist.<	-		Value	
Denmark. Exposure Limit Values Type Value Form NuovoPrene T4 RR TLV 1 mg/m3 Mist. Greece. OELs (Decree No. 90/1999, as amended) Type Value Form NuovoPrene T4 RR TWA 5 mg/m3 Mist. Hungary. OELs. Joint Decree on Chemical Safety of Workplaces Form Mist. Material Type Value Form NuovoPrene T4 RR Ceiling 5 mg/m3 Mist. Tecland. OELs. Regulation 154/1999 on occupational exposure limits Form Mist. Material Type Value Form NuovoPrene T4 RR TWA 1 mg/m3 Mist. Tecland. OELs. Regulation 154/1999 on occupational exposure limits Form Material NuovoPrene T4 RR TWA 1 mg/m3 Mist. Treland. Occupational Exposure Limits Type Value Form NuovoPrene T4 RR TWA 0,2 mg/m3 Inhalable fraction. Lithuania. OELs. Limit Values for Chemical Substances, General Reguiremation. Form NuovoPrene T4 RR Type	NuovoPrene T4 RR	Ceiling	1000 mg/m3	
Material Type Value Form NuovoPrene T4 RR TLV 1 mg/m3 Mist. Greece. OELs (Decree No. 90/1999, as amended) Material Type Value Form NuovoPrene T4 RR TWA 5 mg/m3 Mist. Hungary. OELs. Joint Decree on Chemical Safety of Workplaces Material Form Form NuovoPrene T4 RR Ceiling 5 mg/m3 Mist. NuovoPrene T4 RR Ceiling 5 mg/m3 Mist. Toteland. OELs. Regulation 154/1999 on occupational exposure limits Material Type Value Form NuovoPrene T4 RR TWA 1 mg/m3 Mist. Teland. Occupational Exposure Limits Material Type Value Form NuovoPrene T4 RR TWA 0,2 mg/m3 Inhalable fraction. NuovoPrene T4 RR TWA 5 mg/m3 Inhalable fraction. NuovoPrene T4 RR TWA 5 mg/m3 Inhalable fraction. NuovoPrene T4 RR TWA 5 mg/m3 Fume and mist. NuovoPrene T4 RR TYPe Value Form		TWA	200 mg/m3	
NuovoPrene T4 RRTLV1 mg/m3Mist.NuovoPrene T4 RRTV1 mg/m3Mist.MaterialTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Mist.Hungary. OELs. Joint Decree on Chemical Safety of Workplaces MaterialTypeValueFormNuovoPrene T4 RRCeiling5 mg/m3Mist.Iceland. OELs. Regulation 154/1999 on occupational exposure limits MaterialTypeValueFormNuovoPrene T4 RRTWA1 mg/m3Mist.Iceland. OELs. Regulation 154/1999 on occupational exposure limits MaterialTypeValueFormNuovoPrene T4 RRTWA1 mg/m3Mist.Ireland. Occupational Exposure Limits MaterialTypeValueFormNuovoPrene T4 RRTWA0,2 mg/m3Inhalable fraction.Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Inhalable fraction.NuovoPrene T4 RRTVVA5 mg/m3Inhalable fraction.NuovoPrene T4 RRTVA5 mg/m3Fume and mist.NuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTVA5 mg/m3Fume and mist.NuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTVA5 mg/m3Mist.NuovoPrene T4 RRTVA5 mg/m3Mist.NuovoPrene T4 RRTVA5 mg/m3Mist.<	Denmark. Exposure Limit Values			
Material Type Value Form Material Type Value Form NuovoPrene T4 RR TWA 5 mg/m3 Mist. Hungary, OELs, Joint Decree on Chemical Safety of Workplaces Form Form NuovoPrene T4 RR Ceiling 5 mg/m3 Mist. Iceland. OELs. Regulation 154/1999 on occupational exposure limits Material Form NuovoPrene T4 RR TWA 1 mg/m3 Mist. Iceland. OELs. Regulation 154/1999 on occupational exposure limits Material Mist. NuovoPrene T4 RR TWA 1 mg/m3 Mist. Ireland. Occupational Exposure Limits Material Type Value Form NuovoPrene T4 RR TWA 0,2 mg/m3 Inhalable fraction. Italy. Occupational Exposure Limits Material Type Value Form NuovoPrene T4 RR TWA 5 mg/m3 Inhalable fraction. Italy. Occupational Exposure Limits Material Form Value Form NuovoPrene T4 RR TWA 5 mg/m3 Inhalable fraction. Italy NuovoPrene T4 RR Type	-	Туре	Value	Form
MaterialTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Mist.Hungary. OELs. Joint Decree on Chemical Safety of Workplaces MaterialFormFormNuovoPrene T4 RRCeiling5 mg/m3Mist.Iceland, OELs. Regulation 154/1999 on occupational exposure limits MaterialTypeValueFormNuovoPrene T4 RRTWA1 mg/m3Mist.Treland, Occupational Exposure Limits MaterialTypeValueFormNuovoPrene T4 RRTWA0,2 mg/m3Inhalable fraction.NuovoPrene T4 RRTWA5 mg/m3FormNuovoPrene T4 RRTWA5 mg/m3FormNuovoPrene T4 RRTWA5 mg/m3Fume and mist.TypeValueFormNuovoPrene T4 RRTWA1 mg/m3Fume and mist.TWA1 mg/m3Fume and mist.TWA5 mg/m3Mist.NuovoPrene T4 RRTWA5 mg/m3Mist.NuovoPrene T4 RRTWA5 mg/m3Mist.NuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Mist.NuovoPrene T4 RRTWA5 mg/m3Mist.NuovoPrene T4 RRTypeValueForm <tr< td=""><td>NuovoPrene T4 RR</td><td>TLV</td><td>1 mg/m3</td><td>Mist.</td></tr<>	NuovoPrene T4 RR	TLV	1 mg/m3	Mist.
NuovoPrene T4 RRTWA5 mg/m3Mist.Hungary. OELs. Joint Decree on Chemical Safety of Workplaces MaterialTypeValueFormNuovoPrene T4 RRCeiling5 mg/m3Mist.Iceland. OELs. Regulation 154/1999 on occupational exposure limits MaterialTypeValueFormNuovoPrene T4 RRTWA1 mg/m3Mist.Ireland. Occupational Exposure Limits MaterialTypeValueFormNuovoPrene T4 RRTWA1 mg/m3Inhalable fraction.ValvooPrene T4 RRTWA0,2 mg/m3Inhalable fraction.NuovoPrene T4 RRTWA0,2 mg/m3Inhalable fraction.NuovoPrene T4 RRTWA5 mg/m3Furme and mist.NuovoPrene T4 RRSTEL3 mg/m3Furme and mist.NuovoPrene T4 RRTWA5 mg/m3Mist.NuovoPrene T4 RRTYpeValueFormNuovoPrene T4 RRTWA5 mg/m3Mist.NuovoPrene T4 RRTUV1 mg/m3Mist.NuovoPre			Value	Form
Hungary. OELs. Joint Decree on Chemical Safety of Workplaces MaterialYalueFormNuovoPrene T4 RRCelling5 mg/m3Mist.Iceland. OELs. Regulation 154/1999 on occupational exposure limits MaterialTypeValueFormNuovoPrene T4 RRTWA1 mg/m3Mist.Ireland. Occupational Exposure Limits MaterialTypeValueFormNuovoPrene T4 RRTWA0,2 mg/m3Inhalable fraction.Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoPrene T4 RRTWA0,2 mg/m3Inhalable fraction.NuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Inhalable fraction.Lithuania. OELs. Limit Values for Chemical Substances, General Requirements MaterialFormNuovoPrene T4 RRSTEL3 mg/m3Fume and mist.NuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTupeValueFormNuovoPrene T4 RRTupe				-
MaterialTypeValueFormNuovoPrene T4 RRCeiling5 mg/m3Mist.Iceland. OELs. Regulation 154/1999 on occupational exposure limits MaterialTypeValueFormNuovoPrene T4 RRTWA1 mg/m3Mist.Ireland. Occupational Exposure Limits MaterialTypeValueFormNuovoPrene T4 RRTWA0,2 mg/m3Inhalable fraction.Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoPrene T4 RRTWA0,2 mg/m3Inhalable fraction.Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Inhalable fraction.Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Inhalable fraction.NuovoPrene T4 RRTWA5 mg/m3Fume and mist.NuovoPrene T4 RRSTEL3 mg/m3Fume and mist.NuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTuVA5 mg/m3Mist.NuovoPrene T4 RRTuV1 mg/m3Mist.NuovoPrene T4 RRTuV <td>NuovoPrene T4 RR</td> <td>TWA</td> <td>5 mg/m3</td> <td>Mist.</td>	NuovoPrene T4 RR	TWA	5 mg/m3	Mist.
Total and OELs. Regulation 154/1999 on organizational exposure limits Value Form Material Type Value Form NuovoPrene T4 RR TWA 1 mg/m3 Mist. Iteland. Occupational Exposure Limits Type Value Form NuovoPrene T4 RR TWA 0,2 mg/m3 Inhalable fraction. Italy. Occupational Exposure Limits Type Value Form NuovoPrene T4 RR TWA 5 mg/m3 Inhalable fraction. Lithuania. OELs. Limit Values for Chemical Substances, General Requirements Form Form NuovoPrene T4 RR TYpe Value Form NuovoPrene T4 RR STEL 3 mg/m3 Fume and mist. NuovoPrene T4 RR Type Value Form NuovoPrene T4 RR TuV 5 mg/m3 <t< td=""><td></td><td></td><td>Value</td><td>Form</td></t<>			Value	Form
MaterialTypeValueFormNuovoPrene T4 RRTWA1 mg/m3Mist.Ireland. Occupational Exposure Limits MaterialTypeValueFormNuovoPrene T4 RRTWA0,2 mg/m3Inhalable fraction.Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Inhalable fraction.Ithuania. OELs. Limit Values for Chemical Substances, General Requirements MaterialFormNuovoPrene T4 RRSTEL3 mg/m3Fume and mist.NuovoPrene T4 RRSTEL3 mg/m3Fume and mist.NuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Mist.NuovoPrene T4 RRTUV1 mg/m3Mist.NuovoPrene T4 RRTLV1 mg/m3Mist.NuovoPrene T4 RRTLV1 mg/m3AcrosolNuovoPrene T4 RRSTEL10 mg/m3Acrosol	NuovoPrene T4 RR	Ceiling	5 mg/m3	Mist.
Treland. Occupational Exposure Limits Type Value Form NuovoPrene T4 RR TWA 0,2 mg/m3 Inhalable fraction. Italy. Occupational Exposure Limits Type Value Form NuovoPrene T4 RR TWA 5 mg/m3 Inhalable fraction. Italy. Occupational Exposure Limits Type Value Form NuovoPrene T4 RR TWA 5 mg/m3 Inhalable fraction. Lithuania. OELs. Limit Values for Chemical Substances, General Requirements Form NuovoPrene T4 RR STEL 3 mg/m3 Fume and mist. NuovoPrene T4 RR Type Value Form NuovoPrene T4 RR TWA 5 mg/m3 Mist. NuovoPrene T4 RR TVP 1 mg/m3 Mist. NuovoPrene T4 RR TLV 1 mg/m3 Mist. NuovoPrene T4 RR TLV 1 mg/m3 Mist. NuovoPrene T4 RR TLV 1 mg/m3 Mi	-		Value	Form
MaterialTypeValueFormNuovoPrene T4 RRTWA0,2 mg/m3Inhalable fraction.MaterialTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Inhalable fraction.Lithuania. OELs. Limit Values for Chemical Substances, General Requirements MaterialFormNuovoPrene T4 RRSTEL3 mg/m3Fume and mist.TWA1 mg/m3Fume and mist.NuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTUWA5 mg/m3Mist.NuovoPrene T4 RRTUV1 mg/m3Mist.NuovoPrene T4 RRTLV1 mg/m3Mist.NuovoPrene T4 RRSTEL10 mg/m3Aerosol	NuovoPrene T4 RR	TWA	1 mg/m3	Mist.
Italy. Occupational Exposure Limits Type Value Form NuovoPrene T4 RR TWA 5 mg/m3 Inhalable fraction. Lithuania. OELs. Limit Values for Chemical Substances, General Requirements Form Material Type Value Form NuovoPrene T4 RR STEL 3 mg/m3 Fume and mist. TWA 1 mg/m3 Fume and mist. NuovoPrene T4 RR TYpe Value Form NuovoPrene T4 RR Type Value Form NuovoPrene T4 RR Type Value Form NuovoPrene T4 RR TWA 5 mg/m3 Mist. NuovoPrene T4 RR TWA 5 mg/m3 Mist. NuovoPrene T4 RR TWA 5 mg/m3 Mist. NuovoPrene T4 RR TUV 1 mg/m3 Mist. NuovoPrene T4 RR TLV 1 mg/m3 Mist. NuovoPrene T4 RR TLV 1 mg/m3 Mist. NuovoPrene T4 RR TLV 1 mg/m3 Mist. Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work			Value	Form
Italy. Occupational Exposure Limits MaterialTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Inhalable fraction.Lithuania. OELs. Limit Values for Chemical Substances, General Requirements MaterialFormNuovoPrene T4 RRSTEL3 mg/m3Fume and mist.TWA1 mg/m3Fume and mist.NuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Mist.NuovoPrene T4 RRTWA5 mg/m3Mist.NuovoPrene T4 RRTWA5 mg/m3Mist.NuovoPrene T4 RRTUV1 mg/m3Mist.NuovoPrene T4 RRTLV1 mg/m3Mist.NuovoPrene T4 RRTLV1 mg/m3Mist.NuovoPrene T4 RRTLV1 mg/m3Mist.NuovoPrene T4 RRTLV1 mg/m3Mist.NuovoPrene T4 RRSTEL10 mg/m3Aerosol	NuovoPrene T4 RR	TWA	0,2 mg/m3	Inhalable fraction.
MaterialTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Inhalable fraction.Lithuania. OELs. Limit Values for Chemical Substances, General Requirements MaterialFormNuovoPrene T4 RRSTEL3 mg/m3Fume and mist.TWA1 mg/m3Fume and mist.NuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Mist.NuovoPrene T4 RRTWA5 mg/m3Mist.NuovoPrene T4 RRTUV1 mg/m3Mist.NuovoPrene T4 RRTLV1 mg/m3Mist.NuovoPrene T4 RRTLV1 mg/m3Mist.NuovoPrene T4 RRTLV1 mg/m3Mist.NuovoPrene T4 RRSTEL10 mg/m3Aerosol			., .,	
Lithuania. OELs. Limit Values for Chemical Substances, General Requirements Material Value Form NuovoPrene T4 RR STEL 3 mg/m3 Fume and mist. TWA 1 mg/m3 Fume and mist. Netherlands. OELs (binding) Type Value Form NuovoPrene T4 RR TWA 5 mg/m3 Mist. NuovoPrene T4 RR TWA 5 mg/m3 Mist. NuovoPrene T4 RR TWA 1 mg/m3 Mist. NuovoPrene T4 RR TUV 1 mg/m3 Mist. NuovoPrene T4 RR TLV 1 mg/m3 Mist. NuovoPrene T4 RR Type Value Form Material Type	Material		Value	Form
MaterialTypeValueFormNuovoPrene T4 RRSTEL3 mg/m3Fume and mist.TWA1 mg/m3Fume and mist.MaterialTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Mist.Norway. Administrative Norms for Contaminants in the Workplace MaterialTypeValueFormNuovoPrene T4 RRTLV1 mg/m3Mist.NuovoPrene T4 RRTLV1 mg/m3AerosolNuovoPrene T4 RRSTEL10 mg/m3Aerosol	NuovoPrene T4 RR	TWA	5 mg/m3	Inhalable fraction.
TWA1 mg/m3Fume and mist.Netherlands. OELs (binding) MaterialTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Mist.Norway. Administrative Norms for Contaminants in the Workplace MaterialYolueFormNuovoPrene T4 RRTLV1 mg/m3Mist.NuovoPrene T4 RRTLV1 mg/m3Mist.Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 3 MaterialTypeValueFormNuovoPrene T4 RRSTEL10 mg/m3AerosolAerosol				Form
Netherlands. OELs (binding) Type Value Form NuovoPrene T4 RR TWA 5 mg/m3 Mist. Norway. Administrative Norms for Contaminants in the Workplace Value Form NuovoPrene T4 RR TLV 1 mg/m3 Mist. Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 4 Material Form NuovoPrene T4 RR STEL 10 mg/m3 Aerosol	NuovoPrene T4 RR	STEL	3 mg/m3	Fume and mist.
MaterialTypeValueFormNuovoPrene T4 RRTWA5 mg/m3Mist.Norway. Administrative Norms for Contaminants in the Workplace MaterialValueFormNuovoPrene T4 RRTLV1 mg/m3Mist.Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal Laws 2014, item a MaterialFormNuovoPrene T4 RRSTEL10 mg/m3Aerosol		TWA	1 mg/m3	Fume and mist.
Norway. Administrative Norms for Contaminants in the Workplace MaterialValueFormMaterialTypeValueFormNuovoPrene T4 RRTLV1 mg/m3Mist.Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 8 MaterialTypeValueNuovoPrene T4 RRSTEL10 mg/m3Aerosol		Туре	Value	Form
Norway. Administrative Norms for Contaminants in the Workplace MaterialValueFormMaterialTypeValueFormNuovoPrene T4 RRTLV1 mg/m3Mist.Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 8 MaterialTypeValueNuovoPrene T4 RRSTEL10 mg/m3Aerosol	NuovoPrene T4 RR	TWA	5 mg/m3	Mist.
NuovoPrene T4 RRTLV1 mg/m3Mist.Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 8 MaterialTypeValueFormNuovoPrene T4 RRSTEL10 mg/m3Aerosol	-			Form
Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 8 Material Material Type Value Form NuovoPrene T4 RR STEL 10 mg/m3 Aerosol				-
NuovoPrene T4 RR STEL 10 mg/m3 Aerosol	Poland. Ordinance of the Minister	of Labour and Social Policy on 6 June armful health factors in the work en	e 2014 on the ma vironment, Journ	aximum permissible nal of Laws 2014, item (
5.				Aerosol
		TWA	5 mg/m3	Aerosol

Material	Туре	Value	Form
NuovoPrene T4 RR	STEL	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Romania. OELs. Protectio Material	n of workers from exposure to chemic Type	al agents at the workpla Value	ce
NuovoPrene T4 RR	STEL	10 mg/m3	
	TWA	5 mg/m3	
Slovakia. OELs. Regulatio Material	n No. 300/2007 concerning protectio Type	n of health in work with o Value	chemical agents Form
NuovoPrene T4 RR	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Spain. Occupational Expo	sure Limits		
Material	Туре	Value	Form
NuovoPrene T4 RR	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Envi Material	ronment Authority (AV), Occupationa Type	l Exposure Limit Values (Value	AFS 2015:7) Form
NuovoPrene T4 RR	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
logical limit values	No biological exposure limits noted for	the ingredient(s).	
commended monitoring cedures	Not available.		
ived no effect levels IELs)	Not available.		
dicted no effect centrations (PNECs)	Not available.		
. Exposure controls			
propriate engineering trols	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.		
ividual protection measur General information	es, such as personal protective equip Not available.	ment	
Eye/face protection	Goggles/face shield are recommended.		
Skin protection			
- Hand protection	Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet styl gloves.		
- Other	Chemical/oil resistant clothing is recom		5
Respiratory protection	Under normal conditions, respirator is r concentrations above the exposure limi		
Thermal hazards	Wear appropriate thermal protective clo	othing, when necessary.	
jiene measures	Always observe good personal hygiene measures, such as washing after handling the material a before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.		
rironmental exposure trols	Not available.		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Form	Liquid.
Colour	Amber.
Odour	Mild Petroleum Odor
Melting point/freezing point	Not available.
Boiling point or initial boiling point and boiling range	Not available.
Flammability	Not applicable.

Flash point	190,0 °C (374,0 °F) ASTM D92
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
рН	Not available.
Kinematic viscosity	Not available.
Solubility	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water) (log value)	Not established.
Vapour pressure	Not available.
Density and/or relative density	Not available.
Vapour density	Not available.
Particle characteristics	Not available.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.
9.2.2. Other safety characteristics	
Specific gravity	0,8464 @60°F ASTM D4052
Viscosity	23,1 cSt @40°C ASTM D445

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Stable.
10.3. Possibility of hazardous	Hazardous polymerisation does not occur.
reactions	
10.4. Conditions to avoid	Avoid temperatures exceeding the flash point.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.	
Information on likely routes of	exposure	
Inhalation	Prolonged inhalation may be harmful.	
Skin contact	No adverse effects due to skin contact are expected.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms	Exposure may cause temporary irritation, redness, or discomfort.	
11.1. Information on hazard cl	asses as defined in Regulation (EC) No 1272/2008	
Acute toxicity	No data available.	
Skin corrosion/irritation	Based on available data, the classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.	
Respiratory sensitisation	Based on available data, the classification criteria are not met.	
Skin sensitisation	Based on available data, the classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.	
Hungary. 26/2000 EüM Or work (as amended)	dinance on protection against and preventing risk relating to exposure to carcinogens at	
Not listed.		
Reproductive toxicity	Based on available data, the classification criteria are not met.	
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.	

Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.			
Aspiration hazard	Not classified.			
Mixture versus substance information	No information available.			
11.2. Information on other hazards				
Endocrine disrupting properties	This mixture does not contain any substances having endocrine disrupting properties with respect to human health as assessed in accordance with the criteria set out in Regulations (EC) No 1907/2006, (EU) No 2017/2100 and (EU) 2018/605, at a concentration equal to or greater than 0.1% by weight.			
Other information	Not available.			
SECTION 12: Ecological information				
12.1. Toxicity	Not expected to be harmful to aquatic organisms.			
12.2. Persistence and degradability	Not inherently biodegradable.			
12.3. Bioaccumulative potential	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.			
Partition coefficient n-octanol/water (log Kow)	Not established.			
Bioconcentration factor (BCF)	Not available.			
12.4. Mobility in soil	Not available.			
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.			
12.6. Endocrine disrupting properties	Not available.			
12.7. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.
EU waste code	Waste codes should be assigned by the user based on the application for which the product was used.
Disposal methods/information	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

ΙΑΤΑ

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in Not available. **bulk according to IMO**

instruments

General information

Not regulated as dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations	The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.
National regulations	Germany: WGK 1
15.2. Chemical safety	No Chemical Safety Assessment has been carried out.

assessment International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16: Other information

List of abbreviations

Not available.

References	ACGIH IARC Monographs. Overall Evaluation of Carcinogenicity ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics ILO Safety Cards International Labour Organization International Maritime Organization Marine Pollutants List NFPA Hazardous Chemical Data Sheets NIOSH Pocket Guide Registry of Toxic Effects of Chemical Substances (RTECS) US DOT Hazardous Materials Regulations
Information on evaluation method leading to the classification of mixture	Not available.
Full text of any statements, which are not written out in full under sections 2 to 15	None.
Revision information	Product and Company Identification: Alternate Trade Names
Training information	Not available.
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.