

SAFETY DATA SHEET

1. Identification

Product identifier OmniVolt™ PTX

Other means of identification None.

Recommended useDielectric Fluid. **Recommended restrictions**None known.

Manufacturer/Importer/Supplier/Distributor information

Company: Ergon, Inc. **Address:** P.O. Box 1639

Jackson, MS 39215

E-mail: sds@ergon.com

Emergency Contacts

Customer Service: 1-800-222-7122

Chemtrec: 1-800-424-9300 After Business Hours (North America Only)

1-703-527-3887 After Business Hours (International)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Aspiration hazard Category 1

Environmental hazards Not classified. **OSHA defined hazards** Not classified.

Label elements



Signal word Danger

Hazard statement May be fatal if swallowed and enters airways.

Precautionary statement

Prevention Do not breathe gas/mist/vapors/spray.

Response IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce

vomiting.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations. See section 13 of this SDS for disposal instructions.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
C18-C50 BRANCHED, CYCLIC AND LINEAR HYDROCARBONS – DISTILLATES		848301-69-9	0 - 99.6
Distillates (petroleum), hydrotreated light naphthenic		64742-53-6	0 - 99.6

Material name: OmniVolt™ PTX SDS US

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), hydrotreated light paraffinic		64742-55-8	0 - 99.6
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based		72623-87-1	0 - 20
2.6-di-tert-butyl-p-cresol		128-37-0	< 0.4

Composition comments

Not classified as a carcinogen. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

4. First-aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get

medical advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder

contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get

medical attention.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control center immediately.

Most important symptoms/effects, acute

and delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

Defatting of the skin.

Contract the

General information Contact physician if discomfort continues.

5. Fire-fighting measures

Suitable extinguishing media

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as

an extinguisher, as this will spread the fire.

No unusual fire or explosion hazards noted.

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment and precautions for

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Do not use a solid water stream as it may scatter and spread fire.

firefighters
Fire fighting

equipment/instructions

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurized air mask if product is involved in a fire.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.

Methods and materials for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.

Material name: OmniVolt™ PTX SDS US

Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

7. Handling and storage

Precautions for safe handling

DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands after handling and before eating. Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Store in a well-ventilated place. Use care in handling/storage.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Permissible Expo Components	Type	Value	10.1000) Form
C18-C50 BRANCHED, CYCLIC AND LINEAR HYDROCARBONS – DISTILLATES (CAS 848301-69-9)	PEL	400 mg/m3	
		100 ppm	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
		500 ppm	
Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Limit Values (TL	V)		
Components	Туре	Value	Form
2,6-di-tert-butyl-p-cresol (CAS 128-37-0)	TWA	2 mg/m3	Inhalable fraction and vapor.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
,			
Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light paraffinic	TWA	5 mg/m3 5 mg/m3	Inhalable fraction. Inhalable fraction.
Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS 72623-87-1) NIOSH. Immediately Dangerous to Li	TWA fe or Health (IDLH) Values, as am	5 mg/m3 ended	
Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS 72623-87-1)	TWA	5 mg/m3	
Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS 72623-87-1) NIOSH. Immediately Dangerous to Li	TWA fe or Health (IDLH) Values, as am	5 mg/m3 ended	

Material name: OmniVolt™ PTX SDS US

1000 ppm

NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended **Components Type Value**

IDLH Distillates (petroleum), 2500 mg/m3

hydrotreated light naphthenic (CAS 64742-53-6)

IDLH Distillates (petroleum), 2500 mg/m3

hydrotreated light paraffinic (CAS 64742-55-8)

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

Material	Туре	Value	Form
OmniVolt™ PTX	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
2,6-di-tert-butyl-p-cresol	TWA	10 mg/m3	

2,6-di-tert-butyl-p-cresol TWA (CAS 128-37-0) C18-C50 BRANCHED, CYCLIC AND LINEAR HYDROCARBONS -

TWA 400 mg/m3

848301-69-9) Distillates (petroleum), hydrotreated light naphthenic (CAS

Distillates (petroleum),

hydrotreated light paraffinic

64742-53-6)

DISTILLATES (CAS

Ceiling 1800 mg/m3

STEL TWA STEL

10 mg/m3 Mist. 5 mg/m3 Mist.

Mist.

100 ppm

10 mg/m3

TWA 5 mg/m3 Mist.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

(CAS 64742-55-8)

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection Goggles/face shield are recommended.

Skin protection

Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet

style gloves.

Other Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Respiratory protection Under normal conditions, respirator is not normally required. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators.

Thermal hazards Not available.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove

contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance Clear & bright

Physical state Liquid. **Form** Liquid. Color Clear. Odorless. **Odor threshold** Not available. pН Not available.

SDS US Material name: OmniVolt™ PTX

Melting point/freezing point -77.8 °F (-61 °C) ASTM D5950/ISO 3016

Initial boiling point and

boiling range

548.6 °F (287 °C)

Flash point >275.0 °F (>135.0 °C) ISO 2719/ASTM D93

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower

(%

Not available.

Explosive limit - upper

(%)

Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not established.

(n-octanol/water)

Auto-ignition temperature >599 °F (>315 °C)

Decomposition temperature Not available.

Viscosity <12 cSt @40°C/104°F ISO 3104

Other information

Specific gravity <0.895 @20°C/68°F ASTM D4052/ISO 12185

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks. Avoid temperatures exceeding the flash point.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

Inhalation May be fatal if swallowed and enters airways.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and

dermatitis.

Eye contact May be irritating to eyes.

Ingestion May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Defatting of the skin. Coughing. Shortness of breath. Discomfort in the chest.

Information on toxicological effects

Acute toxicity Not applicable.

Components Species Test Results

2,6-di-tert-butyl-p-cresol (CAS 128-37-0)

Acute Dermal

LD50 Rabbit > 2000 mg/kg

Rat > 2000 mg/kg

Material name: OmniVolt™ PTX

SDS US

5 / 9

Components **Species Test Results**

Oral

LD50 Rat > 6000 mg/kg

C18-C50 BRANCHED, CYCLIC AND LINEAR HYDROCARBONS - DISTILLATES (CAS 848301-69-9)

Acute Dermal

> 5 mg/kg LD50 Rabbit

Distillates (petroleum), hydrotreated light paraffinic (CAS 64742-55-8)

Acute Dermal

LD50 Rat > 2000 mg/kg

Oral

LD50 > 5000 mg/kgRat

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS 72623-87-1)

Acute Dermal

LD50 Rabbit $> 2000 \, \text{mg/kg}$

Oral

LD50 Rat > 5000 mg/kg

Not available. * Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

Not classified. May cause minor irritation on eye contact.

Respiratory or skin sensitization

Respiratory sensitization Not classified.

Skin sensitization Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EU

requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound

(PAC) using IP 346.

IARC Monographs. Overall Evaluation of Carcinogenicity

2,6-di-tert-butyl-p-cresol (CAS 128-37-0) 3 Not classifiable as to carcinogenicity to humans. Distillates (petroleum), hydrotreated light naphthenic 3 Not classifiable as to carcinogenicity to humans.

(CAS 64742-53-6)

Distillates (petroleum), hydrotreated light paraffinic 3 Not classifiable as to carcinogenicity to humans.

(CAS 64742-55-8)

Lubricating oils (petroleum), C20-50, hydrotreated 3 Not classifiable as to carcinogenicity to humans.

neutral oil-based (CAS 72623-87-1)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Distillates (petroleum), hydrotreated light naphthenic Known To Be Human Carcinogen.

(CAS 64742-53-6)

Reproductive toxicity Contains no ingredient listed as toxic to reproduction.

Specific target organ toxicity Not classified.

single exposure

Specific target organ toxicity

repeated exposure

Not classified.

Aspiration hazard May be fatal if swallowed and enters airways.

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

Further information Risk of chemical pneumonia after aspiration.

SDS US Material name: OmniVolt™ PTX

12. Ecological information

Ecotoxicity	Harmful to ac	uatic life with long lasting effects.	
Product		Species	Test Results
OmniVolt™ PTX			
Aquatic			
Crustacea	EC50	Daphnia	360 mg/l, 48 hours
Fish	LC50	Fish	20.2247 mg/l, 96 hours estimated
Acute			
Crustacea	EC50	Daphnia	5.7754 mg/l, 48 hours estimated
Fish	LC50	Fish	14.1505 mg/l, 96 hours estimated
Components		Species	Test Results
•	p-cresol (CAS 128-37-0)		
Aquatic			
<i>Acute</i>	FC10	Fundamentaria	0.24 ··· · · // .72 h · · · · ·
Algae	EC10	Freshwater algae	0.24 mg/l, 72 hours
Crustacea	EC50	Daphnia magna	0.48 mg/l, 48 hours
Fish	LC50	Fish	0.199 mg/l, 96 hours
Chronic			
Crustacea	NOEC	Daphnia magna	0.069 mg/l, 21 days
Fish	NOEC	Fish	0.053 mg/l, 30 days
	HED, CYCLIC AND LINEAR H	YDROCARBONS – DISTILLATES (CAS 8	48301-69-9)
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	>= 2.7 - <= 5.1 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	8.8 mg/l, 96 hours
			8.8 mg/l, 96 hours
Acute			
Crustacea	EC50	Water flea (Daphnia pulex)	2.7 - 5.1 mg/l, 48 hours
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	8.8 mg/l, 96 hours
			8.8 mg/l, 96 hours

Not available. * Estimates for product may be based on additional component data not shown.

Persistence and degradability Not inherently biodegradable.

Bioaccumulative potential Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient n-octanol / water (log Kow)

2,6-di-tert-butyl-p-cresol 5.1

Mobility in soil Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261. Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material

characteristics at time of disposal.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste from residues / Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the unused products

ground.

Material name: OmniVolt™ PTX 7/9

7316 Version #: 03 Revision date: 01-15-2025 Issue date: 05-05-2023

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.

14. Transport information

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

General information Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

HyVolt oils are certified to be PCB-free. HyVolt oils are processed from naturally occurring raw materials with no additives or recycled oils that might introduce PCB contamination.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Yes

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312

Hazardous chemical

Aspiration hazard

categories

SARA 313 (TRI reporting)

Classified hazard

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No

Material name: OmniVolt™ PTX 8/9

7316 Version #: 03 Revision date: 01-15-2025 Issue date: 05-05-2023

Country(s) or region	inventory name	On inventory (yes/no)**
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Taiwan Chemical Substance Inventory (TCSI)

16. Other information, including date of preparation or last revision

Inventory name

 Issue date
 05-05-2023

 Revision date
 01-15-2025

Version # 03

Country(s) or region

Taiwan

Further information Local CHEMTREC Numbers:

CHEMTREC Mexico: 1-800-681-9531

NFPA ratings Health: 2

Flammability: 0 Instability: 0

References ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

ILO Safety Cards

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any

other materials or in any process, unless specified in the text.

Revision information Composition/information on ingredients: Composition comments

Toxicological information: Carcinogenicity Disposal considerations: Hazardous waste code Disposal considerations: Local disposal regulations

Transport Information: Material Transportation Information

GHS: Classification

Material name: OmniVolt™ PTX SDS US

On inventory (yes/no)*

Yes

Yes