

**1. Identification**

<b>Product identifier</b>	HyGold 40
<b>Other means of identification</b>	
<b>CAS number</b>	64742-47-8
<b>Recommended use</b>	Metalworking Fluids, Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy Duty Engine Oil, Bar & Chain, Carriers & Diluents, Engine Oil.
<b>Recommended restrictions</b>	None known.
<b>Manufacturer/Importer/Supplier/Distributor information</b>	
<b>Company:</b>	Ergon, Inc.
<b>Address:</b>	P.O. Box 1639 Jackson, MS 39215
<b>E-mail:</b>	sds@ergon.com
<b>Emergency Contacts</b>	
<b>Customer service:</b>	1-800-222-7122
<b>CHEMTREC:</b>	1-800-424-9300 After Business Hours (North America Only) 1-703-527-3887 After Business Hours (International)

**2. Hazard identification**

<b>Physical hazards</b>	Not classified.
<b>Health hazards</b>	
<b>Skin corrosion/irritation</b>	Category 2
<b>Specific target organ toxicity following single exposure</b>	Category 3 narcotic effects
<b>Aspiration hazard</b>	Category 1
<b>Environmental hazards</b>	
<b>Hazardous to the aquatic environment, long-term hazard</b>	Category 2
<b>Label elements</b>	
	
<b>Signal word</b>	Danger
<b>Hazard statement</b>	May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects.
<b>Precautionary statement</b>	
<b>Prevention</b>	Avoid breathing mist/vapours. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves.
<b>Response</b>	IF SWALLOWED: Immediately call a POISON CENTRE/doctor. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Collect spillage.
<b>Storage</b>	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Supplemental information</b>	None.
<b>Other hazards</b>	None known.

### 3. Composition/information on ingredients

#### Substances

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), hydrotreated light		64742-47-8	<=100

#### Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

#### Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison centre or doctor/physician if you feel unwell.

#### Skin contact

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

#### Eye contact

Rinse with water. Get medical attention if irritation develops and persists.

#### Ingestion

Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

#### Most important symptoms/effects, acute and delayed

Aspiration may cause pulmonary oedema and pneumonitis. May cause drowsiness or dizziness. Headache. Nausea, vomiting. Diarrhoea. Skin irritation. May cause redness and pain.

#### Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

#### General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 5. Fire-fighting measures

#### Suitable extinguishing media

Alcohol resistant foam. Powder. Dry chemicals. Carbon dioxide (CO2).

#### Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

#### Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

#### Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

#### Fire fighting equipment/instructions

Cool containers exposed to heat with water spray and remove container, if no risk is involved.

#### Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

#### General fire hazards

Will burn if involved in a fire.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

#### Methods and materials for containment and cleaning up

The product is immiscible with water and will spread on the water surface. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13.

**Environmental precautions**

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

**7. Handling and storage****Precautions for safe handling**

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities**

Store locked up. Keep away from heat and sources of ignition. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

**8. Exposure controls/personal protection****Occupational exposure limits****Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended**

Material	Type	Value	Form
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	TWA	200 mg/m3	Vapour.

**Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)**

Material	Type	Value	Form
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	TWA	200 mg/m3	Non-aerosol.

**Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended**

Material	Type	Value
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	TWA	200 mg/m3

**Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended**

Material	Type	Value	Form
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	15 minute	250 mg/m3	Vapour.
	8 hour	200 mg/m3	Vapour.

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines****Canada - Alberta OELs: Skin designation**

Distillates (petroleum), hydrotreated light (CAS 64742-47-8) Can be absorbed through the skin.

**Canada - British Columbia OELs: Skin designation**

Distillates (petroleum), hydrotreated light (CAS 64742-47-8) Can be absorbed through the skin.

**Canada - Quebec OELs: Skin designation**

Distillates (petroleum), hydrotreated light (CAS 64742-47-8) Can be absorbed through the skin.

**Canada - Saskatchewan OELs: Can be absorbed through the skin.**

Distillates (petroleum), hydrotreated light (CAS 64742-47-8) Can be absorbed through the skin.

<b>Appropriate engineering controls</b>	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Goggles/face shield are recommended. Use eye protection conforming to EN 166.
<b>Skin protection</b>	
<b>Hand protection</b>	Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves.
<b>Other</b>	Wear appropriate chemical resistant clothing. Chemical/oil resistant clothing is recommended.
<b>Respiratory protection</b>	Under normal conditions, respirator is not normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>General hygiene considerations</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Colour</b>	Not established.
<b>Odour</b>	Mild Petroleum Odor
<b>Melting point/freezing point</b>	-85 °C (-121 °F) ASTM D5949/ ISO 3016
<b>Boiling point or initial boiling point and boiling range</b>	228 °C (442.4 °F) ASTM D2887/ ISO 3294
<b>Flammability</b>	Will burn if involved in a fire.
<b>Upper/lower flammability or explosive limits</b>	
<b>Explosive limit - lower (%)</b>	Not determined.
<b>Explosive limit – upper (%)</b>	Not determined.
<b>Flash point</b>	113.0 °C (235.4 °F) Cleveland open cup ASTM D92/ ISO 2592 104.0 °C (219.2 °F) Pensky-Martens Closed Cup ASTM D93/ ISO 2719
<b>Auto-ignition temperature</b>	>315.56 °C (>600 °F) ASTM E659
<b>Decomposition temperature</b>	Not determined.
<b>pH</b>	Not applicable.
<b>Kinematic viscosity</b>	3.3 cSt (40 °C (104 °F) ASTM D445/ ASTM D3104)
<b>Solubility</b>	
<b>Solubility (water)</b>	Insoluble in water.
<b>Partition coefficient (n-octanol/water) (log value)</b>	Not applicable
<b>Vapour pressure</b>	Not determined.
<b>Density and/or relative density</b>	
<b>Relative density</b>	0.86 (15.56 °C (60 °F) ASTM D4052)
<b>Vapour density</b>	Not determined.
<b>Particle characteristics</b>	
<b>Particle size</b>	Not applicable, material is a liquid.

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.

<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
<b>Incompatible materials</b>	Strong oxidising agents.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	May cause drowsiness or dizziness. Prolonged inhalation may be harmful.
<b>Skin contact</b>	Causes skin irritation.
<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation.
<b>Ingestion</b>	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Aspiration may cause pulmonary oedema and pneumonitis. May cause drowsiness or dizziness. Headache. Nausea, vomiting. Diarrhoea. Skin irritation. May cause redness and pain.

### Information on toxicological effects

<b>Acute toxicity</b>	May be fatal if swallowed and enters airways.
<b>Skin corrosion/irritation</b>	Causes skin irritation.
<b>Serious eye damage/eye irritation</b>	Direct contact with eyes may cause temporary irritation.

### Respiratory or skin sensitisation

<b>Respiratory sensitisation</b>	Not a respiratory sensitisier.
<b>Skin sensitisation</b>	This product is not expected to cause skin sensitisation.
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Carcinogenicity</b>	Not classifiable as to carcinogenicity to humans.

### Canada - Quebec OELs: Carcinogen category

Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	Detected carcinogenic effect in animals.
---	--

<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.
------------------------------	--

<b>Specific target organ toxicity - single exposure</b>	May cause drowsiness or dizziness.
---	------------------------------------

<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
---	-----------------

<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways.
--------------------------	---

<b>Chronic effects</b>	Prolonged inhalation may be harmful.
------------------------	--------------------------------------

## 12. Ecological information

<b>Ecotoxicity</b>	Toxic to aquatic life with long lasting effects.
--------------------	--

<b>Product</b>	<b>Species</b>	<b>Test Results</b>
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)		
<b>Aquatic</b>		
<i>Acute</i>		
Algae	LC50	Algae 1 - 3 mg/l, 72 Hours
Crustacea	LC50	Daphnia magna 1 - 2, 48 Hours
Fish	LC50	Oncorhynchus mykiss 2 - 5 mg/l, 96 Hours
<i>Chronic</i>		
Crustacea	NOAEL	Daphnia magna 0.48 mg/l, 21 days

Product	Species	Test Results
Fish	NOAEL	Fish
<b>Persistence and degradability</b>	Not inherently biodegradable.	
<b>Bioaccumulative potential</b>	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.	
<b>Mobility in soil</b>	No data available.	
<b>Other adverse effects</b>	Oil spills are generally hazardous to the environment.	

## 13. Disposal considerations


<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

<b>TDG</b>	
<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Distillates (petroleum), hydrotreated light)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary hazard</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	E3
<b>Special precautions for user</b>	Not assigned.
<b>IATA</b>	
<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally hazardous substance, liquid, n.o.s. (Distillates (petroleum), hydrotreated light)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary hazard</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	No.
<b>ERG Code</b>	9L
<b>Special precautions for user</b>	Not assigned.
<b>Other information</b>	
<b>Passenger and cargo aircraft</b>	Allowed with restrictions.
<b>Cargo aircraft only</b>	Allowed with restrictions.
<b>IMDG</b>	
<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Distillates (petroleum), hydrotreated light)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary hazard</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	No.
<b>Marine pollutant</b>	No.
<b>EmS</b>	F-A, S-F

**Special precautions for user** Not assigned.  
**Transport in bulk according to** Not available.  
**Annex II of MARPOL 73/78 and**  
**the IBC Code**

**IATA; IMDG; TDG**



**General information** Not regulated as dangerous goods.

## 15. Regulatory information

**Canadian regulations** This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

### **Canada Controlled Drugs and Substances Act, Schedule I**

Not regulated.

### **Canada Controlled Drugs and Substances Act, Schedule II**

Not regulated.

### **Canada Controlled Drugs and Substances Act, Schedule III**

Not regulated.

### **Canada Controlled Drugs and Substances Act, Schedule IV**

Not regulated.

### **Canada Controlled Drugs and Substances Act, Schedule V**

Not regulated.

### **Canada Controlled Drugs and Substances Act, Schedule VI**

Not regulated.

### **Canada Controlled Drugs and Substances Act, Schedule VII**

Not regulated.

### **Canada Controlled Drugs and Substances Act, Schedule VIII**

Not regulated.

### **Export Control List (CEPA 1999, Schedule 3)**

Not listed.

### **Greenhouse Gases**

Not listed.

### **Precursor Control Regulations**

Not regulated.

## **International regulations**

### **Stockholm Convention**

Not listed.

### **Rotterdam Convention**

Not listed.

### **Kyoto Protocol**

Not listed.

### **Montreal Protocol**

Not listed.

### **Basel Convention**

Not listed.

## International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s).  
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information

<b>Issue date</b>	31-December-2025
<b>Version No.</b>	01
<b>Disclaimer</b>	Ergon Refining, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.