

**1. Identification**

<b>Product identifier</b>	HyGold P40
<b>Other means of identification</b>	
<b>CAS number</b>	64742-46-7
<b>Recommended use</b>	Metalworking Fluids, Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy Duty Engine Oil, Bar & Chain, Carriers & Diluents, Engine Oil.
<b>Recommended restrictions</b>	None known.
<b>Manufacturer/Importer/Supplier/Distributor information</b>	
<b>Company:</b>	Ergon, Inc.
<b>Address:</b>	P.O. Box 1639 Jackson, MS 39215
<b>E-mail:</b>	sds@ergon.com
<b>Emergency Contacts</b>	
<b>Customer service:</b>	1-800-222-7122
<b>CHEMTREC:</b>	1-800-424-9300 After Business Hours (North America Only) 1-703-527-3887 After Business Hours (International)

**2. Hazard identification**

<b>Physical hazards</b>	Not classified.
<b>Health hazards</b>	Acute toxicity, inhalation Category 4
	Skin corrosion/irritation Category 2
	Aspiration hazard Category 1
<b>Environmental hazards</b>	Hazardous to the aquatic environment, long-term hazard Category 2
<b>Label elements</b>	
<b>Signal word</b>	Danger
<b>Hazard statement</b>	May be fatal if swallowed and enters airways. Causes skin irritation. Harmful if inhaled. Toxic to aquatic life with long lasting effects.
<b>Precautionary statement</b>	
<b>Prevention</b>	Avoid breathing vapours. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves.
<b>Response</b>	Call a poison centre/doctor if you feel unwell. IF SWALLOWED: Immediately call a POISON CENTRE/doctor. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Collect spillage.
<b>Storage</b>	Store locked up.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Supplemental information</b>	None.
<b>Other hazards</b>	None known.

### 3. Composition/information on ingredients

#### Substances

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), hydrotreated middle		64742-46-7	≤100
<b>Composition comments</b>	All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.		

### 4. First-aid measures

#### Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a poison centre or doctor/physician if you feel unwell.

#### Skin contact

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

#### Eye contact

Rinse with water. Get medical attention if irritation develops and persists.

#### Ingestion

Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

#### Most important symptoms/effects, acute and delayed

Aspiration may cause pulmonary oedema and pneumonitis. Skin irritation. May cause redness and pain.

#### Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

#### General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 5. Fire-fighting measures

#### Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

#### Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

#### Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

#### Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

#### Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

#### Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

#### General fire hazards

No unusual fire or explosion hazards noted.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapours and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

#### Methods and materials for containment and cleaning up

The product is immiscible with water and will spread on the water surface. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13.

**Environmental precautions**

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

**7. Handling and storage****Precautions for safe handling**

Avoid inhalation of vapours and spray mists. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities**

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

**8. Exposure controls/personal protection****Occupational exposure limits****US. ACGIH Threshold Limit Values (TLV)**

Additional components	Type	Value	Form
Oil mist, mineral	TWA	5 mg/m <sup>3</sup>	Inhalable fraction.

**Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2), as amended**

Additional components	Type	Value	Form
Oil mist, mineral	STEL	10 mg/m <sup>3</sup>	Mist.
	TWA	5 mg/m <sup>3</sup>	Mist.

**Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)**

Additional components	Type	Value	Form
Oil mist, mineral	TWA	1 mg/m <sup>3</sup>	Mist.

**Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act), as amended**

Additional components	Type	Value	Form
Oil mist, mineral	TWA	5 mg/m <sup>3</sup>	Inhalable fraction.

**Canada. New Brunswick OELs: Threshold Limit Values (TLVs) Based on the 1991 and 1997 ACGIH TLVs and BEIs Publication (New Brunswick Regulation 91-191)**

Additional components	Type	Value	Form
Oil mist, mineral	TWA	5 mg/m <sup>3</sup>	Inhalable fraction.

**Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended**

Additional components	Type	Value	Form
Oil mist, mineral	TWA	5 mg/m <sup>3</sup>	Inhalable fraction.

**Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety), as amended**

Additional components	Type	Value	Form
Oil mist, mineral	TWA	5 mg/m <sup>3</sup>	Inhalable dusts and mists.

**Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended**

Additional components	Type	Value
Oil mist, mineral	15 minute	10 mg/m <sup>3</sup>
	8 hour	5 mg/m <sup>3</sup>

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls**

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Chemical respirator with organic vapour cartridge and full facepiece.

<b>Skin protection</b>	
<b>Hand protection</b>	Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves.
<b>Other</b>	Wear appropriate chemical resistant clothing.
<b>Respiratory protection</b>	Chemical respirator with organic vapour cartridge and full facepiece.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>General hygiene considerations</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

<b>Physical state</b>	Liquid.
<b>Form</b>	Liquid.
<b>Colour</b>	Colourless.
<b>Odour</b>	Hydrocarbon-like.
<b>Melting point/freezing point</b>	-11.6 °C (11.12 °F) ASTM D5949/ ISO 3016
<b>Boiling point or initial boiling point and boiling range</b>	212.78 °C (415 °F) ASTM D2887/ ISO 3294
<b>Flammability</b>	Will burn if involved in a fire.
<b>Upper/lower flammability or explosive limits</b>	
<b>Explosive limit - lower (%)</b>	Not determined.
<b>Explosive limit – upper (%)</b>	Not determined.
<b>Flash point</b>	128.3 °C (263.0 °F) Cleveland open cup ASTM D92/ ISO 2592
<b>Auto-ignition temperature</b>	Not determined.
<b>Decomposition temperature</b>	Not determined.
<b>pH</b>	Not applicable.
<b>Kinematic viscosity</b>	3.36 cSt ASTM D2161 (40 °C (104 °F))
<b>Solubility</b>	
<b>Solubility (water)</b>	Insoluble in water.
<b>Partition coefficient (n-octanol/water) (log value)</b>	Not applicable.
<b>Vapour pressure</b>	0.4 kPa (40 °C (104 °F))
<b>Density and/or relative density</b>	
<b>Relative density</b>	0.81 (15 °C (59 °F))
<b>Vapour density</b>	Not determined.
<b>Particle characteristics</b>	
<b>Particle size</b>	Not applicable, material is a liquid.

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Contact with incompatible materials.
<b>Incompatible materials</b>	Strong oxidising agents.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	Harmful if inhaled.
-------------------	---------------------

<b>Skin contact</b>	Causes skin irritation.
<b>Eye contact</b>	Direct contact with eyes may cause temporary irritation.
<b>Ingestion</b>	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Aspiration may cause pulmonary oedema and pneumonitis. Skin irritation. May cause redness and pain.

#### Information on toxicological effects

<b>Acute toxicity</b>	Harmful if inhaled.
<b>Product</b>	<b>Species</b>

Distillates (petroleum), hydrotreated middle (CAS 64742-46-7)

<u>Acute</u>		<b>Test Results</b>
<b>Dermal</b>		
LD50	Rabbit	> 2000 mg/kg, 24 Hours
<b>Inhalation</b>		
<i>Aerosol</i>		
LC50	Rat	4.6 mg/l, 4 Hours
<i>Vapour</i>		
Point estimate*		11 mg/l
<b>Oral</b>		
LD50	Rat	> 5000 mg/kg

\* Point estimate = Converted acute toxicity point estimate

<b>Skin corrosion/irritation</b>	Causes skin irritation.
<b>Serious eye damage/eye irritation</b>	Direct contact with eyes may cause temporary irritation.

#### Respiratory or skin sensitisation

<b>Respiratory sensitisation</b>	Not a respiratory sensitisier.
<b>Skin sensitisation</b>	This product is not expected to cause skin sensitisation.
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Carcinogenicity</b>	Not classifiable as to carcinogenicity to humans.

#### ACGIH Carcinogens

Highly refined mineral oil (CAS -) A4 Not classifiable as a human carcinogen.

#### Canada - Manitoba OELs: carcinogenicity

Highly refined mineral oil (CAS -) Not classifiable as a human carcinogen.

#### Canada - New Brunswick OELs: Carcinogen category

Highly refined mineral oil (CAS -) A4: Not classifiable as a human carcinogen

#### Canada - Quebec OELs: Carcinogen category

Highly refined mineral oil (CAS -) Suspected carcinogenic effect in humans.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Highly refined mineral oil (CAS -) 3 Not classifiable as to carcinogenicity to humans.

<b>Reproductive toxicity</b>	This product is not expected to cause reproductive or developmental effects.
------------------------------	--

<b>Specific target organ toxicity - single exposure</b>	Not classified.
---	-----------------

<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
---	-----------------

<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways.
--------------------------	---

<b>Chronic effects</b>	Prolonged inhalation may be harmful.
------------------------	--------------------------------------

## 12. Ecological information

<b>Ecotoxicity</b>	Toxic to aquatic life with long lasting effects.
<b>Persistence and degradability</b>	No data is available on the degradability of this substance.
<b>Bioaccumulative potential</b>	No data available.
<b>Mobility in soil</b>	No data available.
<b>Other adverse effects</b>	Oil spills are generally hazardous to the environment.

## 13. Disposal considerations

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

### TDG

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Distillates (petroleum), hydrotreated middle)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary hazard</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	E3
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.

### IATA

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	Environmentally hazardous substance, liquid, n.o.s. (Distillates (petroleum), hydrotreated middle)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary hazard</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	No.
<b>ERG Code</b>	9L
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Other information</b>	
<b>Passenger and cargo aircraft</b>	Allowed with restrictions.
<b>Cargo aircraft only</b>	Allowed with restrictions.

### IMDG

<b>UN number</b>	UN3082
<b>UN proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Distillates (petroleum), hydrotreated middle)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary hazard</b>	-
<b>Packing group</b>	III
<b>Environmental hazards</b>	No.
<b>Marine pollutant</b>	No.

EmS

F-A, S-F

Special precautions for user


Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and  
the IBC Code

IATA; IMDG; TDG



General information

IMDG Regulated Marine Pollutant.

## 15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

**Canada Controlled Drugs and Substances Act, Schedule I**

Not regulated.

**Canada Controlled Drugs and Substances Act, Schedule II**

Not regulated.

**Canada Controlled Drugs and Substances Act, Schedule III**

Not regulated.

**Canada Controlled Drugs and Substances Act, Schedule IV**

Not regulated.

**Canada Controlled Drugs and Substances Act, Schedule V**

Not regulated.

**Canada Controlled Drugs and Substances Act, Schedule VI**

Not regulated.

**Canada Controlled Drugs and Substances Act, Schedule VII**

Not regulated.

**Canada Controlled Drugs and Substances Act, Schedule VIII**

Not regulated.

**Export Control List (CEPA 1999, Schedule 3)**

Not listed.

**Greenhouse Gases**

Not listed.

**Precursor Control Regulations**

Not regulated.

**International regulations**

**Stockholm Convention**

Not listed.

**Rotterdam Convention**

Not listed.

**Kyoto Protocol**

Not listed.

**Montreal Protocol**

Not listed.

**Basel Convention**

Not listed.

## International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s).  
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information

Issue date	02-January-2026
Version No.	01
Disclaimer	Ergon Refining, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.