

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or	HyPrene P35N
designation of the mixture	
Registration number	-
Synonyms	None.
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Tire Oils, Rubber Compounding, Automotive & Industrial Hoses, Dedusting, Plasticizer, Titanium Dioxide Wash, Compressor Wash Oils, Hydraulic Fracturing Oil, Adhesives, Carpet Backing, Feed Stock for White Oil, Refrigeration Oil, Diluents and Carriers, Carbon Black, Banbury Dust Stop, Defoamers, Sealants, Belts & Hoses, Coatings, Leather Tanning, Agriculture Oils.
Uses advised against	None known.
1.3. Details of the supplier of t	the safety data sheet
MANUFACTURER:	Ergon, Inc.
	P.O. Box 1639
	Jackson, MS 39181 USA
EU Contact:	Ergon International, Inc.
	Drève Richelle 161 Building C
	B-1410 Waterloo, Belgium
Emergency Phone	, 3
Numbers:	
US Customer Service:	+ 1-800-222-7122
CHEMTREC:	+ 1-800-424-9300 After Business Hours (North America)
	+ 1-703-5273887 (International),
	+32-28083237 (Belgium)
	+33-975181407 (France)
	+49-69643508409 (Germany)
	+39-0245557031 (Italy)
	+34-931768545 (Spain)
E-mail:	sds@ergon.com
Poison Centre (Centre Antipoisons - Belgium):	+32022649636

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards		
Aspiration hazard	Category 1	H304 - May be fatal if swallowed
		and enters airways.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons, Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of petroleum fraction by solvent crystallization. It consists predominantly of petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h
Hazard pictograms	

Signal word Hazard statements Danger

H304	May be fatal if swallowed and enters airways.
Precautionary statements	
Prevention	
P260	Do not breathe gas/fumes/vapour/spray.
Response	
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician.
P331	Do NOT induce vomiting.
Storage	
P405	Store locked up.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	None.
2.3. Other hazards	None known.
SECTION 3: Composition	on/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No	o. Index No.	Notes
Distillates (petroleum), solvent-dewaxed light paraffin Baseoil — unspecified [compl comination of hydrocarbons o by removal of normal paraffin petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbon	ex btained s from a	64742-56-9 265-159-2	-	649-469-00-9	
Classifi	cation: Carc. 1B;H	350, Asp. Tox. 1;H	304		L
Distillates (petroleum), solvent-dewaxed heavy paraff Baseoil — unspecified [compl combination of hydrocarbons obtained by removal of norma paraffins from a petroleum fra solvent crystallization. It consi predominantly of hydrocarbon	ex Il Iction by sts	64742-65-0 265-169-7	01-2119471299-27	649-474-00-6	
	cation: Carc. 1B;H3	350			L
Composition comments	extract for total po		n. Meets EU requirement of ompound (PAC) using IP 34		v) DMSO
SECTION 4: First aid mea General information		if discomfort contin			
			ues.		
4.1. Description of first aid me Inhalation		Oxygen or artificial	respiration if needed. IF ex	posed or concerne	d: Get medica
Skin contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.				
Eye contact	Flush thoroughly with water. If irritation occurs, get medical assistance.				
Ingestion	Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a poison control centre immediately.				
4.2. Most important symptoms and effects, both acute and delayed	Defatting of the sk	in.			
4.3. Indication of any immediate medical attention and special treatment needed	Treat symptomatic	cally.			
SECTION 5: Firefighting	measures				

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media Suitable extinguishing media	Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
5.2. Special hazards arising from the substance or mixture	No unusual fire or explosion hazards noted.
5.3. Advice for firefighters Special protective equipment for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.
Special fire fighting procedures	Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Keep unnecessary personnel away. Wear appropriate personal protective equipment. Avoid breathing mist/vapours.
For emergency responders	Keep unnecessary personnel away. Avoid breathing mist/vapours. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13.

SECTION 7: Handling and storage

	DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.
7.2. Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Store in a well-ventilated place. Use care in handling/storage.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Material	Туре	Value	Form
HyPrene P35N	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Belgium. OEL. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1 - Chemical agents, as amended

Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Bulgaria. OELs. Ordinance No 13 (amended	on protection of workers a	gainst risks of exposure to c	hemical agents at work, as
Material	Туре	Value	
HyPrene P35N	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), solvent-dewaxed heavy	TWA	5 mg/m3	

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It	TWA	5 mg/m3
by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light	TWA	5 mg/m3
paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)		

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended)

Material	туре	value
HyPrene P35N	Ceiling	1000 mg/m3
	TWA	200 mg/m3

Czech Republic. Occupational exposure limit values of chemicals at work (Decree on protection of health at work, 361/2007, Annex 2, Part A & Annex 3, Part A, as amended) Components Type Value Form

361/2007, Annex 2, Part A & Anı Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	Ceiling	10 mg/m3	
	TWA	5 mg/m3	A 1
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)	Ceiling	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Denmark. Work Environment Au Material	thority. Exposure Limits for Type	Substances & Materials, An Value	nex 2 Form
HyPrene P35N	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum),		1	NA: -+
solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	TLV	1 mg/m3	Mist.
solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS	TLV	1 mg/m3	Mist.
solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9) Finland. HTP-arvot, App 3., Bindi	TLV ng Limit Values, Social Affa	1 mg/m3	
solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)	TLV	1 mg/m3	Mist.

Finland. HTP-arvot, App 3., Bind Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	TWA	5 mg/m3	Mist.
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)	TWA	5 mg/m3	Mist.

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG), as updated

Material	Туре	Value	Form
HyPrene P35N	TWA	5 mg/m3	Respirable fraction.
Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light	TWA	5 mg/m3 5 mg/m3	Respirable fraction. Respirable fraction.
paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)			
Greece. OELs, Presidential Decre Material	e No. 307/1986, as amended Type	Value	Form
HyPrene P35N	TWA	5 mg/m3	Mist.

Greece. OELs, Presidential Decree No. 307/1986, as amended

Components	Type	Value	Form	
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	TWA	5 mg/m3	Mist.	
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)	TWA	5 mg/m3	Mist.	

Hungary. OELs. Decree on protection of workers exposed to chemical agents (5/2020. (II.6)), Annex 1&2, as amended

Components	Туре	Value	
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	TWA	5 mg/m3	
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)	TWA	5 mg/m3	
Hungary. OELs. Joint Decree on Cher	mical Safety of Workplaces		
Material	Туре	Value	Form
HyPrene P35N	Ceiling	5 mg/m3	Mist.
Iceland. OELs. Regulation 390/2009 amended	on Pollution Limits and Measure	s to Reduce Pollut	ion at the Workplace, as
Material	Туре	Value	Form
HyPrene P35N	TWA	1 mg/m3	Mist.

Iceland. OELs. Regulation 390/2009 on Pollution Limits and Measures to Reduce Pollution at the Workplace, as amended

Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	TWA	1 mg/m3	Mist.
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)	TWA	1 mg/m3	Mist.

Ireland. OELVs, Schedules 1 & 2, Code of Practice for Chemical Agents and Carcinogens Regulations Material Type Value Form

Flatenal	Type	Value	
HyPrene P35N	TWA	5 mg/m3	Inhalable fraction.
Italy. OELs (Legislative Decree n Material	a.81, 9 April 2008), as amen Type	ded Value	Form
HyPrene P35N	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 54742-56-9)	TWA	5 mg/m3	Inhalable fraction.
Latvia. OELs. Occupational Expos Annex 1), as amended			. No. 325/ 2007, L.V. 80,
Material	Туре	Value	
HyPrene P35N	TWA	5 mg/m3	

Latvia. OELs. Occupational Exposure Limits of Chemical Substances at Workplace (Reg. No. 325/ 2007, L.V. 80, Annex 1), as amended

Components	Туре	Value
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	TWA	5 mg/m3
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)	TWA	5 mg/m3

Lithuania. OELs. Occupational Exposure Limit Values for Chemical Substances (Hygiene Norm HN 23:2011; Order No. V-824/A1-389), as amended

Material	Туре	Value	Form
HyPrene P35N	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	STEL	3 mg/m3 1 mg/m3	Fume and mist.
Distillator (noturlaum)		-	
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Netherlands. OELs per Annex XI	II of Working Conditions Re	egulation (Staatscourant no	. 252, 29 December 2006),
as amended Material	Туре	Value	Form
HyPrene P35N	TWA	5 mg/m3	Mist.
nyriene radin	IVVA	5 mg/m3	MISL.

Netherlands. OELs per Annex XIII of Working Conditions Regulation (Staatscourant no. 252, 29 December 2006), as amended

Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	TWA	5 mg/m3	Mist.
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)	TWA	5 mg/m3	Mist.

Norway. Regulation No. 1358 on Measures and Limit Values for Physical and Chemical Factors in Work Environment and Infection Groups for Biological Factors, as amended

Material	Туре	Value	Form	
HyPrene P35N	TLV	1 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	TLV	1 mg/m3	Mist.	
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)	TLV	1 mg/m3	Mist.	

Poland. Maximum permissible concentrations and intensities of harmful factors in the work environment (Dz.U.Poz. 1286/2018, Annex 1)

(Dz.U.Poz. 1286/2018, Annex 1) Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum),	TWA	0 ppm 5 mg/m3	Inhalable fraction. Inhalable fraction.
solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)			
		0 ppm	Inhalable fraction.
Portugal. VLEs. Norm on occupat Material	ional exposure to chemical Type	agents (NP 1796-2014) Value	Form
HyPrene P35N	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)	TWA	5 mg/m3	Inhalable fraction.
Romania. OELs. Limit Values of C	hemical Agents at Workpla	ce (Regulation 1.218/2006	, M.O 845, Annex 1, 3&4, a
amended)	- •	-	

Material	Туре	Value	
HyPrene P35N	STEL	10 mg/m3	
	TWA	5 mg/m3	

Romania. OELs. Limit Values of Chemical Agents at Workplace (Regulation 1.218/2006, M.O 845, Annex 1, 3&4, as amended)

Components	Туре	Value	
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	STEL	10 mg/m3	
	TWA	5 mg/m3	
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)	STEL	10 mg/m3	
	TWA	5 mg/m3	
Clauskie OELa Mavimum narmi	asihla avraguna limita fan d	hemiaal factors in workplace air (Deculatio	- No

Slovakia. OELs. Maximum permissible exposure limits for chemical factors in workplace air (Regulation No 355/2006, Annex 1, Table 1, as amended)

Material	Туре	Value	Form
HyPrene P35N	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
Spain. OELs. INSST, Límites de l	Exposición Profesional Para	Agentes Químicos, Table 1-	Valores Límites
Ambientales (VLAs) Material	Туре	Value	Form
HyPrene P35N	STEL	10 mg/m3	Mist.
	0.22	10	

5 mg/m3

Mist.

TWA

Spain. OELs. INSST, Límites de Exposición Profesional Para Agentes Químicos, Table 1-Valores Límites Ambientales (VLAs)

Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Sweden. OELs (Annex 1). Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2018:1), as amended

Material	Туре	Value	Form
HyPrene P35N	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)	STEL	3 mg/m3	Mist.
-	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenzwerte am Material	a Arbeitsplatz: Aktuelle MAK-Werte Type	Value	Form
HyPrene P35N	TWA	5 mg/m3	Inhalable fraction.

Switzerland. SUVA Grenzwerte am Arbeitsplatz: Aktuelle MAK-Werte

Components	Туре	Value	Form
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)	TWA	5 mg/m3	Inhalable fraction.
ological limit values	No biological exposure limits noted for	the ingredient(s).	
commended monitoring ocedures	Not available.		
rived no effect levels NELs)	Not available.		
edicted no effect ncentrations (PNECs)	Not available.		
posure guidelines			
Austria MAK: Skin designat	tion		
Baseoil — unspecified [cd hydrocarbons obtained by from a petroleum fraction consists predominantly of (CAS 64742-65-0)	y removal of normal paraffins by solvent crystallization. It hydrocarbons	-	
Baseoil — unspecified [cc hydrocarbons obtained by from a petroleum fraction consists predominantly of (CAS 64742-56-9)	y removal of normal paraffins by solvent crystallization. It hydrocarbons h	absorbed through the skin.	
Belgium OELs: Skin design	ation		
Baseoil — unspecified [cd hydrocarbons obtained by from a petroleum fraction consists predominantly of (CAS 64742-65-0)	removal of normal paraffins by solvent crystallization. It hydrocarbons	-	
Baseoil — unspecified [cc hydrocarbons obtained by from a petroleum fraction consists predominantly of (CAS 64742-56-9)	omplex comination of removal of normal paraffins by solvent crystallization. It hydrocarbons h	absorbed through the skin.	
Croatia ELVs: Skin designa			
Baseoil — unspecified [con hydrocarbons obtained by	removal of normal paraffins by solvent crystallization. It	absorbed through the skin.	

Distillates (petroleum), solvent-dewaxed light paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9) **Czech Republic PELs: Skin designation** Distillates (petroleum), solvent-dewaxed heavy paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9) Denmark GV: Skin designation Distillates (petroleum), solvent-dewaxed heavy paraffinic; Can be absorbed through the skin. Baseoil - unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9) Estonia OELs: Skin designation Distillates (petroleum), solvent-dewaxed heavy paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9) EU. OELs from Annex III, Part A to Directive 2004/37/EC: Skin designation Distillates (petroleum), solvent-dewaxed heavy paraffinic; Can be absorbed through the skin. Baseoil - unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9) France INRS: Skin designation

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)

France Mandatory OELs (VLEP): Skin designation

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)

Iceland OELs: Skin designation

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)

Ireland Exposure Limit Values: Skin designation

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9) Warnie OFL or Chin designation

Lithuania OELs: Skin designation

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)

Netherlands OELs (binding): Skin designation

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)

Romania OELs: Skin designation

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)

Slovakia OELs for Carcinogens and Mutagens: Skin designation

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)

Slovenia. CMR. Protection of workers from exposure to carcinogen and mutagen agents (ULRS 101/2005, as amended)

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9) Bedon Threehold Limit Values: Skin designation

Sweden Threshold Limit Values: Skin designation

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic; Can be absorbed through the skin. Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)

8.2. Exposure controls

propriate engineering htrols	Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.
lividual protection measure General information	es, such as personal protective equipment
General Information	Not available.
Eye/face protection	Goggles/face shield are recommended.
Skin protection	
- Hand protection	Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves. When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable. (Breakthrough time of > 240 minutes.) For incidental contact/splash protection Neoprene, PVC gloves may be suitable.
- Other	Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.

Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.
Environmental exposure controls	Not available.

SECTION 9: Physical and chemical properties

SECTION 5. Thysical and	
9.1. Information on basic phys	ical and chemical properties
Physical state	Liquid.
Form	Liquid.
Colour	Water White or Pale
Odour	Hydrocarbon-like.
Melting point/freezing point	-17,14 °C (1,14 °F) ASTM D5949/ ISO 3016
Boiling point or initial boiling point and boiling range	271,67 °C (521 °F) ASTM D2887/ ISO 3294
Flammability	Not available.
Upper/lower flammability or e	xplosive limits
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Flash point	190,6 °C (375,0 °F) Cleveland open cup ASTM D92/ ISO 2592
Auto-ignition temperature	>315,56 °C (>600 °F) ASTM E659
Decomposition temperature	Not available.
рН	Not available.
Kinematic viscosity	Not available.
Solubility	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water) (log value)	Not established.
Vapour pressure	Not available.
Density and/or relative density	/
Relative density	0,86 (15,56 °C (60 °F) ASTM D4052/ ISO 12185)
Vapour density	Not available.
Particle characteristics	Not available.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.
9.2.2. Other safety characteris	tics
Viscosity	13,09 cSt (40 °C (104 °F) ASTM D445/ ISO 3104)
SECTION 10: Stability ar	nd reactivity
10.1. Reactivity	The product is stable and non-reactive under normal conditions of u

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Stable.
10.3. Possibility of hazardous reactions	Hazardous polymerisation does not occur.
10.4. Conditions to avoid	Heat, flames and sparks. Avoid temperatures exceeding the flash point.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.
SECTION 11: Toxicologic	al information

SECTION 11: Toxicological information

General information	Not available.
Information on likely routes of	fexposure
Inhalation	May be fatal if swallowed and enters airways.
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.
Eye contact	May be irritating to eyes.

Material name: HyPrene P35N - Ergon International 6091 Version #: 01 Issue date: 31-October-2023

Ingestion	May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration. May be fatal if swallowed and enters airways.
Symptoms	Defatting of the skin. Coughing. Shortness of breath. Discomfort in the chest.
11.1. Information on hazard c	lasses as defined in Regulation (EC) No 1272/2008
Acute toxicity	Not applicable.
Skin corrosion/irritation	May cause defatting of the skin, but is neither an irritant nor a sensitizer.
Serious eye damage/eye irritation	Not classified. May cause minor irritation on eye contact.
Respiratory sensitisation	Not classified.
Skin sensitisation	Not classified. May cause defatting of the skin, but is not an irritant.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Note L - Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	May be fatal if swallowed and enters airways.
Mixture versus substance information	Not available.
11.2. Information on other ha	zards
Endocrine disrupting properties	Not available.
Other information	Risk of chemical pneumonia after aspiration.
SECTION 12: Ecological	information
12.1. Toxicity	Not expected to be harmful to aquatic organisms.

12.1. ToxicityNot expected to be harmful to aquatic organisms.12.2. Persistence and
degradabilityNot inherently biodegradable.12.3. BioaccumulativeBioaccumulation is unlikely to be significant because of the low water solubility of this product

12.3. Bioaccumulative potential	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.
Partition coefficient n-octanol/water (log Kow)	Not established.
Bioconcentration factor (BCF) Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvl assessment	3 Not a PBT or vPvB substance or mixture.
12.6. Endocrine disrupting properties	Not available.
12.7. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.
EU waste code	Not applicable. Waste codes should be assigned by the user based on the application for which the product was used.
Disposal methods/information	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

14.1. UN number Not regulated as dangerous goods.

14.2. UN proper shipping Not regulated as dangerous goods. name 14.3. Transport hazard class(es) Class Not assigned. Subsidiary hazard Hazard No. (ADR) Not assigned. Tunnel restriction code Not assigned. 14.4. Packing group 14.5. Environmental No. hazards 14.6. Special precautions Not assigned. for user RID 14.1. UN number Not regulated as dangerous goods. Not regulated as dangerous goods. 14.2. UN proper shipping name 14.3. Transport hazard class(es) Class Not assigned. Subsidiary hazard 14.4. Packing group 14.5. Environmental No. hazards 14.6. Special precautions Not assigned. for user ADN 14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods. name 14.3. Transport hazard class(es) Class Not assigned. Subsidiary hazard 14.4. Packing group 14.5. Environmental No. hazards 14.6. Special precautions Not assigned. for user ΙΑΤΑ 14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods. name 14.3. Transport hazard class(es) Class Not assigned. Subsidiary hazard 14.4. Packing group 14.5. Environmental No. hazards 14.6. Special precautions Not assigned. for user IMDG 14.1. UN number Not regulated as dangerous goods. 14.2. UN proper shipping Not regulated as dangerous goods. name 14.3. Transport hazard class(es) Class Not assigned. Subsidiary hazard 14.4. Packing group 14.5. Environmental hazards Marine pollutant No. EmS Not assigned. 14.6. Special precautions Not assigned. for user 14.7. Maritime transport in Not available. bulk according to IMO instruments **General information** Not regulated as dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use, as amended - Conditions of restriction given for the associated entry number should be considered

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0)

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex I, as amended Not listed

Regulation 2019/1148 on Marketing and Use of Explosive Precursors, Annex II, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. Germany: WGK 1

National regulations France regulations

France INRS Table of Occupational Diseases

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified [complex combination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons (CAS 64742-65-0) Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified [complex comination of basedeenee base of the percent of normal paraffinic; Baseoil — unspecified [complex comination of basedeenee base of the percent of normal paraffinic; Baseoil — unspecified [complex comination of basedeenee base of the percent of normal paraffinic; Baseoil — unspecified [complex comination of basedeenee based based

Baseoil — unspecified [complex comination of hydrocarbons obtained by removal of normal paraffins from a petroleum fraction by solvent crystallization. It consists predominantly of hydrocarbons h (CAS 64742-56-9)

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

Inventory status		
Country(s) or region	Inventory name On inve	entory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compor	pents of this product comply with the inventory requirements administered by the governing c	ountry(s)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16: Other information

List of abbreviations	Not available.
References	ACGIH IARC Monographs. Overall Evaluation of Carcinogenicity ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics ILO Safety Cards International Labour Organization International Maritime Organization Marine Pollutants List NFPA Hazardous Chemical Data Sheets NIOSH Pocket Guide Registry of Toxic Effects of Chemical Substances (RTECS) US DOT Hazardous Materials Regulations
Information on evaluation method leading to the classification of mixture	Not available.
Full text of any statements, which are not written out in full under sections 2 to 15	H304 May be fatal if swallowed and enters airways. H350 May cause cancer.
Revision information	Product and Company Identification: Product and Company Identification SECTION 2: Hazards identification: Disposal SECTION 2: Hazards identification: Storage SECTION 3: Composition/information on ingredients: Composition comments SECTION 6: Accidental release measures: For emergency responders SECTION 6: Accidental release measures: For non-emergency personnel SECTION 7: Handling and storage: 7,1. Precautions for safe handling SECTION 8: Exposure controls/personal protection: Respiratory protection SECTION 8: Exposure controls/personal protection: Thermal hazards Physical & Chemical Properties: Multiple Properties SECTION 10: Stability and reactivity: 10,1. Reactivity SECTION 11: Toxicological information: Carcinogenicity SECTION 11: Toxicological information: Reproductivity
Training information	Not available.
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.