SAFETY DATA SHEET



1. Identification

Product identifier	TTS Novolac Grout Resin A (All Colors)		
Other means of identification	None.		
Recommended use	Not available.		
Recommended restrictions	None known.		
Manufacturer/Importer/Suppl	ier/Distributor information		
Company Name	ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.		
Address	2829 Lakeland Drive		
	Jackson, MS 39232		
	USA		
After hours telephone number	1-800-222-7122		
Normal work hours telephone number	1-877-982-7667		
Website	www.ergonarmor.com		
E-mail	sds@ergon.com		
Emergency 24-hour telephone number	CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887		
Information on operation hours	8:00 a.m. to 5:00 p.m.		

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, inhalation	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	
Label elements	\wedge	



Warning

Signal word Hazard statement

Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

Precautionary statement Prevention

Keep container tightly closed. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling.

Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Get medical advice/attention. Immediately call a POISON CENTER or doctor/physician. Collect spillage. Hazardous to the aquatic environment. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. If eye irritation persists: Get medical advice/attention.
Storage	Store in a well-ventilated place. Keep container tightly closed.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
PHENOL-FORMALDEHYDE POLYME GLYCIDYL ETHER	R	28064-14-4	70 - 90
1-METHOXYPROPAN-2-OL		107-98-2	5 - 15
BUTYL GLYCIDYL ETHER		2426-08-6	1 - 5
CRESYL GLYCIDYL ETHER		2210-79-9	1 - 5
EPICHLOROHYDRIN		106-89-8	< 1

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately. Call a POISON CENTER or doctor/physician if you feel unwell. Call a physician if symptoms develop or persist.
Skin contact	Remove and isolate contaminated clothing and shoes. Immediately flush skin with plenty of water. For minor skin contact, avoid spreading material on unaffected skin. If skin irritation occurs: Get medical advice/attention. Wash clothing separately before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Never give anything by mouth to a victim who is unconscious or is having convulsions. Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Do not use mouth-to-mouth method if victim ingested the substance.
Most important symptoms/effects, acute and delayed	Irritation of eyes and mucous membranes. Prolonged exposure may cause chronic effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Irritant effects. May cause allergic skin reaction. Corrosive effects.
Indication of immediate medical attention and special treatment needed	In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Take off contaminated clothing and shoes immediately. IF exposed or concerned: Get medical advice/attention. Wash contaminated clothing before reuse.
E Eiro-fighting monouro	

5. Fire-fighting measures

Suitable extinguishing media	Water fog.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Fire may produce irritating, corrosive and/or toxic gases. By heating and fire, harmful vapors/gases may be formed.

Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Structural firefighters protective clothing will only provide limited protection. Wear suitable protective equipment.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use standard firefighting procedures and consider the hazards of other involved materials. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also consider initial evacuation for 800 meters (1/2 mile) in all directions. ALWAYS stay away from tanks engulfed in flame. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. Move containers from fire area if you can do so without risk. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Water runoff can cause environmental damage.
Specific methods	In the event of fire and/or explosion do not breathe fumes. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials. Move container from fire area if it can be done without risk. Use water spray to cool unopened containers.
General fire hazards	Flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Keep upwind. Keep out of low areas. Ventilate closed spaces before entering them. Avoid inhalation of vapors or mists. Avoid skin contact and inhalation of vapors during disposal of spills.
Methods and materials for containment and cleaning up	The product is immiscible with water and will spread on the water surface
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb spillage with non-combustible, absorbent material. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not breathe dust/fume/gas/mist/vapors/spray. Do not get this material in contact with eyes. Do not get this material in contact with skin. Do not get this material on clothing. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash hands thoroughly after handling. Avoid release to the environment.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in a well-ventilated place. Store in original tightly closed container. Keep container dry. Store in a closed container away from incompatible materials. Keep away from food, drink and animal feedingstuffs. Store in accordance with local/regional/national/international regulation.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for A Components	Type	Value	
BUTYL GLYCIDYL ETHER (CAS 2426-08-6)	PEL	270 mg/m3	
		50 ppm	

Components	Туре	
EPICHLOROHYDRIN (CAS 106-89-8)	PEL	19 mg/m3
		5 ppm
US. ACGIH Threshold Limit Components	: Values Type	Value
 1-METHOXYPROPAN-2-OL	STEL	100 ppm
(CAS 107-98-2)		
	TWA	50 ppm
BUTYL GLYCIDYL ETHER (CAS 2426-08-6)	TWA	3 ppm
EPICHLOROHYDRIN (CAS 106-89-8)	TWA	0.5 ppm
US. NIOSH: Pocket Guide t	o Chemical Hazards	
Components	Туре	Value
1-METHOXYPROPAN-2-OL (CAS 107-98-2)	STEL	540 mg/m3
		150 ppm
	TWA	360 mg/m3
		100 ppm
BUTYL GLYCIDYL ETHER	Ceiling	30 mg/m3
(CAS 2426-08-6)		5.6 ppm
ogical limit values	No biological exposure limit	s noted for the ingredient(s).
osure guidelines		
US - California OELs: Skin	designation	
1-METHOXYPROPAN-2-OI	-	Can be absorbed through the skin.
EPICHLOROHYDRIN (CAS	. ,	Can be absorbed through the skin.
US - Minnesota Haz Subs:		
EPICHLOROHYDRIN (CAS	106-89-8)	Skin designation applies.
US - Tennessee OELs: Skin	designation	
EPICHLOROHYDRIN (CAS US ACGIH Threshold Limit		Can be absorbed through the skin.
BUTYL GLYCIDYL ETHER	-	Can be absorbed through the skin.
EPICHLOROHYDRIN (CAS		Can be absorbed through the skin.
US. OSHA Table Z-1 Limits	for Air Contaminants (29	CFR 1910.1000)
EPICHLOROHYDRIN (CAS	106-89-8)	Can be absorbed through the skin.
propriate engineering trols	Provide adequate ventilatio occupational exposure limit	n, including appropriate local extraction, to ensure that the defined is not exceeded.
ividual protection measure	s, such as personal protec	tive equipment
Eye/face protection	Avoid contact with eyes. W	ear eye/face protection. Chemical goggles are recommended. tain is recommended. Not normally needed.
Skin protection		
Hand protection	Wear protective gloves. No	t normally needed.
Other	clothing. Wear protective g recommended by the manu	Wear appropriate chemical resistant clothing. Wear suitable protectives. Wear chemical protective equipment that is specifically facturer. It may provide little or no thermal protection. Normal wors and long pants) is recommended.

Respiratory protection	Wear suitable respiratory protection. Use personal protective equipment as required. Wear positive pressure self-contained breathing apparatus (SCBA). Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Thermal hazards	Not available.
General hygiene considerations	When using do not smoke. When using, do not eat, drink or smoke. Do not get in eyes. Do not get this material in contact with skin. Do not get this material on clothing. Avoid contact with eyes. Avoid contact with skin. Wash hands after handling. Wash hands before breaks and immediately after handling the product. Keep away from food and drink. Contaminated work clothing should not be allowed out of the workplace. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	N/A
Melting point/freezing point	N/A
Initial boiling point and boiling range	Not established
	246.2 °F (119 °C) estimated
Flash point	> 212.0 °F (> 100.0 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	10.57 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Specific gravity	1.19 @ 25 C
VOC	0.06 % estimated

10. Stability and reactivity

Reactivity	Not available.
Chemical stability	Risk of ignition. Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	None under normal conditions. Heat, flames and sparks. High temperatures.
Incompatible materials	Strong acids. Strong oxidizing agents. Amines.

11. Toxicological information

Information on likely routes of exposure			
Inhalation	May cause irritation to the respiratory system.		
Skin contact	Causes severe skin burns. May cause sensitization by skin contact		
Eye contact	Causes serious eye irritation.		
Ingestion	Causes digestive tract burns. However, ingestion is not likely to be a primary route of occupational exposure.		
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Permanent eye damage including blindness could result. Irritant effects.		

Information on toxicological effects

Acute toxicity	Not established.	
Components	Species	Test Results
1-METHOXYPROPAN-2-OL (CAS	107-98-2)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	13 g/kg
Inhalation		
LC50	Rat	54.6 mg/l, 4 Hours
Oral		
LD50	Rat	5.71 g/kg
BUTYL GLYCIDYL ETHER (CAS 2	2426-08-6)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	0.788 g/kg
Inhalation		
LC50	Rat	> 670 mg/l, 8 Hours
Oral		
LD50	Rat	2.05 g/kg
CRESYL GLYCIDYL ETHER (CAS	2210-79-9)	
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg
Oral		
LD50	Rat	> 5000 mg/kg
EPICHLOROHYDRIN (CAS 106-8	9-8)	
<u>Acute</u>		
Oral		
LD50	Rat	90 mg/kg
* Estimates for product may	y be based on additional compor	ant data not shown
Skin corrosion/irritation	Corrosive to skin and eyes.	
Serious eye damage/eye		
irritation		
Respiratory or skin sensitiza	tion	
ACGIH sensitization		
N-BUTYL GLYCIDYL ET	HER (BGE) (CAS 2426-08-6)	Dermal sensitization
Respiratory sensitization	n Not available.	
Skin sensitization	May cause sensitization by s	in contact. May cause an allergic skin reaction.
Material name: TTS Novolac Grout		q

Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA		
IARC Monographs. Overal	l Evaluation of Carcinogenicity		
EPICHLOROHYDRIN (CAS OSHA Specifically Regulat	,	2A Probably carcinogenic to humans. R 1910.1001-1052)	
Not regulated.			
EPICHLOROHYDRIN (CAS Reproductive toxicity	S 106-89-8) Reasonably Anticipated to be a Human Carcinogen. Not available. Not classified.		
Specific target organ toxicity	Not available.		
- single exposure			
Specific target organ toxicity - repeated exposure	Not available.		
Aspiration hazard	Not available.		
Chronic effects	Not established.		
Further information	Symptoms may be o	ayed.	
12. Ecological information	n		
Ecotoxicity	Accumulation in aquatic organisms is expected. Contains a substance which causes risk of hazardous effects to the environment. Not expected to be harmful to aquatic organisms. Toxic to aquatic life with long lasting effects. Expected to be harmful to aquatic organisms. May cause long-term adverse effects in the environment.		
Components	Spe	es Test Results	
EPICHLOROHYDRIN (CAS 106	5-89-8)		
Aquatic			
Fish	LC50 Fath	d minnow (Pimephales promelas) 9.1 - 12.3 mg/l, 96 hours	
Phenol-formaldehyde po	LYMER GLYCIDYL ETH	R (CAS 28064-14-4)	
Aquatic			
<i>Acute</i> Fish	LC50 Fish	1 10	
FISH	LC30 FISH	1 - 10 mg/l	
* Estimates for product may b	e based on additional	omponent data not shown.	
Persistence and degradability	No data is available	the degradability of this product.	
Bioaccumulative potential	Not available.		
Partition coefficient n-octa BUTYL GLYCIDYL ETHER EPICHLOROHYDRIN	anol / water (log Ko) 0.63 0.45	
Mobility in soil	Not available.	61.0	
Other adverse effects	Not available.		
13. Disposal consideration			
Disposal instructions	Do not discharge into drains, water courses or onto the ground. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Avoid discharge into water courses or onto the ground.		
Contaminated packaging		ld be taken to an approved waste handling site for recycling or disposal. ers may retain product residue, follow label warnings even after container is	

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ


Not regulated as dangerous goods.

IMDG

IMDG	
UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER, CRESYL GLYCIDYL ETHER), MARINE POLLUTANT (EPICHLOROHYDRIN)
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for	Not available.
user	
EPICHLOROHYDRIN	
Transport in bulk according to Annex II of MARPOL 73/78	Not available.

Ar and the IBC Code

IMDG



Marine pollutant



DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200.

One or more components are not listed on TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)	
1-METHOXYPROPAN-2-OL (CAS 107-98-2)	Listed.
EPICHLOROHYDRIN (CAS 106-89-8)	Listed.
SARA 304 Emergency release notification	
EPICHLOROHYDRIN (CAS 106-89-8)	100 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
EPICHLOROHYDRIN	106-89-8	100	1000		
Classified hazard categories	Skin corros Serious eye	ity (any route of ion or irritation e damage or eye r or skin sensitiza	irritation		
SARA 313 (TRI report Not regulated.	ing)				
her federal regulations					
Clean Air Act (CAA) Se	ection 112 Haza	rdous Air Pollu	tants (HAPs) List		
EPICHLOROHYDRIN					
Clean Air Act (CAA) Se	ection 112(r) Ac	cidental Releas	e Prevention (40 CF	R 68.130)	
EPICHLOROHYDRIN	(CAS 106-89-8)				
Safe Drinking Water A (SDWA)	Act Not regulat	ed.			
state regulations		This product con s or other repro		n to the State of Cali	fornia to cause cancer and
California Proposition	65				
California Proposi	tion 65 - CRT: Li	sted date/Car	cinogenic substance		
	DRIN (CAS 106-89-	,	Listed: October 1,		
-		-	e reproductive toxin		
			Listed: September onsumer Products R	•	ode Regs, tit. 22,
1-METHOXYPRO) PAN-2-OL (CAS 1)RIN (CAS 106-89-				
ternational Inventories					
Country(s) or region	Inventory	name			On inventory (yes/no)*
Australia	-		mical Substances (AICS	5)	Yes
Canada	Domestic S	ubstances List ([DSL)		Yes
Canada	Non-Domes	stic Substances L	ist (NDSL)		No
China	Inventory o	of Existing Chemi	cal Substances in China	a (IECSC)	Yes
Europe	European I (EINECS)	nventory of Exist	ing Commercial Chemi	cal Substances	Yes
Europe	European L	ist of Notified Ch	emical Substances (EL	INCS)	No
Japan	Inventory o	of Existing and Ne	ew Chemical Substance	es (ENCS)	Yes
Korea	Existing Ch	emicals List (ECL	.)		Yes
New Zealand	New Zealar	nd Inventory			Yes
Philippines	Philippine I (PICCS)	nventory of Cher	nicals and Chemical Su	bstances	Yes
Taiwan	Taiwan Che	emical Substance	Inventory (TCSI)		Yes
United States & Puerto R			t (TSCA) Inventory		Yes
*A "Yes" indicates that all o				ate administored by the	

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date

Revision date Version # Further information NFPA ratings	01-02-2020 03 HMIS® is a registered trade and service mark of the NPCA. Health: 2 Flammability: 0 Instability: 0
References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
Disclaimer	This safety data sheet was prepared in accordance with the Safety Data Sheet for Chemica Products (JIS Z 7250:2005). Additional information is given in the Material Safety Data Sheet. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	Product and Company Identification: Alternate Trade Names Hazard(s) identification: Response Hazard(s) identification: Prevention Hazard(s) identification: Supplemental information First-aid measures: Most important symptoms/effects, acute and delayed Handling and storage: Precautions for safe handling Handling and storage: Conditions for safe storage, including any incompatibilities Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data Toxicological information: Reproductivity HazReg Data: International Inventories GHS: Classification