SAFETY DATA SHEET



1. Identification

Product identifier	FLEXJOINT U500 JOINT SEALANT PART A		
Other means of identification	None.		
Recommended use	Joint sealant for expansion joints.		
Recommended restrictions	None known.		
Manufacturer/Importer/Suppl	ier/Distributor information		
Company Name	ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.		
Address	2829 Lakeland Drive		
	Jackson, MS 39232		
	USA		
After hours telephone number	1-800-222-7122		
Normal work hours telephone number	1-877-982-7667		
Website	www.ergonarmor.com		
E-mail	sds@ergon.com		
Emergency 24-hour telephone number	CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887		
Information on operation hours	8:00 a.m. to 5:00 p.m.		

2. Hazard(s) identification

Physical hazards	Not classified.		
Health hazards	Acute toxicity, inhalation	Category 4	
	Skin corrosion/irritation	Category 2	
	Serious eye damage/eye irritation	Category 2	
	Sensitization, respiratory	Category 1	
	Sensitization, skin	Category 1	
	Carcinogenicity	Category 2	
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation	
	Specific target organ toxicity, single exposure	Category 3 narcotic effects	
	Specific target organ toxicity, repeated exposure	Category 2	
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		

SHA defined hazards

Label elements

Signal word Hazard statement

Danger

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. May cause drowsiness or dizziness. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.

Precautionary statement	
Prevention	Avoid breathing dust/fume/gas/mist/vapors/spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required. In case of inadequate ventilation wear respiratory protection.
Response	Call a POISON CENTER or doctor/physician if you feel unwell. Specific treatment see Section 4 of this SDS. Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. Get medical advice/attention if you feel unwell.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ISOCYANATES, REACTION PRODUCT OF POLYOL WITH MEHTYLENEDIPHENYL DIISOCYANATE		9048-57-1	30 - 60
2,4'-DIPHENYLMETHANE DIISOCYANATE (MDI)		5873-54-1	10 - 30
4,4'-DIPHENYLMETHANE DIISOCYANATE (MDI)		101-68-8	10 - 30
PROPYLENE CARBONATE		108-32-7	5 - 10
POLYMERIC DIPHENYLMETHANE DIISOCYANATE (pMDI)		9016-87-9	3 - 7
Other components below reportable	e levels		12.5

4. First-aid measures

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
Skin contact	Remove contaminated clothing. Remove and isolate contaminated clothing and shoes. Immediately flush skin with plenty of water. Wash off with soap and plenty of water. Call a physician or poison control center immediately. For minor skin contact, avoid spreading material on unaffected skin. If skin irritation occurs: Get medical advice/attention. Get medical attention if irritation develops and persists. Wash clothing separately before reuse. An MDI skin decontamination study demonstrated that cleaning very soon after exposure is important, and that a polyglycol-based skin cleanser or corn oil may be more effective than soap and water.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately. Get medical attention if irritation develops and persists.

Ingestion	Never give anything by mouth to a victim who is unconscious or is having convulsions. Rinse mouth thoroughly. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
Most important symptoms/effects, acute and delayed	Irritation of eyes and mucous membranes. Prolonged exposure may cause chronic effects. Irritant effects. May cause allergic respiratory reaction. May cause allergic skin reaction.
Indication of immediate medical attention and special treatment needed	In case of shortness of breath, give oxygen. Oxygen, if needed. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. IF exposed or concerned: Get medical advice/attention. In case of shortness of breath, give oxygen. Keep victim under observation. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Water spray mist or foam.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Use a water spray to cool fire-exposed containers.
Special protective equipment and precautions for firefighters	Wear suitable protective equipment. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk. Do not get water inside container.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material. Ventilate closed spaces before entering them. Ensure adequate ventilation. Avoid inhalation of vapors or mists. Avoid skin contact and inhalation of vapors during disposal of spills.		
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with DRY earth, DRY sand, or other non-combustible material followed with plastic sheet to minimize spreading or contact with rain. Do not get water on spilled substance or inside containers.		
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.		
	Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.		
Environmental precautions	Prevent further leakage or spillage if safe to do so. No special environmental precautions required. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.		
7. Handling and storage			
Precautions for safe handling	In case of insufficient ventilation, wear suitable respiratory equipment. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get this material in contact with eyes. Do not get this material in contact with skin. Do not get this material on clothing. Use personal protective equipment as required. Wash hands thoroughly after handling. Do not empty into drains. Avoid heat, sparks, open flames and other ignition sources. Do not ingest.		
Conditions for safe storage, including any incompatibilities	Store in a well-ventilated place. Keep container tightly closed. Do not store in direct sunlight.		

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	
4,4'-DIPHENYLMETHANE DIISOCYANATE (MDI) (CAS 101-68-8)	Ceiling	0.2 mg/m3	
·		0.02 ppm	
US. ACGIH Threshold Limit	t Values		
Components	Туре	Value	
4,4'-DIPHENYLMETHANE DIISOCYANATE (MDI) (CAS 101-68-8)	TWA	0.005 ppm	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	
4,4'-DIPHENYLMETHANE DIISOCYANATE (MDI) (CAS 101-68-8)	Ceiling	0.2 mg/m3	
		0.02 ppm	
	TWA	0.05 mg/m3	
		0.005 ppm	
ological limit values	No biological exposure limits noted f	or the ingredient(s).	
propriate engineering ntrols	Provide adequate ventilation, includi occupational exposure limit is not ex	ng appropriate local extraction, to ensure that the defined ceeded.	
dividual protection measure	s, such as personal protective equ	lipment	
Eye/face protection		oggles are recommended. Eye wash fountain is recommended ace shield when eye and face contact is possible due to	
Skin protection			
Hand protection	Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves. Nitrile or butyl rubber gloves are recommended. Neoprene gloves. Impervious gloves.		
Other	Avoid contact with the skin. Chemica	al resistant gloves. Wear suitable protective clothing.	
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.		
Thermal hazards	Not available.		
neral hygiene nsiderations	Do not get in eyes. Do not get this material in contact with skin. Wash hands after handling. Keep away from food and drink. Contaminated work clothing should not be allowed out of the workplace Handle in accordance with good industrial hygiene and safety practice.		
Physical and chemical	properties		
pearance	Clear to pale yellow.		

-	
Appearance	Clear to pale yellow.
Physical state	Liquid.
Form	Liquid.
Color	Clear to yellow
Odor	Mild Odor
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	467.6 °F (242 °C)
Flash point	226.4 °F (108.0 °C)
Evaporation rate	Not available.

Flammability (solid, gas)	Not available.
Upper/lower flammability or e	explosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Specific gravity	1.00 - 1.20
10. Stability and reactivi	ty

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport		
Chemical stability	Material is stable under normal conditions.		
Possibility of hazardous reactions	Hazardous polymerization does not occur.		
Conditions to avoid	Avoid temperatures above 450 deg F (230 deg C), potential violent decomposition may occur. Avoid contact with water, as material reacts with water, releasing carbon dioxide which can cause rapid pressure buildup and rupture of closed containers.		
Incompatible materials	Alcohols. Amines. Product may react with strong acids, bases and oxidizing agents. Avoid unintended contact with amines, alcohols, water, moist air and metals such as aluminum, brass, copper, tin, zinc and galvanized metals.		
Hazardous decomposition products	Sulfur oxides. Thermal decomposition in the presence of air may yield carbon monoxide, carbon dioxide, phenolics, ammonia, nitrogen oxides, isocyanates, hydrogen cyanide and other unidentified toxic and/or irritating compounds.		

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause drowsiness and dizziness. May cause irritation to the respiratory system.
Skin contact	Irritating to skin.
Eye contact	Causes serious eye irritation.
Ingestion	Not classified. May cause discomfort if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Irritating to eyes, respiratory system and skin. Irritating to mouth, throat, and stomach. Irritant effects.
Information on toxicological e	ffects

Acute toxicity	Not applicable.
Skin corrosion/irritation	Irritating to skin.
Serious eye damage/eye irritation	Causes serious eye irritation.

Respiratory or skin sensitization Respiratory sensitization May cause sensitization by inhalation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Skin sensitization May cause sensitization by skin contact. May cause an allergic skin reaction. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity mutagenic or genotoxic. Not available. Carcinogenicity Suspected of causing cancer. IARC Monographs. Overall Evaluation of Carcinogenicity 2,4'-DIPHENYLMETHANE DIISOCYANATE (MDI) (CAS 3 Not classifiable as to carcinogenicity to humans. 5873-54-1) 4,4'-DIPHENYLMETHANE DIISOCYANATE (MDI) (CAS 3 Not classifiable as to carcinogenicity to humans. 101-68-8) POLYMERIC DIPHENYLMETHANE DIISOCYANATE (pMDI) 3 Not classifiable as to carcinogenicity to humans. (CAS 9016-87-9) OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens Not listed. **Reproductive toxicity** Not available. Not classified. Specific target organ toxicity Respiratory tract irritation. May cause drowsiness and dizziness. - single exposure Specific target organ toxicity Respiratory system. May cause damage to organs through prolonged or repeated exposure. - repeated exposure Aspiration hazard Not available. **Chronic effects** Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity	Not expected to be harmful to aquatic organisms.	
Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulative potential	Not available.	
Partition coefficient n-octanol / water (log Kow)		
PROPYLENE CARBONATE	-0.41	
Mobility in soil	Not available.	

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations. Do not discharge into drains, water courses or onto the ground.
Waste from residues / unused products	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code General information

If shipped below RQ, this product is not subject to hazardous materials regulations.

15. Regulatory information

15. Regulatory informat	ion		
US federal regulations	This product is a "Hazardou 29 CFR 1910.1200. All components are on the		efined by the OSHA Hazard Communication Standard
TSCA Section 12(b) Expor			
Not regulated.		,,	
TSCA Chemical Action Pla	ns, Chemicals of Concern		
	DIISOCYANATE (MDI) (CAS		iphenyl Diisocyanate (MDI) And Related Compounds RIN 2070-ZA15]
	DIISOCYANATE (MDI) (CAS	Methylene D	iphenyl Diisocyanate (MDI) And Related Compounds RIN 2070-ZA15]
	ETHANE DIISOCYANATE (pMI		iphenyl Diisocyanate (MDI) And Related Compounds RIN 2070-ZA15]
CERCLA Hazardous Substa	ance List (40 CFR 302.4)		-
4,4'-DIPHENYLMETHANE 101-68-8)	DIISOCYANATE (MDI) (CAS	Listed.	
SARA 304 Emergency rele	ase notification		
Not regulated. OSHA Specifically Regulat Not regulated.	ed Substances (29 CFR 19	10.1001-1052)
Superfund Amendments and F SARA 302 Extremely haza		6 (SARA)	
Not listed.			
Classified hazard	Acute toxicity (any route of	exposure)	
categories	Skin corrosion or irritation		
	Serious eye damage or eye		
	Respiratory or skin sensitiza Carcinogenicity		
	Specific target organ toxicit	y (single or repe	ated exposure)
SARA 313 (TRI reporting)			
Chemical name	C	AS number	% by wt.
4,4'-DIPHENYLMETHANE POLYMERIC DIPHENYLM (pMDI)	. ,	.01-68-8 0016-87-9	10 - 30 3 - 7
Other federal regulations			
Clean Air Act (CAA) Section	on 112 Hazardous Air Pollu	tants (HAPs) L	ist
	DIISOCYANATE (MDI) (CAS		
Clean Air Act (CAA) Sectio			40 CFR 68.130)
Not regulated.			
Safe Drinking Water Act (SDWA)	Not regulated.		
US state regulations			forcement Act of 1986 (Proposition 65): This material is ly listed as carcinogens or reproductive toxins.
California Proposition 65			
US. California. Candid 69502.3, subd. (a))	ate Chemicals List. Safer C	Consumer Prod	ucts Regulations (Cal. Code Regs, tit. 22,
2,4'-DIPHENYLMETH 4,4'-DIPHENYLMETH	IANE DIISOCYANATE (MDI) ((IANE DIISOCYANATE (MDI) ((IYLMETHANE DIISOCYANATE	CAS 101-68-8)	16-87-9)
International Inventories		-	
Country(s) or region	Inventory name		On inventory (yes/no)*
Australia	Australian Inventory of Che	mical Substances	
Canada	Domestic Substances List (I		Yes
Canada	Non-Domestic Substances I	•	No

Inventory of Existing Chemical Substances in China (IECSC)

China

Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	04-14-2015
Revision date	09-03-2020
Version #	03
References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	This document has undergone significant changes and should be reviewed in its entirety