# SAFETY DATA SHEET



# 1. Identification

**Product identifier** PENNTROWEL VINYL ESTER RESIN (All Colors)

Other means of identification None.

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

**Address** 2829 Lakeland Drive Jackson, MS 39232

**USA** 

After hours telephone

number

1-800-222-7122

**Normal work hours** 

telephone number

1-877-982-7667

Website www.ergonarmor.com E-mail sds@ergon.com

**Emergency 24-hour** telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation

hours

8:00 a.m. to 5:00 p.m.

# 2. Hazard(s) identification

**Physical hazards** Flammable liquids Category 3 **Health hazards** Acute toxicity, oral Category 4 Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A Carcinogenicity Category 2

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Category 1

Specific target organ toxicity, repeated

exposure

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 



Signal word Warning

**Hazard statement** Flammable liquid and vapor. Harmful if swallowed. May cause damage to organs through

prolonged or repeated exposure. Toxic to aquatic life with long lasting effects. Causes serious eve irritation. May cause respiratory irritation. Causes skin irritation. Suspected of causing cancer.

Toxic to aquatic life.

### **Precautionary statement**

**Prevention** Observe good industrial hygiene practices. Do not breathe mist or vapor. Take precautionary

measures against static discharge. Use only non-sparking tools. Do not eat, drink or smoke when using this product. Use explosion-proof electrical/ventilating/lighting equipment. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid release to the environment. Wear protective gloves/protective clothing/eve protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Ground/bond container and receiving equipment. Use only outdoors or in a well-ventilated area.

Wash thoroughly after handling. Keep container tightly closed.

Wash hands after handling. If skin irritation occurs: Get medical advice/attention. If eye irritation Response

persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. In case of fire: Use appropriate media to extinguish. Specific treatment is urgent (see this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. IF SWALLOWED: Call a

POISON CENTER or doctor/physician if you feel unwell. Collect spillage.

Store away from incompatible materials. Store in a well-ventilated place. Keep container tightly

closed. Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

**Storage** 

None known.

**Supplemental information** Not applicable.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Vinyl Ester Resin		68002-44-8	45 - 55
STYRENE		100-42-5	35 - 45

### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur. Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

**Indication of immediate** medical attention and special treatment needed

Treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire.

media

the chemical

Specific hazards arising from During fire, gases hazardous to health may be formed.

Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters

Move containers from fire area if you can do so without risk.

Fire fighting

equipment/instructions

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards** No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Methods and materials for containment and cleaning up Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Value

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling Conditions for safe storage, including any incompatibilities Avoid prolonged exposure. Observe good industrial hygiene practices. Store in original tightly closed container. Refrigeration recommended.

# 8. Exposure controls/personal protection

### **Occupational exposure limits**

**US. OSHA Table Z-2 (29 CFR 1910.1000)** 

Components	Туре	value	
STYRENE (CAS 100-42-5)	Ceiling	200 ppm	
	TWA	100 ppm	
<b>US. ACGIH Threshold Limit Val</b>	ues		
Components	Туре	Value	
STYRENE (CAS 100-42-5)	STEL	40 ppm	
	TWA	20 ppm	
US. NIOSH: Pocket Guide to Ch	emical Hazards		
Components	Туре	Value	
STYRENE (CAS 100-42-5)	STEL	425 mg/m3	
		100 ppm	
	TWA	215 mg/m3	
		50 ppm	

#### **Biological limit values**

**ACGIH Biological Exposure Indices** 

Components	Value	Determinant	Specimen	Sampling Time
STYRENE (CAS 100-42-5)	40 μg/l	Styrene	Urine	*
	400 mg/g	Mandelic acid plus phenylglyoxylic acid	Creatinine in urine	*

<sup>\* -</sup> For sampling details, please see the source document.

#### **Exposure guidelines**

**US - California OELs: Skin designation** 

STYRENE (CAS 100-42-5) Can be absorbed through the skin.

**US - Minnesota Haz Subs: Skin designation applies** 

STYRENE (CAS 100-42-5) Skin designation applies.

Material name: PENNTROWEL VINYL ESTER RESIN (All Colors)

SDS US

**Appropriate engineering** 

controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

**Eye/face protection** 

Wear safety glasses with side shields (or goggles).

**Skin protection** 

considerations

**Hand protection** Wear protective gloves.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

**General hygiene** Always observe good personal hygiene measures, such as washing after handling the material and

> before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Viscous liquid **Appearance** 

**Physical state** Liquid. **Form** Liquid. Color Light purple Odor Sharp, styrene **Odor threshold** Not available. Ηq Not available.

Melting point/freezing point -23.8 °F (-31 °C) estimated

Initial boiling point and

boiling range

294 °F (145.56 °C)

90.0 - 95.0 °F (32.2 - 35.0 °C) Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower 1.1 % estimated

(%)

Flammability limit -

upper (%)

6.1 % estimated

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressure Not available. Vapor density Not available. 1.04 - 1.06 Relative density 77 °F (25 °C) **Relative density temperature** 

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

914 °F (490 °C) estimated **Auto-ignition temperature** 

**Decomposition temperature** Not available. 250 - 550 cP Viscosity 77 °F (25 °C) Viscosity temperature

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport

Chemical stability Material is stable under normal conditions.

SDS US

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

**Conditions to avoid** 

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**Incompatible materials** 

Strong acids. Aluminum. Peroxides.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected Eve contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

Acute toxicity

**Test Results** Components **Species** STYRENE (CAS 100-42-5) Acute **Inhalation** LC50 Rat 24 mg/l, 4 Hours Oral LD50 Rat 1 g/kg

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

# Respiratory or skin sensitization

**Respiratory sensitization** Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Risk of cancer cannot be excluded with prolonged exposure.

### IARC Monographs. Overall Evaluation of Carcinogenicity

STYRENE (CAS 100-42-5) 2A Probably carcinogenic to humans.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

### US. National Toxicology Program (NTP) Report on Carcinogens

STYRENE (CAS 100-42-5) Reasonably Anticipated to be a Human Carcinogen.

Reproductive toxicity Possible reproductive hazard.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

**Aspiration hazard** Not available.

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects

### 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Product Species Test Results

PENNTROWEL VINYL ESTER RESIN (All Colors)

Aquatic

Fish LC50 Fish 76.195 mg/l, 96 hours estimated

Components Species Test Results

STYRENE (CAS 100-42-5)

**Aquatic** 

Crustacea EC50 Water flea (Daphnia) 42 g/ml, 24 hours
Fish LC50 Sheepshead minnow (Cyprinodon 5.1 - 16 mg/l, 96 hours

variegatus)

**Persistence and degradability** No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

STYRENE 2.95

**Mobility in soil** No data available.

**Other adverse effects**No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

### 14. Transport information

DOT

UN number UN1866

**UN proper shipping name** Resin solution, flammable, MARINE POLLUTANT

Transport hazard class(es)
Class 3
Subsidiary risk Label(s) 3
Packing group III

**Environmental hazards** 

Marine pollutant Yes

Special precautions for

user

Not available.

**Special provisions** B1, B52, IB3, T2, TP1

Packaging exceptions150Packaging non bulk173Packaging bulk242

IATA

UN number UN1866

**UN proper shipping name** Resin solution flammable

Transport hazard class(es)

Class 3
Subsidiary risk Packing group III
Environmental hazards No.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

ERG Code 3L

**Special precautions for** Not available.

user

Other information

**Passenger and cargo** Allowed with restrictions.

aircraft

**Cargo aircraft only** Allowed with restrictions.

**IMDG** 

**UN number** UN1866

**UN proper shipping name** RESIN SOLUTION flammable, MARINE POLLUTANT

Transport hazard class(es)

Class 3
Subsidiary risk Packing group III
Environmental bazards

Environmental hazards
Marine pollutant
F-E, S-E

**Special precautions for** 

Not available.

user

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

DOT



IATA; IMDG



### Marine pollutant



**General information** DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

# 15. Regulatory information

**US federal regulations** All components are on the U.S. EPA TSCA Inventory List.

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

STYRENE (CAS 100-42-5) Listed.

#### SARA 304 Emergency release notification

Not regulated.

# OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312** Yes

**Hazardous chemical** 

**Classified hazard** Flammable (gases, aerosols, liquids, or solids)

**categories** Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

Hazard not otherwise classified (HNOC)

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
STYRENE	100-42-5	35 - 45

### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

STYRENE (CAS 100-42-5)

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

### FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

STYRENE (CAS 100-42-5) Other Flavoring Substances with OSHA PEL's

# **US state regulations**

#### **California Proposition 65**



**WARNING:** California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

### California Proposition 65 - CRT: Listed date/Carcinogenic substance

STYRENE (CAS 100-42-5) Listed: April 22, 2016

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

STYRENE (CAS 100-42-5)

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

Country(s) or region Inventory name On inventory (yes/no)\*

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

Taiwan Chemical Substance Inventory (TCSI)

Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

**Issue date** 04-24-2015 **Revision date** 10-05-2020

Version # 05

NFPA ratings Health: 2

Flammability: 3 Instability: 1

**Disclaimer** The information in the sheet was written based on the best knowledge and experience currently

available.

**Revision information** Hazard(s) identification: Response

Hazard(s) identification: Storage

Hazard(s) identification: Hazard statement

Fire-fighting measures: Specific hazards arising from the chemical Exposure controls/personal protection: Appropriate engineering controls

Physical & Chemical Properties: Multiple Properties

Regulatory Information: United States

HazReg Data: North America

Material name: PENNTROWEL VINYL ESTER RESIN (All Colors)
5915 Version #: 05 Revision date: 10-05-2020 Issue date: 04-24-2015

Yes