

### 1. Identification

Product identifier	CSS-1HLM
Other means of identification	Not available.
Recommended use	Not available.
<b>Recommended restrictions</b>	None known.
Manufacturer/Importer/Suppl	ier/Distributor information
Manufacturer	
Manufacturer:	Ergon Asphalt & Emulsions, Inc.
Address:	P. O. Box 1639
	Jackson, MS 39215-1639
Website:	www.ergonasphalt.com
Telephone:	1-800-222-7122 (Customer Service)
E-mail:	sds@ergon.com
24 hour Emergency (CHEMTREC):	North America 1-800-424-9300; International 1-703-527-3887

### 2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Vapors containing hydrogen sulfide may accumulate during storage or transport. HYDROGEN SULFIDE (H2S) can be harmful or fatal if inhaled.

#### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
ASPHALT		8052-42-4	40 - 100
WATER		7732-18-5	30 - < 40
HYDROCHLORIC ACID		7647-01-0	< 2
Composition comments	Components not listed are either non-hazardous	or below the required di	sclosure threshold.
4. First-aid measures			
Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathir Call a physician if symptoms develop or persist.		
Skin contact	If clothing sticks to the skin, do not remove. Loti asphalt. Wash contact areas with soap and wate		
Eve contact	Immediately fluch ever with plenty of water for a	at least 15 minutes. Pem	ove contact lenses

Eye contactImmediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if<br/>present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.IngestionRinse mouth. DO NOT induce vomiting. Get medical attention immediately. If ingestion of a large<br/>amount does occur, call a poison control center immediately.

Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	

### 5. Fire-fighting measures

Suitable extinguishing media	Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Water. Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.
Fire-fighting equipment/instructions	ALWAYS stay away from tanks engulfed in flame. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with water spray.
Specific methods	In the event of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	This product is miscible in water.	
, , , , , , , , , , , , , , , , , , ,	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Ventilate area and avoid breathing vapors or mist. For large spills, dike far ahead of liquid spill for later disposal. Do not release into sewers or waterways.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Avoid prolonged exposure. Use only in well-ventilated areas. Hydrogen sulfide, a very highly toxic gas, may be present with this material. Keep face clear of tank and/or tank car openings. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before	

Conditions for safe storage,<br/>including anyleaving the work site.Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in<br/>original tightly closed container. Store in a well-ventilated place. Store away from incompatible<br/>materials (see Section 10 of the SDS). Do not allow material to freeze.

#### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

US. OSHA Table Z-1 Limits for Ai	r Contaminants (29 CFR 19:	LO.1000)	
Components	Туре	Value	
HYDROCHLORIC ACID (CAS 7647-01-0)	Ceiling	7 mg/m3	
		5 ppm	

US. ACGIH Threshold Limit Components	: Values Type	Value	Form
ASPHALT (CAS 8052-42-4) HYDROCHLORIC ACID (CAS 7647-01-0)	TWA Ceiling	0.5 mg/m3 2 ppm	Inhalable fraction.
US. NIOSH: Pocket Guide t Components	o Chemical Hazards Type	Value	Form
ASPHALT (CAS 8052-42-4) HYDROCHLORIC ACID (CAS 7647-01-0)	Ceiling Ceiling	5 mg/m3 7 mg/m3 5 ppm	Fume.
Biological limit values Appropriate engineering controls	No biological exposure limits noted for Provide adequate ventilation, including occupational exposure limit is not exce	the ingredient(s). appropriate local extraction,	to ensure that the defined
ndividual protection measure	s, such as personal protective equip	oment	
Eye/face protection	Wear safety glasses; chemical goggles	(if splashing is possible).	
Hand protection	Chemical resistant gloves are recommunity gloves.	ended. If contact with forearn	ns is likely wear gauntlet style
Other	Wear appropriate clothing to prevent a vapor contact. Plastic or rubber gloves		t and repeated or prolonged
Respiratory protection	When workers are facing concentration certified respirators.	ns above the exposure limit the	ney must use appropriate
Thermal hazards	Wear appropriate thermal protective c	lothing, when necessary.	
General hygiene considerations	Always observe good personal hygiene before eating, drinking, and/or smokin remove contaminants.		-

# 9. Physical and chemical properties

	F F
Appearance	Brown to black in color.
Physical state	Liquid.
Form	Liquid.
Color	Black
Odor	Tar-like
Odor threshold	Not available.
рН	2.1 - 4
Melting point/freezing point	150 - 180 °F (65.56 - 82.22 °C) / -173.6 °F (-114.22 °C) estimated
Initial boiling point and boiling range	212 °F (100 °C)
Flash point	400.0 °F (204.4 °C) Cleveland Open Cup
Evaporation rate	< 1
Flammability (solid, gas)	Not available.
Upper/lower flammability or e	xplosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	< 1 mm Hg @ 70C
Vapor density	> 1
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	> 700 °F (> 371.11 °C)
Material name: CSS-1HLM	

Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Flammability class	Flammable IIIB
Percent volatile	< 2 %
Specific gravity	1.03

### 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable under normal temperature conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not overheat product.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product may yield sulfur dioxide, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Hydrogen sulfide.

### **11.** Toxicological information

#### Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Harmful in contact with eyes.
Symptoms related to the physical, chemical and	Direct contact with eyes may cause temporary irritation.

toxicological characteristics

#### Information on toxicological effects

Acute toxicity

Product	Species	Test Results	
CSS-1HLM (CAS Mixture)			
Acute			
Inhalation			
LC50	Mouse	79142.8594 ppm, 1 Hours estimated	
Oral			
LD50	Mouse	2390 g/kg estimated	
	Rabbit	64285.7148 mg/kg estimated	
	Rat	2140 g/kg estimated	
Components	Species	Test Results	
HYDROCHLORIC ACID (CAS	7647-01-0)		
Acute			
Dermal			
LD50	Mouse	1449 mg/kg	
Inhalation			
LC50	Mouse	1108 ppm, 1 Hours	
	Rat	3124 ppm, 1 Hours	
Oral			
LD50	Rabbit	900 mg/kg	
Other			
LD50	Mouse	1449 mg/kg	

 $\ast$  Estimates for product may be based on additional component data not shown.

Skin corrosion/irritationProlonged skin contact may cause temporary irritation.Serious eye damage/eyeHarmful in contact with eyes. None known.irritation

Respiratory or skin sensitization				
Respiratory sensitization	Not available.			
Skin sensitization	May cause skin disorders if co	ntact is repeated or prolonged.		
Germ cell mutagenicity	No data available to indicate p mutagenic or genotoxic.	roduct or any components present at greater than 0.1% are		
Carcinogenicity	Risk of cancer cannot be excluded with prolonged exposure. IARC: occupational exposures to straight-run bitumens and their emissions during road paving are "possibly carcinogenic to humans" (Group 2B)			
IARC Monographs. Overall	Evaluation of Carcinogenici	ty		
ASPHALT (CAS 8052-42-4	4)	2B Possibly carcinogenic to humans.		
HYDROCHLORIC ACID (CAS 7647-01-0)		3 Not classifiable as to carcinogenicity to humans.		
US. OSHA Specifically Reg	ulated Substances (29 CFR 1	910.1001-1050)		
Not listed.				
Reproductive toxicity	Not classified.			
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not available.			
Chronic effects	Prolonged exposure may cause chronic effects.			
Further information	This product has no known adverse effect on human health.			

## 12. Ecological information

Ecotoxicity	Not expected to be harmful to aquatic organisms.
-------------	--

Product		Species	Test Results
CSS-1HLM (CAS Mixt	ure)		
Fish	LC50	Fish	2437.7026 mg/l, 96 hours estimated
Components		Species	Test Results
HYDROCHLORIC ACI	D (CAS 7647-01-0)		
Aquatic			
Fish	LC50	Western mosquitofish (G	ambusia affinis) 282 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

5	5 , 1
<b>Bioaccumulative potential</b>	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations. No components are identified as hazardous wastes. Disposal recommendations are based on uncontaminated material.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company. Not applicable.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

#### 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to<br/>Annex II of MARPOL 73/78<br/>and the IBC CodeNot available.Further informationIf shipped above 212 deg F: "UN3257, Elevated Temperature Liquid, n.o.s. (Asphalt mixture), 9, PG<br/>III"

### 15. Regulatory information

### **US federal regulations** All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

#### Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4)

	, , , , , , , , , , , , , , , , , , ,
ASPHALT (CAS 8052-42-4)	Listed.
HYDROCHLORIC ACID (CAS 7647-01-0)	Listed.
US EPCRA Section 304 Extremely Haz. Subs.	& CERCLA Haz. Subs.: Section 304 EHS reportable quantity
HYDROCHLORIC ACID (CAS 7647-01-0)	5000 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No
	Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

	Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
	HYDROCHLORIC ACID	7647-01-0	5000	500 lbs		
	SARA 311/312 Hazardous chemical	No				
	SARA 313 (TRI report Chemical name	ing)		CAS number	% by wt.	
	HYDROCHLORIC AC	ID		7647-01-0	< 2	
•		ID		/04/-01-0	< 2	
Ot	her federal regulations					
	Clean Air Act (CAA) Se			ants (HAPs) List		
	HYDROCHLORIC AC Clean Air Act (CAA) Se			a Provention (40 CE	P 68 130)	
	HYDROCHLORIC AC	.,		e Prevention (40 CF	K 00.130)	
	Safe Drinking Water A	·	•			
	(SDWA)		<b>:</b>			
	Drug Enforcement	t Administration	(DEA). List 2,	Essential Chemicals	(21 CFR 1310.02(b)	and 1310.04(f)(2)
		C ACID (CAS 7647-				
	DEA Essential Che					
		C ACID (CAS 7647-	,	6545		
	-		. ,	-	Mixtures (21 CFR 13	310.12(c))
	HYDROCHLORI DEA Exempt Chen	C ACID (CAS 7647-	,	20 %WV		
	-	C ACID (CAS 7647-		6545		
			,		a ta tha Stata of Califor	nia ta cauca cancar
05	state regulations		-	Itains a chemical know	n to the State of Califor	nia to cause cancer.
	US. Massachusett		e List			
		8052-42-4) C ACID (CAS 7647-	01.0)			
	US. New Jersey W	•	,	-Know Act		
	-	C ACID (CAS 7647-		500 LBS		
	US. Pennsylvania					
	ASPHALT (CAS					

#### HYDROCHLORIC ACID (CAS 7647-01-0)

#### US. Rhode Island RTK

HYDROCHLORIC ACID (CAS 7647-01-0)

#### **US.** California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

#### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

ASPHALT (CAS 8052-42-4) Listed: January 1, 1990

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	03-23-2015
Version #	01
Further information	HMIS® is a registered trade and service mark of the NPCA.
References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.