## SAFETY DATA SHEET



### 1. Identification

**Product identifier** AC-10 Other means of identification None.

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information Manufacturer: Ergon Asphalt & Emulsions, Inc.

Address: 2829 Lakeland Drive

Jackson, MS 39232

Website: www.ergonasphalt.com

**Telephone:** 1-800-222-7122 (Customer Service)

E-mail: sds@ergon.com

24 hour Emergency

(CHEMTREC):

North America 1-800-424-9300; International 1-703-527-3887

## 2. Hazard(s) identification

**Physical hazards** Not classified. Not classified. **Health hazards Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

\*Hazards not stated here are "Not classified", "Not applicable" or "Classification not possible".

Label elements

**Hazard symbol** None.

Not applicable. Signal word **Hazard statement** Not applicable.

**Precautionary statement** 

**Prevention** Not applicable. Response Not applicable. **Storage** Not applicable. **Disposal** Not applicable. Hazard(s) not otherwise None known.

classified (HNOC)

**Supplemental information** None.

#### 3. Composition/information on ingredients

## **Mixtures**

<b>Chemical name</b>	Common name and synonyms	CAS number	%
ASPHALT		8052-42-4	100

## 4. First-aid measures

**Inhalation** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

Immediately place the affected skin under running water for at least 20 minutes - DO NOT DELAY. Skin contact

Prolonged flushing/cooling is necessary. Ice (or "cold packs") may be used in the event that water is unavailable. Do not attempt to remove the asphalt. Do not place any sheets or towels on top of

the asphalt due to the risk of adhesion. Get immediate medical attention.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention or advice.

Material name: AC-10 SDS US **Ingestion** 

Rinse mouth. DO NOT induce vomiting. Get medical attention immediately. If ingestion of a large

amount does occur, call a poison control center immediately.

Most important symptoms/effects, acute and delaved

Not available.

# 5. Fire-fighting measures

Suitable extinguishing media

Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment

and precautions for firefighters

**Specific methods** 

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.

Fire fighting

equipment/instructions

ALWAYS stay away from tanks engulfed in flame. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Move containers from fire area if you can do so without

risk. In the event of fire, cool tanks with water spray. Use of foam or water may cause frothing. In the event of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with

water spray.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Methods and materials for containment and cleaning up

Dike far ahead of spill for later disposal. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Ventilate area and avoid breathing vapors or mist. For large spills, dike far ahead of liquid spill for later disposal. Do not release into sewers or waterways.

**Environmental precautions** 

Not available.

## 7. Handling and storage

Precautions for safe handling

Avoid contact with molten material. Hydrogen sulfide, a very highly toxic gas, may be present with this material. Keep face clear of tank and/or tank car openings. Do not add water to hot product. This may result in frothing of the mixture causing hot asphalt to overflow the container

Conditions for safe storage, including any incompatibilities

Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a well-ventilated place.

# 8. Exposure controls/personal protection

### Occupational exposure limits

#### **US. ACGIH Threshold Limit Values**

Material	Туре	Value	Form
AC-10	TWA	0.5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
ASPHALT (CAS 8052-42-4)	TWA	0.5 mg/m3	Inhalable fume.
US. NIOSH: Pocket Guide to Che Material	emical Hazards Type	Value	Form
AC-10	Ceiling	5 mg/m3	Fume.
Components	Туре	Value	Form
ASPHALT (CAS 8052-42-4)	Ceiling	5 mg/m3	Fume.

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Appropriate engineering** controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Safety glasses. Wear face shield if there is risk of splashes.

Material name: AC-10 SDS US Skin protection

**Hand protection** Thermally protective, chemical resistant gloves are recommended. If contact with forearms is likely

wear gauntlet style gloves.

Other Normal work clothing (long sleeved shirts and long pants) is recommended. Wear 100% cotton

clothing.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Thermal hazards During product use, there is a risk of thermal burns.

**General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

## 9. Physical and chemical properties

Brown to black in color. **Appearance** 

**Physical state** Liauid.

Semi-solid at ambient temperature **Form** 

Color Black. Odor Tar-like **Odor threshold** Not available. рH Not available. Melting point/freezing point Not available.

Initial boiling point and

boiling range

> 700 °F (> 371.11 °C)

> 450.0 °F (> 232.2 °C) Flash point

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

< 1 mm Hg at 70F Vapor pressure

> 5 Vapor density

Not available. Relative density

Solubility(ies)

Solubility (water) Insoluble **Partition coefficient** Not available.

(n-octanol/water)

**Auto-ignition temperature** > 700 °F (> 371.11 °C)

**Decomposition temperature** Not available. Not available. **Viscosity** 

Other information

Specific gravity 0.98 - 1.04

### 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport

**Chemical stability** Stable under normal temperature conditions. **Possibility of hazardous** 

reactions

Hazardous polymerization does not occur.

Conditions to avoid Do not overheat product.

Material name: AC-10 SDS US 3/6 **Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** Upon decomposition, this product may yield sulfur dioxide, carbon monoxide, carbon dioxide and/or

low molecular weight hydrocarbons. Hydrogen sulfide. products

### 11. Toxicological information

#### Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Molten material will produce thermal burns. Skin contact Eye contact Molten material will produce thermal burns.

Ingestion Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

#### Information on toxicological effects

Not available. Acute toxicity Not available. Skin corrosion/irritation Serious eye damage/eye Not available.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available. Skin sensitization Not available. Germ cell mutagenicity Not available.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

### IARC Monographs. Overall Evaluation of Carcinogenicity

ASPHALT (CAS 8052-42-4) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

### **US. National Toxicology Program (NTP) Report on Carcinogens**

Not listed.

Reproductive toxicity Not available. Specific target organ toxicity Not available.

- single exposure

Specific target organ toxicity Not available.

- repeated exposure

Not available. Aspiration hazard

**Chronic effects** Prolonged inhalation may be harmful.

### 12. Ecological information

**Ecotoxicity** This product has no known eco-toxicological effects.

Persistence and degradability Not available. **Bioaccumulative potential** Not available. Not available. Mobility in soil Other adverse effects Not available.

#### 13. Disposal considerations

**Disposal instructions** Allow molten resin to solidify before disposal. Dispose in accordance with all applicable regulations.

When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

Hazardous waste code Not applicable.

Waste from residues /

Empty containers or liners may retain some product residues. This material and its container must unused products

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging No special precautions.

Material name: AC-10 SDS US

# 14. Transport information

DOT

**UN number** UN3257

**UN proper shipping name** Elevated temperature liquid, n.o.s. (ASPHALT)

**Transport hazard class(es) Class**9

Subsidiary risk - Packing group III

**Special precautions for** Not available.

user

**IATA** 

**UN number** UN3257 **UN proper shipping name** Forbidden

Transport hazard class(es)

**Class** Forbidden

Subsidiary risk

Packing group Not available.

**Environmental hazards** No.

**Special precautions for** Not available.

user

**IMDG** 

**UN number** UN3257

**UN proper shipping name** Elevated temperature liquid, n.o.s. (ASPHALT)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards

Marine pollutant No.

**EmS** Not available. **Special precautions for** Not available.


user

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

DOT; IMDG



**Further information** Shipping Marking: HOT. Transport by air is forbidden when shipped above 212°F (100°C).

## 15. Regulatory information

**US federal regulations** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

ASPHALT (CAS 8052-42-4) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Material name: AC-10 SDS US

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

#### SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

**US state regulations** WARNING: This product contains a chemical known to the State of California to cause cancer.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

 Issue date
 04-21-2017

 Revision date
 04-07-2020

Version # 02

**Further information** HMIS® is a registered trade and service mark of the NPCA.

NFPA ratings Health: 2
Flammability: 1
Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** Physical & Chemical Properties: Multiple Properties

Regulatory Information: United States HazReg Data: International Inventories

Material name: AC-10 SDS US