## SAFETY DATA SHEET



## 1. Identification

**Product identifier BC-1HT** Other means of identification None.

**Recommended use** Anionic water-based asphalt emulsion primarily used as a bond coat

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information Manufacturer: Ergon Asphalt & Emulsions, Inc.

Address: 2829 Lakeland Drive

Jackson, MS 39232

Website: www.ergonasphalt.com

**Telephone:** 1-800-222-7122 (Customer Service)

E-mail: sds@ergon.com

24 hour Emergency

(CHEMTREC):

North America 1-800-424-9300; International 1-703-527-3887

## 2. Hazard(s) identification

**Physical hazards** Not classified. **Health hazards** Not classified. Not classified. **Environmental hazards OSHA** defined hazards Not classified.

**Label elements** 

**Hazard symbol** None. Signal word None.

The mixture does not meet the criteria for classification. **Hazard statement** 

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

Response Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** None.

## 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name             | Common name and synonyms | CAS number | %       |
|---------------------------|--------------------------|------------|---------|
| ASPHALT                   |                          | 8052-42-4  | 40 - 60 |
| WATER                     |                          | 7732-18-5  | 40 - 60 |
| Sodium Chloride           |                          | 7647-14-5  | < 0.2   |
| Other components below re | eportable levels         |            | 1 - < 3 |

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Material name: BC-1HT 1/7

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

**Indication of immediate** medical attention and special

treatment needed

Treat symptomatically.

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Foam. Carbon dioxide (CO2). Water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

**Special protective equipment** and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards** No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use appropriate containment to avoid environmental contamination. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

## 7. Handling and storage

Precautions for safe handling

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Avoid prolonged exposure. Observe good industrial hygiene practices.

## US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components           | Туре | Value   |
|----------------------|------|---------|
| Sodium Chloride (CAS | PEL  | 5 mg/m3 |
| 7647-14-5)           |      |         |

## IIS ACGIH Threshold Limit Values

| Components                         | Туре    | Value     | Form            |
|------------------------------------|---------|-----------|-----------------|
| ASPHALT (CAS 8052-42-4)            | TWA     | 0.5 mg/m3 | Inhalable fume. |
| Sodium Chloride (CAS<br>7647-14-5) | Ceiling | 5 mg/m3   |                 |

Material name: BC-1HT SDS US

**US. NIOSH: Pocket Guide to Chemical Hazards Value Form Type** Components ASPHALT (CAS 8052-42-4) Ceiling 5 mg/m3 Fume. Sodium Chloride (CAS Ceiling 5 mg/m3 7647-14-5) 4.7 ppm

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

**US - California OELs: Skin designation** 

Sodium Chloride (CAS 7647-14-5) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Sodium Chloride (CAS 7647-14-5) Skin designation applies.

**US ACGIH Threshold Limit Values: Skin designation** 

Sodium Chloride (CAS 7647-14-5) Danger of cutaneous absorption

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Sodium Chloride (CAS 7647-14-5) Can be absorbed through the skin.

Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). **Eye/face protection** 

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

remove contaminants.

**General hygiene** considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

9. Physical and chemical properties

**Appearance** Brown to black in color.

**Physical state** Liquid. **Form** Liquid. Color Black

Not available. Odor **Odor threshold** Not available. 10 - 12

Melting point/freezing point Not available.

Initial boiling point and

boiling range

>= 212 °F (>= 100 °C)

Flash point > 212.0 °F (> 100.0 °C)

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits **Explosive limit - lower** Not available.

(%)

**Explosive limit - upper** 

(%)

Not available.

0.00001 hPa estimated Vapor pressure

Not available. Vapor density

Relative density > 1

Solubility(ies)

Solubility (water) Not available.

Material name: BC-1HT 3 / 7

Partition coefficient (n-octanol/water)

Not available.

**Auto-ignition temperature** 

905 °F (485 °C) estimated

**Decomposition temperature** 

Not available.

Viscosity

Not available.

Other information

**Explosive properties**Not explosive. **Oxidizing properties**Not oxidizing. **Specific gravity**0.8 - 1.02

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability
Possibility of hazardous

Material is stable under normal conditions. Hazardous polymerization does not occur.

reactions

riazardous polymenzation does not occur

**Conditions to avoid** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid

temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials
Hazardous decomposition

Strong oxidizing agents.

products

No hazardous decomposition products are known.

## 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact**No adverse effects due to skin contact are expected. **Eye contact**Direct contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

#### Information on toxicological effects

Acute toxicity Not known.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Risk of cancer cannot be excluded with prolonged exposure.

## IARC Monographs. Overall Evaluation of Carcinogenicity

ASPHALT (CAS 8052-42-4) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

#### US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

Material name: BC-1HT SDS US

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Product Species Test Results** BC-1HT **Aquatic** Crustacea EC50 Daphnia 94622.7266, 48 hours estimated Components **Species Test Results** Sodium Chloride (CAS 7647-14-5) **Aquatic** Acute EC50 Crustacea Water flea (Daphnia magna) >= 340.7 - <= 469.2 mg/l, 48 hours

(Oncorhynchus mykiss) Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

**Bioaccumulative potential** No data available. Mobility in soil No data available.

Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation

Rainbow trout, donaldson trout

potential.

LC50

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the

material under controlled conditions in an approved incinerator. Dispose of contents/container in

>= 4747 - <= 7824 mg/l, 96 hours

accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

Fish

unused products

residues. This material and its container must be disposed of in a safe manner (see: Disposal

Dispose of in accordance with local regulations. Empty containers or liners may retain some product

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**Transport in bulk according to** Not established.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard **US federal regulations** 

Communication Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act** (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

ASPHALT (CAS 8052-42-4) Listed.

SARA 304 Emergency release notification

Not regulated.

Material name: BC-1HT SDS US 6909 Version #: 07 Revision date: 09-07-2022 Issue date: 12-05-2019

5/7

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **SARA 302 Extremely hazardous substance**

Not listed.

#### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Sodium Chloride (CAS 7647-14-5)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

#### **US state regulations**

# US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

ASPHALT (CAS 8052-42-4)

#### **California Proposition 65**



**WARNING:** This product can expose you to chemicals including ASPHALT, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

## California Proposition 65 - CRT: Listed date/Male reproductive toxin

Sodium Chloride (CAS 7647-14-5) Listed: July 5, 2013

#### **International Inventories**

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia                   | Australian Inventory of Industrial Chemicals (AICIS)                   | Yes                    |
| Canada                      | Domestic Substances List (DSL)   | Yes                    |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                    |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | Yes                    |
| Korea                       | Existing Chemicals List (ECL)  | Yes                    |
| New Zealand                 | New Zealand Inventory  | Yes                    |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |
| Taiwan                      | Taiwan Chemical Substance Inventory (TCSI)                             | Yes                    |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

 Issue date
 12-05-2019

 Revision date
 09-07-2022

 Version #
 07

NFPA ratings Health: 2

Flammability: 1 Instability: 0

Material name: BC-1HT sps us

6/7

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## **Revision information**

Physical & Chemical Properties: Multiple Properties

Ecological information: Ecotoxicity HazReg Data: North America

GHS: Classification

Material name: BC-1HT SDS US