ERGONE

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HyGold L151

Identification number 649-465-00-7 (Index number)

Registration number 01-2119467170-45

Synonyms None.

16-May-2019 **Issue date**

Version number

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Metalworking Fluids, Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy

Duty Engine Oil, Bar & Chain, Carriers & Diluents, Engine Oil.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

MANUFACTURER: Ergon, Inc.

P.O. Box 1639

Jackson, MS 39181 USA

EU Contact: Ergon International, Inc.

Drève Richelle 161 Building C

B-1410 Waterloo, Belgium

Emergency Phone

Numbers:

US Customer Service: + 1-800-222-7122

Chemtrec: + 1-800-424-9300 After Business Hours (North America)

+ 1-703-527.-3887 (International)

See Section 15 for additional CHEMTREC Hotline Numbers

E-mail: sds@ergon.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended

Hazard summary Not available.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms

Not applicable. Signal word **Hazard statements** Not applicable.

Precautionary statements

Prevention Not available. Response Not applicable. Storage Not applicable. **Disposal** Not applicable.

Supplemental label None.

information

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), hydrone heavy naphthenic	rotreated 100	64742-52-5 265-155-0	01-2119467170-45	649-465-00-7	
Classification:	Carc. 1B;H350				L

SECTION 4: First aid measures

General information Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention and special treatment

Treat symptomatically.

Defatting of the skin.

needed

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB

5.1. Extinguishing media

Suitable extinguishing

media

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or

mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a

fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

Value

7.2. Conditions for safe storage, including any incompatibilities

Use care in handling/storage. Keep away from heat, sparks and open flame. Store in a

well-ventilated place.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium.	Exposure	Limit	Values.
----------	-----------------	-------	---------

Material	Туре	Value	Form	
HyGold L151	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work Material Type Value

	7 •		
HyGold L151	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum),	TWA	5 mg/m3	

hydrotreated heavy naphthenic (CAS 64742-52-5)

Material

64742-52-5)

Czech Republic. OELs. Government Decree 361

Placellal	туре	Value
HyGold L151	Ceiling	1000 mg/m3
	TWA	200 mg/m3

Denmark. Exposure Limit Values

Material	Туре	Value	Form
HyGold L151	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS	TLV	1 mg/m3	Mist.

inland. Workplace Exposure L Components	Туре	Value	Form
istillates (petroleum), odrotreated heavy aphthenic (CAS 4742-52-5)	TWA	5 mg/m3	Mist.
Germany. DFG MAK List (advise Compounds in the Work Area (DFG)	_	
Material	Туре	Value	Form
HyGold L151	TWA	5 mg/m3	Respirable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy Haphthenic (CAS H4742-52-5)	TWA	5 mg/m3	Respirable fraction.
Greece. OELs (Decree No. 90/1 Material	999, as amended) Type	Value	Form
lyGold L151	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
lungary. OELs. Joint Decree or Aaterial	n Chemical Safety of Workplac Type	es Value	Form
lyGold L151	Ceiling	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 14742-52-5)	Ceiling	5 mg/m3	Mist.
Iceland. OELs. Regulation 154/ Material	1999 on occupational exposu Type	re limits Value	Form
lyGold L151	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposure Material	e Limits Type	Value	Form
HyGold L151	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 54742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Italy. Occupational Exposure L Material	imits Type	Value	Form
HyGold L151	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS	TWA	5 mg/m3	Inhalable fraction.

Material	Туре	Value	Form
HyGold L151	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Netherlands. OELs (binding) Material	Туре	Value	Form
HyGold L151	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms Material	for Contaminants in the Wor Type	kplace Value	Form
HyGold L151	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy	TLV	1 mg/m3	Mist.
naphthenic (CAS 64742-52-5) Ordinance of the Minister of La and intensities of harmful heal Material	th factors in the work environ		
64742-52-5) Ordinance of the Minister of La and intensities of harmful heal Material	th factors in the work enviror	nment, Journal of Laws 201 Value	4, item 817 Form
64742-52-5) Ordinance of the Minister of La and intensities of harmful heal Material HyGold L151	th factors in the work enviror Type TWA	nment, Journal of Laws 201	4, item 817
64742-52-5) Ordinance of the Minister of La and intensities of harmful heal Material	th factors in the work enviror	nment, Journal of Laws 201 Value 5 mg/m3	4, item 817 Form Inhalable fraction.
Ordinance of the Minister of La and intensities of harmful heal Material HyGold L151 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS	th factors in the work environ Type TWA Type TWA	nment, Journal of Laws 201 Value 5 mg/m3 Value 5 mg/m3	4, item 817 Form Inhalable fraction. Form
Ordinance of the Minister of Land intensities of harmful heal Material HyGold L151 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occup	Type TWA Type TWA Type TWA Type TWA	nment, Journal of Laws 201 Value 5 mg/m3 Value 5 mg/m3 agents (NP 1796)	A, item 817 Form Inhalable fraction. Form Inhalable fraction.
Ordinance of the Minister of Land intensities of harmful heal Material HyGold L151 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occup	th factors in the work environ Type TWA Type TWA TWA Type TWA Type TWA Pational exposure to chemical Type	nment, Journal of Laws 201 Value 5 mg/m3 Value 5 mg/m3 agents (NP 1796) Value	4, item 817 Form Inhalable fraction. Form Inhalable fraction. Form
Ordinance of the Minister of Land intensities of harmful heal Material HyGold L151 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occup Material HyGold L151	Type TWA Type TWA Type TWA TWA TWA TWA TWA TWA TWA TW	nment, Journal of Laws 201 Value 5 mg/m3 Value 5 mg/m3 agents (NP 1796) Value 5 mg/m3	Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction.
Ordinance of the Minister of Land intensities of harmful heal Material HyGold L151 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occup Material HyGold L151 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Type TWA Type TWA Type TWA TWA TWA TWA Type TWA Type TWA Type TWA Type TWA Type TWA Type	nment, Journal of Laws 201 Value 5 mg/m3 Value 5 mg/m3 agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 Value 5 mg/m3	Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction.
Ordinance of the Minister of La and intensities of harmful heal Material HyGold L151 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occup Material HyGold L151 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of Name of	Type TWA Type TWA Type TWA TWA TWA TWA TYPE	sment, Journal of Laws 201 Value 5 mg/m3 Value 5 mg/m3 agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 Value 5 mg/m3 Value	Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction.
Ordinance of the Minister of Land intensities of harmful heal Material HyGold L151 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occup Material HyGold L151 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material	Type TWA Type TWA Type TWA TWA TWA Type	sment, Journal of Laws 201 Value 5 mg/m3 Value 5 mg/m3 agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 value 5 mg/m3	Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction.
Ordinance of the Minister of Land intensities of harmful heal Material HyGold L151 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occup Material HyGold L151 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material	TWA Type TWA Type TWA Type TWA Type TWA Type TWA Type TWA Type TWA Type TWA Type TWA Type TWA Type TWA Type TWA Type TWA	sment, Journal of Laws 201 Value 5 mg/m3 Value 5 mg/m3 agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 value 10 mg/m3	Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction.
Ordinance of the Minister of Land intensities of harmful heal Material HyGold L151 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occup Material HyGold L151 Components Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyGold L151 HyGold L151 HyGold L151	Type TWA Type TWA Type TWA TWA Type TWA	sment, Journal of Laws 201 Value 5 mg/m3 Value 5 mg/m3 agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3	Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction.

Material	n No. 300/2007 concerning protect Type	Value	Form
HyGold L151	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Spain. Occupational Expo	sure Limits Type	Value	Form
HyGold L151	STEL	10 mg/m3	Mist.
TIYOUU LIJI	TWA	5 mg/m3	Mist.
Components	Type	s mg/ms Value	MISC. Form
	-		
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
•	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Envi Material	ronment Authority (AV), Occupation Type	nal Exposure Limit Values Value	(AFS 2015:7) Form
HyGold L151	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenz	werte am Arbeitsplatz		
Material	Туре	Value	Form
HyGold L151	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
ogical limit values	No biological exposure limits noted fo	r the ingredient(s).	
ommended monitoring cedures	Not available.		
ived no effect levels ELs)	Not available.		
dicted no effect centrations (PNECs)	Not available.		
Exposure controls			
ropriate engineering trols	Provide adequate ventilation, includin occupational exposure limit is not exc		to ensure that the define
ividual protection measur General information	es, such as personal protective equi Not available.	pment	

Goggles/face shield are recommended.

Eye/face protection

Skin protection

- Hand protection Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves. When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable. (Breakthrough time of > 240 minutes.) For incidental contact/splash protection Neoprene, PVC

gloves may be suitable.

- Other Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Respiratory protection Under normal conditions, respirator is not normally required. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators. No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for combined particulate/organic gases and vapours [boiling point >65 °C (149 °F)]

Thermal hazards Not available.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

Environmental exposure

controls

Not available.

meeting EN14387.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear & bright

Physical state Liquid. **Form** Liquid.

Colour Light Amber to Golden Odour Mild Petroleum Odor

Odour threshold Not available. pН Not applicable

-41 °C (-41,8 °F) ASTM D 5949 Melting point/freezing point

Initial boiling point and

boiling range

> 371,11 °C (> 700 °F) ASTM D 2887/ ISO 3294

Flash point 161,0 °C (321,8 °F) Pensky-Martens Closed Cup

172.0 °C (341.6 °F) Cleveland open cup ASTM D 92/ ISO 2592

Evaporation rate Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit -

Not available.

upper (%)

Vapour pressure Not available.

Vapour density > 5

Relative density 0,902 (15,56 °C (60 °F) ASTM D 4052/ ISO 12185)

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not established.

(n-octanol/water)

Auto-ignition temperature > 315,56 °C (> 600 °F) ASTM E 659

Decomposition temperature Not available.

Viscosity 28,8 cSt (40 °C (104 °F) ASTM D 445/ ISO 3104)

Explosive properties Not available. Not available. **Oxidising properties**

9.2. Other information No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity Strong oxidising agents.

10.2. Chemical stability Stable.

10.3. Possibility of hazardous Hazardous polymerisation does not occur.

reactions

10.6. Hazardous

10.4. Conditions to avoid Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong oxidising agents.

decomposition products weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available. Information on likely routes of exposure

Inhalation May be harmful if inhaled. However, this product does not currently meet the criteria for

classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis

Eye contact May be irritating to eyes.

May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may Ingestion

increase risk of product aspiration.

Symptoms Not available. 11.1. Information on toxicological effects

Acute toxicity Not classified.

Skin corrosion/irritation Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

Not classified.

Respiratory sensitisation Not classified. Skin sensitisation Not classified.

Germ cell mutagenicity Non-mutagenic based on Modified Ames Assay.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Nota L - Meet:

EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

using IP 346.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard

Not classified.

Mixture versus substance

information

Not available.

Not available. Other information

SECTION 12: Ecological information

12.1. Toxicity Not expected to be harmful to aquatic organisms.

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient

n-octanol/water (log Kow)

Not established.

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil Not available.

12.5. Results of PBT and

Not a PBT or vPvB substance or mixture.

vPvB assessment

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

ground.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

EU waste codeNot applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

Disposal Disposal recommendations are based on material as supplied. Disposal must be in accordance with

methods/information current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC

Code

General information Not regulated as dangerous goods.

Not available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006

On inventory (yes/no)*

Yes

National regulations Germany: WGK 1

15.2. Chemical safety

No Chemical Safety Assessment has been carried out.

Australian Inventory of Chemical Substances (AICS)

assessment

Australia

International Inventories Country(s) or region

Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

SECTION 16: Other information

List of abbreviations Not available. References **ACGIH**

IARC Monographs, Overall Evaluation of Carcinogenicity

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

ILO Safety Cards

Inventory name

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

Information on evaluation method leading to the classification of mixture

Not available.

Full text of any H-statements not written out in full under

H350 May cause cancer.

Sections 2 to 15 **Revision information**

Product and Company Identification: Alternate Trade Names

Physical & Chemical Properties: Multiple Properties

Training information Not available.

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Further information

Local CHEMTREC Numbers: CHEMTREC China: 4001-204937

CHEMTREC EU (Brussels): +(32)-28083237 CHEMTREC Indonesia: 001-803-017-9114 CHEMTREC Malaysia: +(60)-327884561 CHEMTREC Mexico: 1-800-681-9531 CHEMTREC Singapore: +(65)-31581349