ERGONE

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HyPrint 40

Identification number 649-466-00-2 (Index number)

Registration number 01-2119484819-18

Synonyms None.

27-June-2018 **Issue date**

Version number

Revision date 07-June-2021 Supersedes date 21-February-2020

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Pigments; Printing Inks

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

MANUFACTURER: Ergon, Inc.

P.O. Box 1639

Jackson, MS 39181 USA

EU Contact: Ergon International, Inc.

> Drève Richelle 161 Building C B-1410 Waterloo, Belgium

Emergency Phone

Numbers:

US Customer Service: + 1-800-222-7122

Chemtrec: + 1-800-424-9300 After Business Hours (North America)

+ 1-703-527.-3887 (International)

See Section 15 for additional CHEMTREC Hotline Numbers

E-mail: sds@ergon.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classificatio applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

H315 - Causes skin irritation. Skin corrosion/irritation Category 2

Specific target organ toxicity - single exposureCategory 3 narcotic effects H336 - May cause drowsiness or

dizziness.

Aspiration hazard Category 1 H304 - May be fatal if swallowed

and enters airways.

Hazard summary May be fatal if swallowed and enters airways. Causes skin irritation. May cause central nervous

system effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Distillates (petroleum), hydrotreated light

Hazard pictograms

Signal word Danger

Hazard statements

Material name: HyPrint 40

5497 Version #: 05 Revision date: 07-June-2021 Issue date: 27-June-2018

May be fatal if swallowed and enters airways. H304

Causes skin irritation. H315

May cause drowsiness or dizziness. H336

Precautionary statements

Prevention

Keep out of reach of children. P102

Do not breathe gas/fumes/vapour/spray. P260

Avoid breathing mist/vapor. P261 Wash thoroughly after handling. P264

Use only outdoors or in a well-ventilated area. P271

Avoid release to the environment. P273

Wear protective gloves/protective clothing/eye protection/face protection P280

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTRE/doctor if you feel unwell. P312 If skin irritation occurs: Get medical advice/attention. P332 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364 IF exposed or concerned: Get medical advice/attention. P308 + P313 Do NOT induce vomiting. P331

Storage

Store in a well-ventilated place. Keep container tightly closed P403 + P233

P405 Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations P501

Supplemental label

information

None.

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Distillates (petroleum), h light	ydrotreated	<=100	64742-47-8 265-149-8	01-2119484819-18	649-422-00-2	
Classification:	Asp. Tox. 1;H3	04, Aqua	tic Chronic 2;H411			

SECTION 4: First aid measures

General information Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Flush thoroughly with water. If irritation occurs, get medical assistance. **Eye contact**

Ingestion Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both

acute and delayed

Defatting of the skin.

4.3. Indication of any immediate medical attention and special treatment

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an media

extinguisher, as this will spread the fire.

Material name: HyPrint 40 SDS EU Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Rolaium	Exposure	Limit \	Values
Belgium.	exposure	LIMIT	vaiues.

Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated light (CAS	TWA	200 mg/m3	Vapour.	
64742-47-8)				

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work Components Type Value

Distillates (petroleum), TWA 300 mg/m3 hydrotreated light (CAS 64742-47-8)

Czech Republic. OELs. Government Decree 361

Material	Туре	Value
HyPrint 40	Ceiling	1000 mg/m3

Material name: HyPrint 40 SDS EU

Czech Republic. OELs. Government Decree 361			
Material	Туре	Value	
	TWA	200 mg/m3	
Denmark. Exposure Limit Value	es		
Material	Туре	Value	Form
HyPrint 40	TLV	1 mg/m3	Mist.
Finland. Workplace Exposure L	imits		
Material	Туре	Value	Form
HyPrint 40	TWA	5 mg/m3	Mist.
Components	Туре	Value	
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	TWA	500 mg/m3	

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Compounds in the Work Area (DFG Components	i) Type	Value	Form
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	TWA	5 mg/m3	Respirable aerosol fraction
		350 mg/m3	Vapour.
		50 ppm	Vapour.
Hungary. OELs. Joint Decree on Ch Material	emical Safety of Workplac Type	es Value	Form
HyPrint 40	Ceiling	5 mg/m3	Mist.
Iceland. OELs. Regulation 154/199 Material	99 on occupational exposu Type	re limits Value	Form
HyPrint 40	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposure Lir Material	nits Type	Value	Form
HyPrint 40	TWA	5 mg/m3	Inhalable fraction.
Italy. Occupational Exposure Limit Material	s Type	Value	Form
HyPrint 40	TWA	5 mg/m3	Inhalable fraction.
Lithuania. OELs. Limit Values for C Components	Chemical Substances, Gene Type	eral Requirements Value	
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	STEL	500 mg/m3	
· · · · · · · · · · · · · · · · · · ·	TWA	350 mg/m3	
Netherlands. OELs (binding) Material	Туре	Value	Form
HyPrint 40	TWA	5 mg/m3	Mist.
Norway. Administrative Norms for Material	Contaminants in the Work Type	cplace Value	Form
HyPrint 40	TLV	1 mg/m3	Mist.
Components	Туре	Value	
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	TLV	275 mg/m3	
•		40 ppm	

Material name: HyPrint 40 SDS EU

5497 Version #: 05 Revision date: 07-June-2021 Issue date: 27-June-2018

Components	I health factors in the work environm Type	Value	,
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	STEL	300 mg/m3	
	TWA	100 mg/m3	
Portugal. VLEs. Norm on o	occupational exposure to chemical ag Type	gents (NP 1796) Value	Form
HyPrint 40	STEL	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Slovakia. OELs. Regulatio Material	n No. 300/2007 concerning protection Type	on of health in work with Value	chemical agents Form
HyPrint 40	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
Spain. Occupational Expo	sure Limits		
Material	Туре	Value	Form
HyPrint 40	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	TWA	200 mg/m3	
Sweden. OELs. Work Envi Material	ronment Authority (AV), Occupation	al Exposure Limit Values (Value	(AFS 2015:7) Form
HyPrint 40	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	STEL	500 mg/m3	
	TWA	350 mg/m3	
Switzerland. SUVA Grenze Components	werte am Arbeitsplatz Type	Value	
Distillates (petroleum), hydrotreated light (CAS 64742-47-8)	STEL	700 mg/m3	
· -,	TWA	350 mg/m3	
ogical limit values	No biological exposure limits noted for	the ingredient(s).	
ommended monitoring cedures	Not available.	• •	
ived no effect levels IELs)	Not available.		
dicted no effect centrations (PNECs)	Not available.		
			to another that the define
ropriate engineering	Provide adequate ventilation, including occupational exposure limit is not exce		to ensure that the defined
ropriate engineering trols		eded.	to ensure that the defined
	occupational exposure limit is not exce es, such as personal protective equip	eded. oment	to ensure that the defined

Material name: HyPrint 40

- Other Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Under normal conditions, respirator is not normally required. When workers are facing Respiratory protection

concentrations above the exposure limit they must use appropriate certified respirators.

Thermal hazards Not available.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

Environmental exposure

controls

Not available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Clear & bright **Appearance Physical state** Liquid. **Form** Liquid. Colour Not available.

Odour Mild Petroleum Odor

Odour threshold Not available. Not applicable.

Melting point/freezing point Initial boiling point and

boiling range

Flash point

-85 °C (-121 °F) ASTM D5949/ ISO 3016 228 °C (442,4 °F) ASTM D2887/ ISO 3294

104,0 °C (219,2 °F) Pensky-Martens Closed Cup ASTM D93/ ISO 2719

113,0 °C (235,4 °F) Cleveland open cup ASTM D92/ ISO 2592

Evaporation rate Not available. Not available. Flammability (solid, gas) Vapour pressure Not available. Vapour density Not available.

0,86 (15,56 °C (60 °F) ASTM D4052) Relative density

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not established.

(n-octanol/water)

Auto-ignition temperature > 315,56 °C (> 600 °F) ASTM E659

Decomposition temperature Not available.

Viscosity 3,3 cSt (40 °C (104 °F) ASTM D445/ ISO 3104)

Explosive properties Not available. Oxidising properties Not available.

9.2. Other information No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity Strong oxidising agents.

Stable. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

decomposition products weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available. Information on likely routes of exposure

Inhalation May be fatal if swallowed and enters airways.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis

Eye contact May be irritating to eyes.

Material name: HyPrint 40 SDS EU 5497 Version #: 05 Revision date: 07-June-2021 Issue date: 27-June-2018

Ingestion May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration. May be fatal if swallowed and enters airways.

Symptoms Defatting of the skin. Coughing. Shortness of breath. Discomfort in the chest.

11.1. Information on toxicological effects

Acute toxicity Not applicable.

Skin corrosion/irritation Irritating to skin.

Serious eye damage/eye

irritation

Not classified. May cause minor irritation on eye contact.

Respiratory sensitisation Not classified. **Skin sensitisation** Not classified.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EL

requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicityContains no ingredient listed as toxic to reproduction

Specific target organ toxicity

- single exposure

Causes central nervous system effects.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard May be fatal if swallowed and enters airways.

Mixture versus substance

information

Not available.

Other information Risk of chemical pneumonia after aspiration.

SECTION 12: Ecological information

12.1. Toxicity The product contains a substance which is harmful to aquatic organisms and which may cause

long-term adverse effects in the aquatic environment.

Product Species Test Results

HyPrint 40

Aquatic

Crustacea EC50 Daphnia magna 1,2 mg/l, 21 days

Components Species Test Results

Distillates (petroleum), hydrotreated light (CAS 64742-47-8)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 2,9 mg/l, 96 hours

(Oncorhynchus mykiss)

Not available. * Estimates for product may be based on additional component data not shown.

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient

n-octanol/water (log Kow)

Not established.

Bioconcentration factor (BCF) Not available. **12.4. Mobility in soil** Not available.

12.5. Results of PBT and

vPvB assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Material name: HyPrint 40 SDS EU

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

ground.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

EU waste code Not applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

Disposal Disposal recommendations are based on material as supplied. Disposal must be in accordance with

methods/information current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

ΤΔΤΔ

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC

Code

General information Not regulated as dangerous goods.

Not available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Material name: HyPrint 40 SDS EU 5497 Version #: 05 Revision date: 07-June-2021 Issue date: 27-June-2018

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006

National regulations Germany: WGK 1

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

SECTION 16: Other information

Not available. List of abbreviations References **ACGIH**

IARC Monographs. Overall Evaluation of Carcinogenicity

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

ILO Safety Cards

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

Information on evaluation method leading to the classification of mixture

Not available.

Full text of any H-statements not written out in full under

Sections 2 to 15

H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects.

Revision information Composition / Information on Ingredients: Disclosure Overrides

> SECTION 8: Exposure controls/personal protection: Respiratory protection SECTION 8: Exposure controls/personal protection: - Hand protection

SECTION 11: Toxicological information: Carcinogenicity

Training information

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge

> information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: HyPrint 40 SDS EU

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

Further information

Local CHEMTREC Numbers: CHEMTREC China: 4001-204937

CHEMTREC EU (Brussels): +(32)-28083237 CHEMTREC Indonesia: 001-803-017-9114 CHEMTREC Malaysia: +(60)-327884561 CHEMTREC Mexico: 1-800-681-9531 CHEMTREC Singapore: +(65)-31581349

Material name: HyPrint 40 5497 Version #: 05 Revision date: 07-June-2021 Issue date: 27-June-2018