

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Name of the substance	HyPrene V175BS
Identification number	649-470-00-4 (Index number)
Registration number	01-2119489287-22
Synonyms	None.
Issue date	13-August-2018
Version number	03
Revision date	04-August-2021
Supersedes date	03-May-2019
1.2. Relevant identified uses of	f the substance or mixture and uses advised against
Identified uses	Tire Oils, Rubber Compounding, Automotive & Industrial Hoses, Dedusting, Plasticizer, Titanium Dioxide Wash, Compressor Wash Oils, Hydraulic Fracturing Oil, Adhesives, Carpet Backing, Feed Stock for White Oil, Refrigeration Oil, Diluents and Carriers, Carbon Black, Banbury Dust Stop, Defoamers, Sealants, Belts & Hoses, Coatings, Leather Tanning, Agriculture Oils.
Uses advised against	None known.
1.3. Details of the supplier of t	he safety data sheet
MANUFACTURER:	Ergon, Inc.
	P.O. Box 1639
	Jackson, MS 39181 USA
EU Contact:	Ergon International, Inc.
	Drève Richelle 161 Building C
	B-1410 Waterloo, Belgium
Emergency Phone Numbers:	
US Customer Service:	+ 1-800-222-7122
Chemtrec:	+ 1-800-424-9300 After Business Hours (North America)
	+ 1-703-5273887 (International)
	See Section 15 for additional CHEMTREC Hotline Numbers
E-mail:	sds@ergon.com

#### **SECTION 2: Hazards identification**

#### **2.1.** Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 as amended

Not available.

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended

Hazard summary	y
----------------	---

#### 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

Eaber according to Regulation	20) Noi 12/2/2000 us unicitada
Contains:	Residual oils (petroleum), hydrotreated
Hazard pictograms	None.
Signal word	Not applicable.
Hazard statements	Not applicable.
Precautionary statements	
Prevention	Not available.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Supplemental label information	None.
2.3. Other hazards	None known.

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### **General information**

Chemical name	%	CAS-No. / EC No.	<b>REACH Registration No.</b>	Index No.	Notes
Residual oils (petroleum), hydrotreated	<=100	64742-57-0 265-160-8	01-2119489287-22	649-470-00-4	
Classification: -					

# **SECTION 4: First aid measures**

General information	Contact physician if discomfort continues.
4.1. Description of first aid me	asures
Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical advice/attention.
Skin contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.
Eye contact	Flush thoroughly with water. If irritation occurs, get medical assistance.
Ingestion	Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a poison control centre immediately.
4.2. Most important symptoms and effects, both acute and delayed	Defatting of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treat symptomatically.

# **SECTION 5: Firefighting measures**

General fire hazards	No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB
5.1. Extinguishing media Suitable extinguishing media	Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	No unusual fire or explosion hazards noted.
5.3. Advice for firefighters Special protective equipment for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.
Special fire fighting procedures	Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a fire.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

• ••••••••• •••••••••••••••••••••	
For non-emergency personnel	Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up	Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8. For waste disposal, see section 13.
SECTION 7: Handling and	d storage
7.1. Precautions for safe handling	Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.
7.2. Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame.

7.3. Specific end use(s) Not available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits

#### Belgium. Exposure Limit Values.

Material	Туре	Value	Form	
HyPrene V175BS	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Components	Туре	Value	Form	
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	

#### Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Material	Туре	Value	
HyPrene V175BS	TWA	5 mg/m3	
Components	Туре	Value	
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	
Czech Republic. OELs. Governm Material	nent Decree 361 Type	Value	Form
HyPrene V175BS	Ceiling	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	Ceiling	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol

#### **Denmark. Exposure Limit Values** Value Form Material Type HyPrene V175BS TLV 1 mg/m3 Mist. Value Form Components Туре Residual oils (petroleum), TLV 1 mg/m3 Mist. hydrotreated (CAS

64742-57-0)

Material	Туре	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Respirable fraction
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Respirable fraction
Greece. OELs (Decree No. 90/1999 Material	9, as amended) Type	Value	Form
			-
HyPrene V175BS <b>Components</b>	TWA <b>Type</b>	5 mg/m3 <b>Value</b>	Mist. <b>Form</b>
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Mist.
Hungary. OELs. Joint Decree on Cl Material	nemical Safety of Workplac Type	es Value	Form
HyPrene V175BS	Ceiling	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	Ceiling	5 mg/m3	Mist.
Iceland. OELs. Regulation 154/19 Material	99 on occupational exposu Type	re limits Value	Form
HyPrene V175BS	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 54742-57-0)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposure Li Material	mits Type	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Inhalable fraction.
Italy. Occupational Exposure Limit Material	ts Type	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 54742-57-0)	TWA	5 mg/m3	Inhalable fraction.
Lithuania. OELs. Limit Values for ( Material	Chemical Substances, Gene Type	ral Requirements Value	Form
HyPrene V175BS	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS	STEL	3 mg/m3	Fume and mist.
64742-57-0)			

Netherlands. OELs (binding) Material	Туре	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 54742-57-0)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms for Material	Contaminants in the Wor Type	kplace Value	Form
HyPrene V175BS	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 54742-57-0)	TLV	1 mg/m3	Mist.
Ordinance of the Minister of Labou and intensities of harmful health f Material			
HyPrene V175BS	TWA	5 mg/m3	Inhalable fraction.
Portugal. VLEs. Norm on occupation		-	
Material	Type	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 54742-57-0)	TWA	5 mg/m3	Inhalable fraction.
	-		ace
Material	Туре	Value	ace
Material	Type     STEL	Value10 mg/m3	ace
<b>Material</b> HyPrene V175BS	Type     STEL     TWA	Value           10 mg/m3           5 mg/m3	ace
Material HyPrene V175BS Components	Type STEL TWA Type	Value 10 mg/m3 5 mg/m3 Value	ace
Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS	Type     STEL     TWA	Value           10 mg/m3           5 mg/m3	ace
Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS	Type STEL TWA Type	Value 10 mg/m3 5 mg/m3 Value	ace
Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30	Type STEL TWA Type STEL	Value           10 mg/m3           5 mg/m3           Value           10 mg/m3           5 mg/m3	
Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30 Material	Type STEL TWA Type STEL TWA 0/2007 concerning protect	Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 ction of health in work with	chemical agents
Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30 Material	Type STEL TWA Type STEL TWA 0/2007 concerning protec Type	Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with Value	chemical agents Form
Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30 Material	Type STEL TWA Type STEL TWA 0/2007 concerning protec Type	Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3	chemical agents Form Fume and mist. Fume and mist. Fume and mist.
Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30 Material HyPrene V175BS	Type STEL TWA Type STEL TWA 0/2007 concerning protection Type STEL TWA TWA	Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 10 mg/m3 5 ppm 1 mg/m3 5 ppm	chemical agents Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Fume and mist.
Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30 Material HyPrene V175BS	Type STEL TWA Type STEL TWA 0/2007 concerning protec Type STEL	Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 10 mg/m3 15 ppm 1 mg/m3	chemical agents Form Fume and mist. Fume and mist. Fume and mist.
Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30 Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS	Type STEL TWA Type STEL TWA 0/2007 concerning protection Type STEL TWA TWA	Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 10 mg/m3 5 ppm 1 mg/m3 5 ppm	chemical agents Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Fume and mist.
Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30 Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS	Type STEL TWA TWA STEL TWA 0/2007 concerning protect Type STEL TWA TWA TWA TWA	Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 10 mg/m3 15 ppm 1 mg/m3 5 ppm Value	chemical agents Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Fume and mist. Fume and mist.
Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30 Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS	Type STEL TWA TWA STEL TWA 0/2007 concerning protect Type STEL TWA TWA TWA TWA	Value         10 mg/m3         5 mg/m3         Value         10 mg/m3         5 mg/m3         stion of health in work with Value         3 mg/m3         15 ppm         1 mg/m3         5 ppm         Value         3 mg/m3         15 ppm         1 mg/m3	chemical agents         Form         Fume and mist.
Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 30 Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS	Type STEL TWA TWA O/2007 concerning proteo Type STEL TWA TWA STEL STEL STEL	Value         10 mg/m3         5 mg/m3         Value         10 mg/m3         5 mg/m3         stion of health in work with Value         3 mg/m3         15 ppm         3 mg/m3         15 ppm         15 ppm	chemical agents         Form         Fume and mist.
Romania. OELs. Protection of worl         Material         HyPrene V175BS         Components         Residual oils (petroleum),         hydrotreated (CAS         64742-57-0)         Slovakia. OELs. Regulation No. 300         Material         HyPrene V175BS         Components         Residual oils (petroleum),         hyPrene V175BS         Components         Residual oils (petroleum),         hydrotreated (CAS         64742-57-0)         Spain. Occupational Exposure Lim	Type STEL TWA TWA O/2007 concerning protec Type STEL TWA TWA Type STEL TWA TWA Type	Value         10 mg/m3         5 mg/m3         Value         10 mg/m3         5 mg/m3         stion of health in work with         Value         3 mg/m3         15 ppm         1 mg/m3         5 ppm         Value         3 mg/m3         5 ppm         15 ppm         1 mg/m3         5 ppm         15 ppm         15 ppm         1 mg/m3         5 ppm	chemical agents         Form         Fume and mist.         Fume and mist.         Fume and mist.         Fume and mist.         Form         Fume and mist.
Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 30 Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Spain. Occupational Exposure Lim Material	Type STEL TWA Type STEL TWA O/2007 concerning protect Type STEL TWA TWA Type STEL TWA TWA Type STEL	Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 15 ppm 1 mg/m3 5 ppm Value 3 mg/m3 5 ppm Value 3 mg/m3 5 ppm Value 3 mg/m3 5 ppm Value	chemical agents         Form         Fume and mist.         Fume and mist.
Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material HyPrene V175BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	Type STEL TWA TWA O/2007 concerning protec Type STEL TWA TWA Type STEL TWA TWA Type	Value         10 mg/m3         5 mg/m3         Value         10 mg/m3         5 mg/m3         stion of health in work with         Value         3 mg/m3         15 ppm         1 mg/m3         5 ppm         Value         3 mg/m3         5 ppm         15 ppm         1 mg/m3         5 ppm         15 ppm         15 ppm         1 mg/m3         5 ppm	chemical agents         Form         Fume and mist.         Fume and mist.         Fume and mist.         Fume and mist.         Form         Fume and mist.

Spain. Occupational Expo Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Env Material	ironment Authority (AV), Occupation Type	nal Exposure Limit Values Value	(AFS 2015:7) Form
HyPrene V175BS	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenz Material	werte am Arbeitsplatz Type	Value	Form
HyPrene V175BS	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Inhalable fraction.
logical limit values	No biological exposure limits noted fo	r the ingredient(s).	
commended monitoring ocedures	Not available.		
rived no effect levels NELs)	Not available.		
edicted no effect ncentrations (PNECs)	Not available.		
. Exposure controls			
propriate engineering htrols	Provide adequate ventilation, includin occupational exposure limit is not exc		, to ensure that the defined
	es, such as personal protective equi	pment	
General information	Not available.		
Eye/face protection Skin protection	Goggles/face shield are recommended	u.	
- Hand protection	Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet styl gloves. When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable. (Breakthrough time of > 240 minutes.) For incidental contact/splash protection Neoprene, PVC gloves may be suitable.		
	gioves may be suitable.	Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.	
- Other	5 ,	mmended. Launder contamina	ated clothing before reuse.
- Other Respiratory protection	5 ,	not normally required. When	workers are facing
	Chemical/oil resistant clothing is recon Under normal conditions, respirator is	not normally required. When	workers are facing
Respiratory protection	Chemical/oil resistant clothing is reconunced Under normal conditions, respirator is concentrations above the exposure lin	s not normally required. When mit they must use appropriate ne measures, such as washing ng. Routinely wash work clothi	workers are facing certified respirators. after handling the material

# SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance	Clear & bright
Physical state	Liquid.
Form	Liquid.
Colour	Light Amber to Golden
Odour	Mild Petroleum Odor
Matorial name: HyDrone V/17EE	25 Ergon International

Odour threshold	Not available.	
рН	Not applicable	
Melting point/freezing point	-8,89 °C (16 °F) ASTM D5950 (Typical)	
Initial boiling point and boiling range	> 371,11 °C (> 700 °F) ASTM D2887/ ISO 3294	
Flash point	>= 282,2 °C (>= 540,0 °F) Cleveland open cup ASTM D92/ ISO 2592	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Vapour pressure	Not available.	
Vapour density	> 5	
Relative density	0,92 (15,56 °C (60 °F) ASTM D4052)	
Solubility(ies)		
Solubility (water)	Insoluble	
Partition coefficient (n-octanol/water)	Not established.	
Auto-ignition temperature	> 315,56 °C (> 600 °F) ASTM E659	
Decomposition temperature	Not available.	
Viscosity	1010 cSt (40 °C (104 °F) ASTM D445/ ISO 3014)	
Explosive properties	Not available.	
Oxidising properties	Not available.	
9.2. Other information	No relevant additional information available.	

# **SECTION 10: Stability and reactivity**

10.1. Reactivity	Strong oxidising agents.
10.2. Chemical stability	Stable.
10.3. Possibility of hazardous reactions	Hazardous polymerisation does not occur.
10.4. Conditions to avoid	Avoid temperatures exceeding the flash point.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

# SECTION 11: Toxicological information

General information	Not available.	
Information on likely routes of	fexposure	
Inhalation	May be harmful if inhaled. However, this product does not currently meet the criteria for classification.	
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis	
Eye contact	May be irritating to eyes.	
Ingestion	May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration.	
Symptoms	Not available.	
11.1. Information on toxicological effects		

Acute toxicity Skin corrosion/irritation	Not classified. Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.
Serious eye damage/eye irritation	Not classified.
Respiratory sensitisation	Not classified.
Skin sensitisation	Not classified.
Germ cell mutagenicity	Non-mutagenic based on Modified Ames Assay.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EL requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

Hungary. 26/2000 EüM Or at work (as amended)	dinance on protection against and preventing risk relating to exposure to carcinogens
Not listed.	
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not classified.
Mixture versus substance information	Not available.
Other information	Not available.
SECTION 12: Ecological information	

12.1. Toxicity	Not expected to be harmful to aquatic organisms.
12.2. Persistence and degradability	Not inherently biodegradable.
12.3. Bioaccumulative potential	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.
Partition coefficient n-octanol/water (log Kow)	Not established.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.
EU waste code	Not applicable. Waste codes should be assigned by the user based on the application for which the product was used.
Disposal methods/information	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

#### **SECTION 14: Transport information**

```
ADR
```

14.1. - 14.6.: Not regulated as dangerous goods.

```
RID
```

14.1. - 14.6.: Not regulated as dangerous goods.

```
ADN
```

14.1. - 14.6.: Not regulated as dangerous goods.

```
IATA
```

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

```
Not available.
14.7. Transport in bulk
according to Annex II of
MARPOL 73/78 and the IBC
Code
```

**General information** 

Not regulated as dangerous goods.

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended** Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

#### Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

#### Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

#### Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended** Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended** Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended** Not listed.

#### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

#### **Other EU regulations**

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations	The product is classified and labelled in accordance with EC directives or respective national laws This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006
National regulations	Germany: WGK 1
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

#### Country(s) or region Inventory name

Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### **SECTION 16: Other information**

List of abbreviations	Not available.
References	Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics International Labour Organization International Maritime Organization Marine Pollutants List NFPA Hazardous Chemical Data Sheets NIOSH Pocket Guide Registry of Toxic Effects of Chemical Substances (RTECS) US DOT Hazardous Materials Regulations ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices ACGIH IARC Monographs. Overall Evaluation of Carcinogenicity
Information on evaluation method leading to the classification of mixture	Not available.
Full text of any H-statements not written out in full under Sections 2 to 15	None.
Revision information	SECTION 3: Composition/information on ingredients: Composition comments Physical & Chemical Properties: Multiple Properties
Training information	Not available.
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Further information	Local CHEMTREC Numbers: CHEMTREC China: 4001-204937 CHEMTREC EU (Brussels): +(32)-28083237 CHEMTREC Indonesia: 001-803-017-9114 CHEMTREC Malaysia: +(60)-327884561 CHEMTREC Mexico: 1-800-681-9531 CHEMTREC Singapore: +(65)-31581349