ERGONE

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HyPrene 100E

Identification number 649-465-00-7 (Index number)

Registration number 01-2119467170-45

Synonyms None. 03-31-2021 **Issue date**

Version number

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Tire Oils, Rubber Compounding, Automotive & Industrial Hoses, Dedusting, Plasticizer, Titanium

Dioxide Wash, Compressor Wash Oils, Hydraulic Fracturing Oil, Adhesives, Carpet Backing, Feed Stock for White Oil, Refrigeration Oil, Diluents and Carriers, Carbon Black, Banbury Dust Stop,

Defoamers, Sealants, Belts & Hoses, Coatings, Leather Tanning, Agriculture Oils.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer: Ergon, Inc.

P.O. Box 1639

Jackson, MS 39181 USA

EU Contact: Ergon International, Inc.

> Drève Richelle 161 Building C B-1410 Waterloo, Belgium

Emergency Phone

Numbers:

US Customer Service: + 1-800-222-7122

Chemtrec: + 1-800-424-9300 After Business Hours (North America)

+ 1-703-527.-3887 (International)

See Section 15 for additional CHEMTREC Hotline Numbers

E-mail: sds@ergon.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended

Hazard summary Not available.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word Not applicable. **Hazard statements** Not applicable.

Precautionary statements

Prevention Not available. Response Not applicable. Storage Not applicable. **Disposal** Not applicable.

Supplemental label

information

None.

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

% CAS-No. / EC No. REACH Registration No. Index No. **Chemical name** Notes DISTILLATES (PETROLEUM), <=100 64742-52-5 01-2119467170-45 649-465-00-7 HYDROTREATED HEAVY 265-155-0 **NAPHTHENIC** Classification:

Composition comments

Note L - Not classified as a carcinogen. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

SECTION 4: First aid measures

General information Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Eve contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Ingestion Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Call a poison control center immediately.

4.2. Most important symptoms and effects, both acute and delayed

Defatting of the skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB

5.1. Extinguishing media

Suitable extinguishing

media

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurized air mask if product is involved in a

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

Material name: HyPrene 100E - Ergon International 4752 Version #: 01 Issue date: 03-31-2021

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| Belgium. Ex | xposure L | .imit V | alues. |
|-------------|-----------|---------|--------|
|-------------|-----------|---------|--------|

| Material | Туре | Value | Form |
|---|------|----------|-------|
| HyPrene 100E | STEL | 10 mg/m3 | Mist. |
| | TWA | 5 mg/m3 | Mist. |
| Components | Туре | Value | Form |
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) | STEL | 10 mg/m3 | Mist. |
| | TWA | 5 mg/m3 | Mist. |

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

| Material | Туре | Value | |
|---|------|---------|--|
| HyPrene 100E | TWA | 5 mg/m3 | |
| Components | Туре | Value | |
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY | TWA | 5 mg/m3 | |

Czech Republic. OELs. Government Decree 361

| Material | Туре | Value | |
|--------------|---------|------------|--|
| HyPrene 100E | Ceiling | 1000 mg/m3 | |
| | TWA | 200 mg/m3 | |

Denmark. Exposure Limit Values

| Material | Туре | Value | Form |
|--------------|------|---------|-------|
| HyPrene 100E | TLV | 1 mg/m3 | Mist. |
| Components | Туре | Value | Form |
| DISTILLATES | | | |

(PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)

NAPHTHENIC (CAS 64742-52-5)

| Finland. Workplace Exposure Limits Components | Туре | Value | Form |
|---|--------------------------------|---------------------------|----------------------|
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) | TWA | 5 mg/m3 | Mist. |
| Germany. DFG MAK List (advisory OELs |). Commission for the | Investigation of Health H | lazards of Chemical |
| Compounds in the Work Area (DFG) Material | Туре | Value | Form |
| HyPrene 100E | TWA | 5 mg/m3 | Respirable fraction. |
| Greece. OELs (Decree No. 90/1999, as | amended) | _ | · |
| Material | Туре | Value | Form |
| HyPrene 100E | TWA | 5 mg/m3 | Mist. |
| Components | Туре | Value | Form |
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) | TWA | 5 mg/m3 | Mist. |
| Hungary. OELs. Joint Decree on Chemic Material | al Safety of Workplace Type | es Value | Form |
| HyPrene 100E | Ceiling | 5 mg/m3 | Mist. |
| Components | Туре | Value | Form |
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) | Ceiling | 5 mg/m3 | Mist. |
| Iceland. OELs. Regulation 154/1999 on Material | occupational exposur Type | e limits Value | Form |
| HyPrene 100E | TWA | 1 mg/m3 | Mist. |
| Components | Туре | Value | Form |
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) | TWA | 1 mg/m3 | Mist. |
| Ireland. Occupational Exposure Limits Material | Туре | Value | Form |
| HyPrene 100E | TWA | 5 mg/m3 | Inhalable fraction. |
| Components | Type | 5 mg/m3 Value | Form |
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) | TWA | 5 mg/m3 | Inhalable fraction. |
| Italy. Occupational Exposure Limits | | | |
| Material | Туре | Value | Form |
| HyPrene 100E | TWA | 5 mg/m3 | Inhalable fraction. |
| Components | Туре | Value | Form |
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY | TWA | 5 mg/m3 | Inhalable fraction. |

Material name: HyPrene 100E - Ergon International 4752 Version #: 01 Issue date: 03-31-2021

NAPHTHENIC (CAS 64742-52-5)

| TWA 1 mg/m3 Fume and mi Components Type Value Form DISTILLATES (PETROLEUM), HYDROTREATED HEAVY VAPHTHENIC (CAS 64742-52-5) TWA 1 mg/m3 Fume and mi Netherlands. OELs (binding) Material Type Value Form Netherlands. OELs (binding) Material Type Value Form DISTILLATES (PETROLEUM), HYDROTREATED HEAVY VAPHTHENIC (CAS 64742-52-5) TWA 5 mg/m3 Mist. PORTORIANA Mist. FORM Mist. | Lithuania. OELs. Limit Values f Material | Туре | Value | Form |
|--|--|---|---|--|
| Components Type Value Form DISTILLATES (PETROLEUM), HYDROTREATED HEAVY WAPHTHENIC (CAS 54742-52-5) TWA 1 mg/m3 Fume and mi PROPERTOREATED HEAVY WAPHTHENIC (CAS 54742-52-5) TWA 1 mg/m3 Fume and mi PROPERTOREATED HEAVY WAPHTHENIC (CAS 54742-52-5) TWA 5 mg/m3 Mist. Components Type Value Form DISTILLATES (PETROLEUM), HYPRENE 100E TWA 5 mg/m3 Mist. PETROLEUM), HYPRENE 100E TWA 5 mg/m3 Mist. PETROLEUM), HYPRENE 100E TLV 1 mg/m3 Mist. PORTHENIC (CAS 54742-52-5) NORWAY, Administrative Norms for Contaminants in the Workplace Material Type Value Form Material Type Value Form DISTILLATES (PETROLEUM), HYPRENE 100E TLV 1 mg/m3 Mist. PETROLEUM), HYPRENE 100E TLV 1 mg/m3 Mist. PETROLEUM), HYPRENE 100E TLV 1 mg/m3 Mist. PORTHENIC (CAS 54742-52-5) Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible con- and minimal meshities of hamful health factors in the work environment, Journal of Laws 2014, Item 817 Components Type Value Form DISTILLATES (PETROLEUM), HYPRENE 100E TWA 5 mg/m3 Inhalable frac PETROLEUM), HYPRENE 100E TWA 5 mg/m3 Inhalable frac PETROLEUM), HYPRENE 100E TYPE Value Form Type Value Form Type Value Form DISTILLATES (PETROLEUM), HYPRENE 100E TWA 5 mg/m3 Inhalable frac PETROLEUM), HYPRENE 100E TYPE Value Form Type | HyPrene 100E | STEL | 3 mg/m3 | Fume and mist. |
| DISTILLATES (PETROLEUM), MAPHTHENIC (CAS 69742-52-5) TWA 1 mg/m3 Fume and mi Porty Value Form Netherlands, OELs (binding) Material Type Value Form HyPrene 100E TWA 5 mg/m3 Mist. Components Type Value Form Mist. PETROLEUM), HYDROTREATED HEAVY WAPHTHENIC (CAS 69742-52-5) TWA 5 mg/m3 Mist. PETROLEUM), HYDROTREATED HEAVY WAPHTHENIC (CAS 69742-52-5) Mist. PORTY Administrative Norms for Contaminants in the Workplace Material Type Value Form Mist. PORTY Administrative Norms for Contaminants in the Workplace Material Type Value Form Mist. PORTY Administrative Norms for Contaminants in the Workplace Material Type Value Form Mist. PORTY Administrative Norms for Contaminants in the Workplace Material Type Value Form DISTILLATES TLV 1 mg/m3 Mist. Mist. PORTY Administrative Norms for Contaminants in the Workplace Material Type Value Form DISTILLATES TWA 1 mg/m3 Mist. Mist. PORTY ADMINISTRATED HEAVY WAPHTHENIC (CAS 64742-52-5) Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible conaminant intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value Form DISTILLATES TWA 5 mg/m3 Inhalable frace PORTY ADMINISTRATED HEAVY WAPHTHENIC (CAS 64742-52-5) PORTUGAL VLES. Norm on occupational exposure to chemical agents (NP 1796) Material Type Value Form DISTILLATES TWA 5 mg/m3 Inhalable frace PORTY ADMINISTRATED HEAVY WAPHTHENIC (CAS 64742-52-5) ROmania. OELs. Protection of workers from exposure to chemical agents at the workplace Walterial Type Value Form Components Type Value Form Type | | TWA | 1 mg/m3 | Fume and mist. |
| PETROLEUM Material Type | Components | Туре | Value | Form |
| Netherlands. OELs (binding) Material Type Value Form HyPrene 100E TWA 5 mg/m3 Mist. Components Type Value Form DISTILLATES (PETROLEUM), HYPRORITERATED HEAVY NAPHTHENIC (CAS 64742-52-5) Norway. Administrative Norms for Contaminants in the Workplace Material Type Value Form TLV 1 mg/m3 Mist. HYPRORITERATED HEAVY NAPHTHENIC (CAS 64742-52-5) NORMAY. Administrative Norms for Contaminants in the Workplace Material Type Value Form DISTILLATES (PETROLEUM), HYPRORITERATED HEAVY NAPHTHENIC (CAS 64742-52-5) Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible conand intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value Form DISTILLATES (PETROLEUM), HYPRORITERATED HEAVY NAPHTHENIC (CAS 64742-52-55) PORTUGAL VLES. Norm on occupational exposure to chemical agents (NP 1796) Material Type Value Form DISTILLATES (PETROLEUM), HyPrene 100E TWA 5 mg/m3 Inhalable frac 1 mg/m3 Inhalable | DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) | STEL | 3 mg/m3 | Fume and mist. |
| Material Type Value Form HyPrene 100E TWA 5 mg/m3 Mist. Components Type Value Form DISTILLATES (PETROLEUM), HyPrene 100E TLV 1 mg/m3 Mist. Norway, Administrative Norms for Contaminants in the Workplace Material Type Value Form HyPrene 100E TLV 1 mg/m3 Mist. Components Type Value Form DISTILLATES (PETROLEUM), HYDRORTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) DOISTILLATES (PETROLEUM), HYDRORTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) TWA 5 mg/m3 Mist. TYPE Value Form TWA 5 mg/m3 Inhalable fraction of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible comained intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value Form TWA 5 mg/m3 Inhalable fraction of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible comain distinct of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value Form TWA 5 mg/m3 Inhalable fraction of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible comain distinct of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value Form TWA 5 mg/m3 Inhalable fraction of Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible comain distinct of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value Form TWA 5 mg/m3 Inhalable fraction of Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible comain of Laws 2014, item 817 Type Value Form Type Value Form | | TWA | 1 mg/m3 | Fume and mist. |
| Components Type Value Form DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Norway. Administrative Norms for Contaminants in the Workplace Material Type Value Form DISTILLATES (PETROLEUM), HYPREN TLV 1 mg/m3 Mist. COMPONENTS TLV 1 mg/m3 Mist. PETROLEUM), HYPREN TLV 1 mg/m3 Mist. PETROLEUM), HYPREN TLV 1 mg/m3 Mist. PETROLEUM, HYPREN TEATED HEAVY NAPHTHENIC (CAS 64742-52-5) PORTOLEUM, HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) ROMAIN Type Value FORM PORTOLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) ROMAIN Type Value FORM FORM TYPE Value FORM FO | | Туре | Value | Form |
| DISTILLATES (PETROLEUM), NORWAY. Administrative Norms for Contaminants in the Workplace Material Type Value Form MyPrene 100E TLV 1 mg/m3 Mist. Form Mist. Mist. Form MyPrene 100E TLV 1 mg/m3 Mist. Form Mist. Mist. Components Type Value Form Mist. Components Type Value Form DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible conand intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value Form DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Material Type Value Form DISTILLATES (PETROLEUM), HYPROROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) PORTUGAL VLES. Norm on occupational exposure to chemical agents (NP 1796) Material Type Value Form DISTILLATES (PETROLEUM), HYPROROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) ROMANIA 5 mg/m3 Inhalable frac PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) ROMANIA 5 mg/m3 Inhalable frac PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) ROMANIA 5 mg/m3 Type Value DISTILLATES (PETROLEUM), HYPROROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) ROMANIA 5 mg/m3 TWA S mg/m3 Components Type Value DISTILLATES (PETROLEUM), HYPROROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) ROMANIA 5 mg/m3 Components Type Value DISTILLATES (PETROLEUM), HYPROROTREATED HEAVY | HyPrene 100E | TWA | 5 mg/m3 | Mist. |
| (PETROLEUM), HAPATHENET (CAS \$4742-52-5) Norway, Administrative Norms for Contaminants in the Workplace Material Type Value Form HyPrene 100E TLV 1 mg/m3 Mist. Components Type Value Form DISTILLATES (PETROLEUM), HAPAROTREATED HEAVY APPHTHENIC (CAS \$4742-52-5) Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible consumant intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components TWA 5 mg/m3 Inhalable frac (PETROLEUM), HAPAROTREATED HEAVY APPHTHENIC (CAS \$4742-52-5) POPTROLEUM), HAPAROTREATED HEAVY APPHTHENIC (CAS \$4742-52-5) POPTROLEUM), HAPPROREATED HEAVY APPHTHENIC (CAS \$4742-52-50) POPTROLEUM), HAPPROREATED HEAVY APPHTHENIC (CAS \$4742-52-50) POPTROLEUM), HAPPROREATED HEAVY APPHTHENIC (CAS \$4742-52-50) PORTROLEUM), HAPAROTREATED HEAVY APPHTHENIC (CAS \$4742-52-50) ROMANIA OBLE. Protection of workers from exposure to chemical agents at the workplace Material Type Value FORM Type Value DISTILLATES PETROLEUM), HAPAROTREATED HEAVY APPHTHENIC (CAS \$4742-52-50) ROMANIA OBLE. Protection of workers from exposure to chemical agents at the workplace Material Type Value DISTILLATES PETROLEUM), HAPAROTREATED HEAVY APPHTHENIC (CAS \$4742-52-50) ROMANIA OBLE. Protection of workers from exposure to chemical agents at the workplace Material Type Value DISTILLATES PETROLEUM), HAPAROTREATED HEAVY APPHTHENIC (CAS 64742-52-50) TWA 5 mg/m3 Components Type Value 10 mg/m3 PHAPAROTREATED HEAVY | Components | Туре | Value | Form |
| HyPrene 100E TLV 1 mg/m3 Mist. Components Type Value Form DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Material Type Value Form DISTILLATES TWA 5 mg/m3 Mist. TWA 5 mg/m3 Mist. Form TWA 5 mg/m3 Inhalable fractors Type Value Form Type Value Form DISTILLATES TWA 5 mg/m3 Inhalable fractors Material Type Value Form DISTILLATES TWA 5 mg/m3 Inhalable fractors Type Value Form DISTILLATES TWA 5 mg/m3 Inhalable fractors Type Value Form HyPrene 100E TWA 5 mg/m3 Inhalable fractors Type Value Form DISTILLATES TWA 5 mg/m3 Inhalable fractors Type Value Form DISTILLATES TWA 5 mg/m3 Inhalable fractors Components Type Value Form DISTILLATES TWA 5 mg/m3 Inhalable fractors Components Type Value Form DISTILLATES TWA 5 mg/m3 Inhalable fractors Type Value Form DISTILLATES TWA 5 mg/m3 Inhalable fractors Type Value Form Type Value | DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) | TWA | 5 mg/m3 | Mist. |
| Components Type Value Form DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible contained intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value Form DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Material Type Value Form TWA 5 mg/m3 Inhalable frac Form TWA TYPE Value TYPE Value TWA TWA TYPE Value TWA TWA TWA TWA TWA TWA TWA TWA TWA TW | | _ | Value | Form |
| DISTILLATES TLV 1 mg/m3 Mist. PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concard intensities of harmful health factors in the work environment, Journal of Laws 2014, Item 817 Components Type Value Form DISTILLATES TWA 5 mg/m3 Inhalable frac (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Material Type Value Form PhyPrene 100E TWA 5 mg/m3 Inhalable frac Form DISTILLATES TWA 5 mg/m3 Inhalable frac Form TWA 5 mg/m3 Inhalable frac Form DISTILLATES TWA 5 mg/m3 Inhalable frac Form PORTUGATION OF THE PORTUGATI | HyPrene 100E | TLV | 1 mg/m3 | Mist. |
| (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible comand intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value Form DISTILLATES TWA 5 mg/m3 Inhalable frac (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Material Type Value Form DISTILLATES TWA 5 mg/m3 Inhalable frac (Components Type Value Form DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Romania. OELs. Protection of workers from exposure to chemical agents at the workplace Material Type Value HyPrene 100E STEL 10 mg/m3 TWA 5 mg/m3 Components Type Value DISTILLATES (CAS 64742-52-5) ROMANIA. OELs. Protection of workers from exposure to chemical agents at the workplace Material Type Value HyPrene 100E STEL 10 mg/m3 Components Type Value DISTILLATES STEL 10 mg/m3 (PETROLEUM), HYDROTREATED HEAVY | Components | Туре | Value | Form |
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Material Type Value Form HyPrene 100E TWA 5 mg/m3 Inhalable frac Components Type Value Form DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Romania. OELs. Protection of workers from exposure to chemical agents at the workplace Material Type Value HyPrene 100E STEL 10 mg/m3 TWA 5 mg/m3 Components Type Value DISTILLATES (10 mg/m3 TWA 5 mg/m3 Components Type Value DISTILLATES (10 mg/m3 TWA 5 mg/m3 Components Type Value DISTILLATES (10 mg/m3 TWA 5 mg/m3 Components Type Value | | | | |
| (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Material Type Value Form HyPrene 100E TWA 5 mg/m3 Inhalable frac Components Type Value Form DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Romania. OELs. Protection of workers from exposure to chemical agents at the workplace Material Type Value HyPrene 100E STEL 10 mg/m3 TWA 5 mg/m3 Components Type Value DISTILLATES TWA 5 mg/m3 Components Type Value DISTILLATES TWA 5 mg/m3 Components Type Value DISTILLATES PETROLEUM), HYDROTREATED HEAVY | HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Ordinance of the Minister of La and intensities of harmful heal | th factors in the work environment, Jo | urnal of Laws 2014 | , item 817 |
| Material Type HyPrene 100E TWA TWA Type Value Form Inhalable fraction Components Type Value Form TWA DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Romania. OELs. Protection of workers from exposure to chemical agents at the workplace Material Type HyPrene 100E STEL 10 mg/m3 TWA 5 mg/m3 Components Type Value DISTILLATES (PETROLEUM), HYDROTREATED HEAVY STEL 10 mg/m3 TWA 5 mg/m3 Components Type Value | HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Ordinance of the Minister of La and intensities of harmful heal Components | th factors in the work environment, Jo Type | urnal of Laws 2014 Value | , item 817 Form |
| Components Type Value Form TWA TWA 5 mg/m3 Inhalable fraction of profile (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Romania. OELs. Protection of workers from exposure to chemical agents at the workplace Value HyPrene 100E STEL TWA TWA 5 mg/m3 TWA 10 mg/m3 TWA Type Value DISTILLATES (PETROLEUM), HYDROTREATED HEAVY | HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Ordinance of the Minister of La and intensities of harmful heal Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS | th factors in the work environment, Jo Type | urnal of Laws 2014 Value | , item 817 |
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Romania. OELs. Protection of workers from exposure to chemical agents at the workplace Material Type Value 10 mg/m3 TWA Type Value DISTILLATES (PETROLEUM), HYDROTREATED HEAVY | HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Ordinance of the Minister of La and intensities of harmful heal Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Portugal. VLEs. Norm on occup | th factors in the work environment, Jo Type TWA ational exposure to chemical agents (N | urnal of Laws 2014 Value 5 mg/m3 | , item 817 Form Inhalable fraction. |
| (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Romania. OELs. Protection of workers from exposure to chemical agents at the workplace Material Type Value HyPrene 100E STEL 10 mg/m3 TWA 5 mg/m3 Components Type Value DISTILLATES STEL 10 mg/m3 (PETROLEUM), HYDROTREATED HEAVY | HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Ordinance of the Minister of La and intensities of harmful heal Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Portugal. VLEs. Norm on occup | th factors in the work environment, Jo Type TWA ational exposure to chemical agents (N | urnal of Laws 2014 Value 5 mg/m3 NP 1796) Value | , item 817 Form Inhalable fraction. |
| HyPrene 100E | HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Ordinance of the Minister of La and intensities of harmful heal Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) | th factors in the work environment, Jor Type TWA ational exposure to chemical agents (National Type TWA | urnal of Laws 2014 Value 5 mg/m3 NP 1796) Value 5 mg/m3 | Form Inhalable fraction. Form Inhalable fraction. |
| TWA 5 mg/m3 Components Type Value DISTILLATES STEL 10 mg/m3 (PETROLEUM), HYDROTREATED HEAVY | HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Ordinance of the Minister of La and intensities of harmful heal Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Portugal. VLEs. Norm on occup Material HyPrene 100E Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS | th factors in the work environment, Jo Type TWA ational exposure to chemical agents (Note the Type) TWA Type | urnal of Laws 2014 Value 5 mg/m3 Value 5 mg/m3 Value Value | Form Inhalable fraction. Form Inhalable fraction. |
| Components Type Value DISTILLATES STEL 10 mg/m3 (PETROLEUM), HYDROTREATED HEAVY | HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Ordinance of the Minister of La and intensities of harmful heal Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Portugal. VLEs. Norm on occup Material HyPrene 100E Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) ROMANIA. OELS. Protection of v | th factors in the work environment, Jor Type TWA ational exposure to chemical agents (Note Type TWA Type TWA Type TWA Type TWA Vorkers from exposure to chemical age | urnal of Laws 2014 Value 5 mg/m3 Value 5 mg/m3 Value 5 mg/m3 value 5 mg/m3 | Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form |
| DISTILLATES STEL 10 mg/m3 (PETROLEUM), HYDROTREATED HEAVY | HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Ordinance of the Minister of La and intensities of harmful heal Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Portugal. VLEs. Norm on occup Material HyPrene 100E Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) ROMANIA. OELS. Protection of v Material | th factors in the work environment, Jor Type TWA ational exposure to chemical agents (Nature Type TWA Type TWA Type TWA Type TWA Type TWA Type | value 5 mg/m3 | Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form |
| (PETROLEUM), HYDROTREATED HEAVY | HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Ordinance of the Minister of La and intensities of harmful heal Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Portugal. VLEs. Norm on occup Material HyPrene 100E Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) ROMANIA. OELS. Protection of v Material | th factors in the work environment, Jor Type TWA ational exposure to chemical agents (Natype) TWA Type TWA Type TWA Type TWA STEL | urnal of Laws 2014 Value 5 mg/m3 Value 5 mg/m3 Value 5 mg/m3 Value 10 mg/m3 | Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form |
| 64742-52-5) | HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Ordinance of the Minister of La and intensities of harmful heal Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Portugal. VLEs. Norm on occup Material HyPrene 100E Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) ROMANIA. OELS. Protection of v Material HyPrene 100E | th factors in the work environment, Jor Type TWA ational exposure to chemical agents (Natype) TWA Type TWA Type TWA Type TWA Type TWA Type TWA TYPE TWA TWA TYPE TWA TYPE TWA | urnal of Laws 2014 Value 5 mg/m3 Value 5 mg/m3 Value 5 mg/m3 Value 10 mg/m3 5 mg/m3 | Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form |
| TWA 5 mg/m3 | HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Ordinance of the Minister of La and intensities of harmful heal Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) Portugal. VLEs. Norm on occup Material HyPrene 100E Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) ROMANIA. OELS. Protection of v Material HyPrene 100E Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS DISTILLATES (PETROLEUM), HYPROTREATED HEAVY NAPHTHENIC (CAS | th factors in the work environment, Jor Type TWA ational exposure to chemical agents (Natype) TWA Type TWA Type TWA Type TWA Type STEL TWA Type | urnal of Laws 2014 Value 5 mg/m3 Value 5 mg/m3 Value 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value | Form Inhalable fraction. Form Inhalable fraction. Form Inhalable fraction. Form |

| | Туре | Value | |
|--|---|------------------------------------|-------------------------------|
| HyPrene 100E | STEL | 3 mg/m3 | Fume and mist. |
| | | 15 ppm | Fume and mist. |
| | TWA | 1 mg/m3 | Fume and mist. |
| | | 5 ppm | Fume and mist. |
| Components | Туре | Value | Form |
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) | STEL | 3 mg/m3 | Fume and mist. |
| | | 15 ppm | Fume and mist. |
| | TWA | 1 mg/m3 | Fume and mist. |
| | | 5 ppm | Fume and mist. |
| Spain. Occupational Expo | | | _ |
| Material | Туре | Value | Form |
| HyPrene 100E | STEL | 10 mg/m3 | Mist. |
| | TWA | 5 mg/m3 | Mist. |
| Components | Туре | Value | Form |
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) | STEL | 10 mg/m3 | Mist. |
| | TWA | 5 mg/m3 | Mist. |
| Sweden. OELs. Work Env Material | rironment Authority (AV), Occupatio Type | nal Exposure Limit Values Value | (AFS 2015:7) Form |
| HyPrene 100E | STEL | 3 mg/m3 | Mist. |
| | TWA | 1 mg/m3 | Mist. |
| Components | Туре | Value | Form |
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) | STEL | 3 mg/m3 | Mist. |
| | | | Mist. |
| • | TWA | 1 mg/m3 | |
| Switzerland. SUVA Grenz | | 1 mg/m3 Value | Form |
| Switzerland. SUVA Grenz Material | werte am Arbeitsplatz | _ | |
| Switzerland. SUVA Grenz Material HyPrene 100E | werte am Arbeitsplatz Type | Value | Form |
| Switzerland. SUVA Grenz Material HyPrene 100E Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) | werte am Arbeitsplatz Type | Value 5 mg/m3 | Form Inhalable fraction. |
| Switzerland. SUVA Grenz Material HyPrene 100E Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) | werte am Arbeitsplatz Type TWA Type | Value 5 mg/m3 Value 5 mg/m3 | Form Inhalable fraction. Form |
| Switzerland. SUVA Grenz Material HyPrene 100E Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS | Twa Type TWA Type TWA Type | Value 5 mg/m3 Value 5 mg/m3 | Form Inhalable fraction. Form |
| Switzerland. SUVA Grenz Material HyPrene 100E Components DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) ogical limit values ommended monitoring | TWA Type TWA Type TWA No biological exposure limits noted for | Value 5 mg/m3 Value 5 mg/m3 | Form Inhalable fraction. Form |

8.2. Exposure controls

Appropriate engineering

controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

General information Not available.

Eye/face protection Goggles/

Skin protection

Goggles/face shield are recommended.

- **Hand protection**Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves. When prolonged or frequent repeated contact occurs, Nitrile gloves may be suitable.

(Breakthrough time of > 240 minutes.) For incidental contact/splash protection Neoprene, PVC

gloves may be suitable.

- Other Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

Respiratory protection Under normal conditions, respirator is not normally required. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators. No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for combined particulate/organic gases and vapours [boiling point >65 °C (149 °F)]

meeting EN14387.

Thermal hazards Not available.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear & bright

Physical stateLiquid.FormLiquid.ColorAmber

Odor Mild Petroleum Odor

Odor threshold Not available. pH Not available.

Melting point/freezing point

Initial boiling point and

boiling range

-56 °F (-48,89 °C) ASTM D5949/ ISO 3016

> 600 °F (> 315,56 °C) ASTM D2887/ ISO 3294

Flash point 323,6 °F (162,0 °C) Pensky-Martens Closed Cup ASTM D93

343,4 °F (173,0 °C) Cleveland Open Cup ASTM D92/ ISO 2592

380,0 °F (193,3 °C) Open Cup

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit -

upper (%)

Not available.

Vapor pressure Not available.
Vapor density Not available.

Relative density 0,91

Relative density temperature 60,08 °F (15,6 °C) ASTM D4052/ ISO 12185

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not established.

(n-octanol/water)

Auto-ignition temperature > 600 °F (> 315,56 °C) ASTM E659

Decomposition temperature Not available.

Viscosity 21 cSt

104 °F (40 °C) ASTM D445/ ISO 3104 Viscosity temperature

Explosive properties Not available. **Oxidizing properties** Not available.

9.2. Other information

Heat of combustion 31,5 kJ/g

(NFPA 30B)

Kinematic viscosity >= 38.1 mm2/s (100.04 °F (37.8 °C))

Molecular formula **UVCB**

Surface tension < 35 mN/m (77 °F (25 °C))

SECTION 10: Stability and reactivity

10.1. Reactivity Strong oxidizing agents.

10.2. Chemical stability Stable.

10.3. Possibility of hazardous

reactions

Hazardous polymerization does not occur.

10.4. Conditions to avoid Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong oxidizing agents.

10.6. Hazardous Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

decomposition products weight hydrocarbons.

SECTION 11: Toxicological information

General information Not available. Information on likely routes of exposure

Inhalation May be harmful if inhaled. However, this product does not currently meet the criteria for

classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis

Eye contact May be irritating to eyes.

May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may Ingestion

increase risk of product aspiration.

Symptoms Not available.

11.1. Information on toxicological effects

Skin corrosion/irritation Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

Acute toxicity

Not classified.

Not classified.

Respiratory sensitization Not classified. Skin sensitization Not classified.

Germ cell mutagenicity Non-mutagenic based on Modified Ames Assay.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EL

requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346. Note L -

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)

IARC Monographs. Overall Evaluation of Carcinogenicity

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY 3 Not classifiable as to carcinogenicity to humans.

NAPHTHENIC (CAS 64742-52-5)

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Not classified.

Aspiration hazard Mixture versus substance Not classified.

information

Not available.

Material name: HyPrene 100E - Ergon International 4752 Version #: 01 Issue date: 03-31-2021

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Not expected to be harmful to aquatic organisms.

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient

n-octanol/water (log Kow)

Not established.

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil Not available.

12.5. Results of PBT and

vPvB assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

EU waste code Not applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

Disposal recommendations are based on material as supplied. Disposal must be in accordance with Disposal

methods/information current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of

Marpol 73/78 and the IBC

Code

General information Not regulated as dangerous goods.

Not available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

The product is classified and labelled in accordance with EC directives or respective national laws Other regulations

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006

National regulations Germany: WGK 1

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

SECTION 16: Other information

List of abbreviations Not available.

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

References **ACGIH**

IARC Monographs. Overall Evaluation of Carcinogenicity

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

ILO Safety Cards

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

Information on evaluation method leading to the classification of mixture

Not available.

Full text of any H-statements not written out in full under

None.

Sections 2 to 15

Revision information

Product and Company Identification: Product and Company Identification

Hazards Identification: EU Hazard Classifications Composition / Information on Ingredients: Ingredients Exposure Controls / Personal Protection: OELs Physical & Chemical Properties: Multiple Properties

Regulatory Information: United States HazReg Data: International Inventories

GHS: Listing

REACH: Registration Substance

Training information

Not available.

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a

> quidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Further information

Local CHEMTREC Numbers:

CHEMTREC China: 4001-204937

CHEMTREC EU (Brussels): +(32)-28083237 CHEMTREC Indonesia: 001-803-017-9114 CHEMTREC Malaysia: +(60)-327884561 CHEMTREC Mexico: 1-800-681-9531 CHEMTREC Singapore: +(65)-31581349