

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Name of the substance	HyGold 5000BS
Identification number	649-470-00-4 (Index number)
Registration number	01-2119489287-22
Synonyms	None.
1.2. Relevant identified uses o Identified uses	f the substance or mixture and uses advised against Metalworking Fluids, Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy Duty Engine Oil, Bar & Chain, Carriers & Diluents, Engine Oil.
Uses advised against	None known.
1.3. Details of the supplier of t	he safety data sheet
MANUFACTURER:	Ergon, Inc.
	P.O. Box 1639
	Jackson, MS 39181 USA
EU Contact:	Ergon International, Inc.
	Drève Richelle 161 Building C
	B-1410 Waterloo, Belgium
Emergency Phone Numbers:	
US Customer Service:	+ 1-800-222-7122
CHEMTREC:	+ 1-800-424-9300 After Business Hours (North America)
	+ 1-703-5273887 (International)
	See Section 15 for additional CHEMTREC Hotline Numbers
E-mail:	sds@ergon.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	Residual oils (petroleum), hydrotreated
Hazard pictograms	None.
Signal word	Not applicable.
Hazard statements	Not applicable.
Precautionary statements	
Prevention	Not available.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Supplemental label information	None.
2.3. Other hazards	None known.

SECTION 3: Composition/information on ingredients

3.1. Substances

General information					
Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Residual oils (petroleum), hydrotreated	<=100	64742-57-0 265-160-8	01-2119489287-22	649-470-00-4	
Classificati	on: -				L

SECTION 4: First aid me	asures
General information	Contact physician if discomfort continues.
4.1. Description of first aid me	easures
Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical advice/attention.
Skin contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.
Eye contact	Flush thoroughly with water. If irritation occurs, get medical assistance.
Ingestion	Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a poison control centre immediately.
4.2. Most important symptoms and effects, both acute and delayed	Defatting of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treat symptomatically.
SECTION 5: Firefighting	measures
General fire hazards	No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB
5.1. Extinguishing media Suitable extinguishing media	Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	No unusual fire or explosion hazards noted.
5.3. Advice for firefighters Special protective equipment for firefighters	Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.
Special fire fighting procedures	Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a fire.
SECTION 6: Accidental r	elease measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Not available.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.
7.2. Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

HyGold 5000BS	STEL		
	SIEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Bulgaria. OELs. Regulation No 13 (Material	on protection of workers as Type	gainst risks of exposure to o Value	chemical agents at work
HyGold 5000BS	TWA	5 mg/m3	
Components	Туре	Value	
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	
Czech Republic. OELs. Governmen Material	t Decree 361 Type	Value	Form
HyGold 5000BS	Ceiling	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	Ceiling	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol
Denmark. Exposure Limit Values			
Material	Туре	Value	Form
HyGold 5000BS	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TLV	1 mg/m3	Mist.
Finland. Workplace Exposure Limi Material	ts Type	Value	Form
HyGold 5000BS	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Mist.
Germany. DFG MAK List (advisory Compounds in the Work Area (DF(Investigation of Health Ha	zards of Chemical
Material	Туре	Value	Form
HyGold 5000BS	TWA	5 mg/m3	Respirable fraction.

	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Respirable fraction
Greece. OELs (Decree No. 90/199			_
Material	Туре	Value	Form
HyGold 5000BS	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 54742-57-0)	TWA	5 mg/m3	Mist.
Hungary. OELs. Joint Decree on C Material	hemical Safety of Workpla Type	ces Value	
HyGold 5000BS	TWA	5 mg/m3	
Components	Туре	Value	
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	
Iceland. OELs. Regulation 154/19 Material	99 on occupational exposu Type	ıre limits Value	Form
HyGold 5000BS	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposure Li Material	mits Type	Value	Form
HyGold 5000BS	TWA	5 mg/m3	Inhalable fraction.
taly. Occupational Exposure Limi	ts		
Material	Туре	Value	Form
HyGold 5000BS	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Inhalable fraction.
	re limit values of chemica		onment
Latvia. OELs. Occupational exposu	Туре	Value	
Latvia. OELs. Occupational exposi Material	Type TWA	5 mg/m3	
Latvia. OELs. Occupational expose Material HyGold 5000BS			
Latvia. OELs. Occupational expose Material HyGold 5000BS Components Residual oils (petroleum), hydrotreated (CAS	TWA	5 mg/m3	
Latvia. OELs. Occupational expose Material HyGold 5000BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Lithuania. OELs. Limit Values for	TWA Type TWA	5 mg/m3 Value 5 mg/m3	Form
Latvia. OELs. Occupational expose Material HyGold 5000BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Lithuania. OELs. Limit Values for Material	TWA Type TWA Chemical Substances, Gen	5 mg/m3 Value 5 mg/m3 eral Requirements	Form Fume and mist.
Latvia. OELs. Occupational expose Material HyGold 5000BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Lithuania. OELs. Limit Values for Material	TWA Type TWA Chemical Substances, Gen Type	5 mg/m3 Value 5 mg/m3 eral Requirements Value	-
Latvia. OELs. Occupational expose Material HyGold 5000BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Lithuania. OELs. Limit Values for Material HyGold 5000BS Components	TWA Type TWA Chemical Substances, Gen Type STEL	5 mg/m3 Value 5 mg/m3 eral Requirements Value 3 mg/m3	Fume and mist.
Latvia. OELs. Occupational expose Material HyGold 5000BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Lithuania. OELs. Limit Values for Material HyGold 5000BS	TWA Type TWA Chemical Substances, Gen Type STEL TWA	5 mg/m3 Value 5 mg/m3 eral Requirements Value 3 mg/m3 1 mg/m3	Fume and mist. Fume and mist.

Netherlands. OELs (binding) Material	Туре	Value	Form
lyGold 5000BS	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
esidual oils (petroleum), Nydrotreated (CAS 19742-57-0)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms for Naterial	Contaminants in the Wor Type	kplace Value	Form
HyGold 5000BS	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 54742-57-0)	TLV	1 mg/m3	Mist.
Poland. Ordinance of the Minister of concentrations and intensities of h Material			
HyGold 5000BS	TWA	5 mg/m3	Inhalable fraction.
		0 ppm	Inhalable fraction.
Portugal. VLEs. Norm on occupatio Material	nal exposure to chemical Type	agents (NP 1796) Value	Form
HyGold 5000BS	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Residual oils (petroleum), nydrotreated (CAS 64742-57-0)	TWA	5 mg/m3	Inhalable fraction.
Romania. OELs. Protection of work Material	ers from exposure to che Type	mical agents at the workpla Value	ce
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	value	
lyGold 5000BS	STEL	10 mg/m3	
HyGold 5000BS			
	STEL	10 mg/m3	
HyGold 5000BS Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0)	STEL TWA	10 mg/m3 5 mg/m3	
Components Residual oils (petroleum), hydrotreated (CAS	STEL TWA Type	10 mg/m3 5 mg/m3 Value	
Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300	STEL TWA Type STEL TWA 0/2007 concerning protec	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3	chemical agents Form
Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 300 Material	STEL TWA Type STEL TWA 0/2007 concerning protect Type	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with Value	Form
Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 300 Material	STEL TWA Type STEL TWA 0/2007 concerning protec	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with Value 3 mg/m3	Form Fume and mist.
Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 300 Material	STEL TWA Type STEL TWA 0/2007 concerning protect Type STEL	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with Value 3 mg/m3 15 ppm	Form Fume and mist. Fume and mist.
Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 300 Material	STEL TWA Type STEL TWA 0/2007 concerning protect Type	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with Value 3 mg/m3 15 ppm 1 mg/m3	Form Fume and mist.
Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 300 Material HyGold 5000BS	STEL TWA Type STEL TWA 0/2007 concerning protect Type STEL	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with Value 3 mg/m3 15 ppm	Form Fume and mist. Fume and mist. Fume and mist.
Components Residual oils (petroleum), nydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 300 Material HyGold 5000BS Components Residual oils (petroleum), nydrotreated (CAS	STEL TWA Type STEL TWA 0/2007 concerning protect Type STEL TWA	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist.
Components Residual oils (petroleum), hydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 300 Material HyGold 5000BS Components Residual oils (petroleum), hydrotreated (CAS	STEL TWA Type STEL TWA 0/2007 concerning protec Type STEL TWA TWA	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm Value	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Form
Components Residual oils (petroleum), nydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 300 Material HyGold 5000BS Components Residual oils (petroleum), nydrotreated (CAS	STEL TWA Type STEL TWA 0/2007 concerning protec Type STEL TWA TWA	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm Value 3 mg/m3	Form Fume and mist. Fume and mist. Fume and mist. Form Fume and mist.
Components Residual oils (petroleum), nydrotreated (CAS 54742-57-0) Slovakia. OELs. Regulation No. 300 Material HyGold 5000BS Components Residual oils (petroleum), nydrotreated (CAS	STEL TWA Type STEL TWA 0/2007 concerning protect Type STEL TWA Type STEL	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm Value 3 mg/m3	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Form Fume and mist. Fume and mist. Fume and mist.
Components Residual oils (petroleum),	STEL TWA Type STEL TWA 0/2007 concerning protect Type STEL TWA STEL TWA Type STEL	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with value 3 mg/m3 15 ppm 1 mg/m3 5 ppm Value 3 mg/m3	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Form Fume and mist. Fume and mist. Fume and mist. Fume and mist.
Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Slovakia. OELs. Regulation No. 300 Material HyGold 5000BS Components Residual oils (petroleum), hydrotreated (CAS 64742-57-0) Spain. Occupational Exposure Limi	STEL TWA Type STEL TWA 0/2007 concerning protect Type STEL TWA STEL STEL TWA	10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 tion of health in work with of Value 3 mg/m3 15 ppm 1 mg/m3 5 ppm Value 3 mg/m3 5 ppm 1 mg/m3 5 ppm 1 mg/m3 5 ppm 1 mg/m3 5 ppm	Form Fume and mist. Fume and mist. Fume and mist. Fume and mist. Form Fume and mist.

Spain. Occupational Expos Components		Туре		Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)		STEL		10 mg/m3	Mist.
- /		TWA		5 mg/m3	Mist.
Sweden. OELs. Work Envir Material	onment Autho	ority (AV), C Type	Occupational Exposu	re Limit Values (Value	AFS 2015:7) Form
HyGold 5000BS		STEL		3 mg/m3	Mist.
		TWA		1 mg/m3	Mist.
Components		Туре		Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)		STEL		3 mg/m3	Mist.
		TWA		1 mg/m3	Mist.
Switzerland. SUVA Grenzw Material	verte am Arbe	itsplatz Type		Value	Form
HyGold 5000BS		TWA		5 mg/m3	Inhalable fraction.
Components		Туре		Value	Form
Residual oils (petroleum), hydrotreated (CAS 64742-57-0)		TWA		5 mg/m3	Inhalable fraction.
ological limit values	No biological	exposure lim	its noted for the ingre	dient(s).	
commended monitoring ocedures	Not available				
rived no effect levels NELs)	Not available				
edicted no effect ncentrations (PNECs)	Not available				
posure guidelines					
Austria MAK: Skin designa	tion				
Residual oils (petroleum) (CAS 64742-57-0) Belgium OELs: Skin desigr			Can be absorbed	through the skin.	
Residual oils (petroleum) (CAS 64742-57-0)			Can be absorbed	through the skin.	
Croatia ELVs: Skin designa	ation				
Residual oils (petroleum) (CAS 64742-57-0)			Can be absorbed	through the skin.	
Czech Republic PELs: Skin Residual oils (petroleum)	-		Can be absorbed	through the skin.	
(CAS 64742-57-0) Estonia OELs: Skin designa	ation				
Residual oils (petroleum) (CAS 64742-57-0)			Can be absorbed	through the skin.	
EU. OELs from Annex III, I	Part A to Direc	tive 2004/3			
Residual oils (petroleum) (CAS 64742-57-0) Iceland OELs: Skin designa	m), hydrotreated		Can be absorbed	through the skin.	
Residual oils (petroleum) (CAS 64742-57-0)			Can be absorbed	through the skin.	
Ireland Exposure Limit Va	lues: Skin des	ignation			
Residual oils (petroleum) (CAS 64742-57-0)	-		Can be absorbed	through the skin.	
Lithuania OELs: Skin desig					
Residual oils (petroleum) (CAS 64742-57-0)	-	_	Can be absorbed	through the skin.	
Netherlands OELs (binding		nation	_		
Residual oils (petroleum)	hydrotroatod		Con ho ohoouhod	through the skin.	

Slovakia OFI s for Carcinog	ens and Mutagens: Skin desi	anation	
Residual oils (petroleum), (CAS 64742-57-0)	-	Can be absorbed through the skin.	
Slovenia. CMR. Protection of amended)	of workers from exposure to	carcinogen and mutagen agents (ULRS 101/2005, as	
Residual oils (petroleum), (CAS 64742-57-0)	hydrotreated	Can be absorbed through the skin.	
Sweden Threshold Limit Va	lues: Skin designation		
Residual oils (petroleum), (CAS 64742-57-0)	hydrotreated	Can be absorbed through the skin.	
8.2. Exposure controls			
Appropriate engineering controls	Provide adequate ventilation, in occupational exposure limit is	ncluding appropriate local extraction, to ensure that the defined not exceeded.	
Individual protection measures General information	s, such as personal protectiv Not available.	e equipment	
Eye/face protection	Goggles/face shield are recommended.		
Skin protection			
- Hand protection	gloves. When prolonged or free	ecommended. If contact with forearms is likely wear gauntlet style quent repeated contact occurs, Nitrile gloves may be suitable. ninutes.) For incidental contact/splash protection Neoprene, PVC	
- Other	Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.		
Respiratory protection	Under normal conditions, respirator is not normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.		
Thermal hazards	Not available.		
Hygiene measures		hygiene measures, such as washing after handling the material and smoking. Routinely wash work clothing to remove contaminants. r that cannot be cleaned.	
Environmental exposure controls	Not available.		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Form	Liquid.
Colour	Light Amber to Golden
Odour	Mild Petroleum Odor
Melting point/freezing point	-8,89 °C (16 °F) ASTM D5950 (Typical)
Boiling point or initial boiling point and boiling range	> 371,11 °C (> 700 °F) ASTM D2887/ ISO 3294
Flammability	Not available.
Flash point	>= 282,2 °C (>= 540,0 °F) Cleveland open cup ASTM D92/ ISO 2592
Auto-ignition temperature	> 315,56 °C (> 600 °F) ASTM E659
Decomposition temperature	Not available.
рН	Not applicable
Kinematic viscosity	Not available.
Solubility	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water) (log value)	Not established.
Vapour pressure	Not available.
Density and/or relative density	/
Relative density	0,92 (15,56 °C (60 °F) ASTM D4052)
Vapour density	> 5
Particle characteristics	Not available.
9.2. Other information	
9.2.1. Information with regard to physical hazard classes	No relevant additional information available.

9.2.2. Other safety characteristics

 Surface tension
 < 35 mN/m (25 °C (77 °F))</td>

 Viscosity
 1010 cSt (40 °C (104 °F) ASTM D445/ ISO 3014)

SECTION 10: Stability and reactivity

10.1. Reactivity	Strong oxidising agents.
10.2. Chemical stability	Stable.
10.3. Possibility of hazardous reactions	Hazardous polymerisation does not occur.
10.4. Conditions to avoid	Avoid temperatures exceeding the flash point.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information

HyGold 5000BS

5000 mg/kg, LD50 Result: no observable effects Species: Rat

Information on likely routes of exposure

Inhalation	May be harmful if inhaled. Based on available data, the classification criteria are not met. However, this product does not currently meet the criteria for classification.
Skin contact	Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.
Eye contact	May be irritating to eyes.
Ingestion	May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration.
ymptoms	Not available.

Symptoms Not availab 11.1. Information on toxicological effects

Acute toxicity	Not classified.
Skin corrosion/irritation	Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.
Serious eye damage/eye irritation	Not classified.
Respiratory sensitisation	Not classified.
Skin sensitisation	Not classified.
Germ cell mutagenicity	Non-mutagenic based on Modified Ames Assay.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.	
Reproductive toxicity	Contains no ingredient listed as toxic to reproduction
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not classified.
Mixture versus substance information	Not available.
11.2. Information on other haz	ards
Endocrine disrupting properties	Not available.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity	Not expected to be harmful to aquatic organisms.
12.2. Persistence and degradability	Not inherently biodegradable.

12.3. Bioaccumulative potential	Bioaccumulation is unlikely to be significant because of the low water solubility of this product.
Partition coefficient n-octanol/water (log Kow)	Not established.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Endocrine disrupting properties	Not available.
12.7. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.
EU waste code	Not applicable. Waste codes should be assigned by the user based on the application for which the product was used.
Disposal methods/information	Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in Not available. **bulk according to IMO**

instruments

General information

Not regulated as dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Residual oils (petroleum), hydrotreated (CAS 64742-57-0)

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.	
Other regulations	The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.
National regulations	Germany: WGK 1
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations	Not available.
References	Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics International Labour Organization International Maritime Organization Marine Pollutants List NFPA Hazardous Chemical Data Sheets NIOSH Pocket Guide Registry of Toxic Effects of Chemical Substances (RTECS) US DOT Hazardous Materials Regulations ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices ACGIH IARC Monographs. Overall Evaluation of Carcinogenicity
Information on evaluation method leading to the classification of mixture	Not available.
Full text of any statements, which are not written out in full under sections 2 to 15	None.
Revision information	Physical & Chemical Properties: Multiple Properties
Training information	Not available.
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.