SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance HyGold L500

Identification number 649-465-00-7 (Index number)

Registration number 01-2119467170-45

Synonyms None.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Metalworking Fluids, Industrial Lubricants, Grease Manufacturing, Hydraulic Oils, Gear Oils, Heavy

Duty Engine Oil, Bar & Chain, Carriers & Diluents, Engine Oil.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

MANUFACTURER: Ergon, Inc.

P.O. Box 1639

Jackson, MS 39181 USA

EU Contact: Ergon International, Inc.

Drève Richelle 161 Building C B-1410 Waterloo, Belgium

Emergency Phone

Numbers:

US Customer Service: + 1-800-222-7122

CHEMTREC: + 1-800-424-9300 After Business Hours (North America)

+ 1-703-527.-3887 (International),

+32-28083237 (Belgium) +33-975181407 (France) +49-69643508409 (Germany) +39-0245557031 (Italy) +34-931768545 (Spain)

E-mail: sds@ergon.com

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None. **Signal word** None.

Hazard statements The substance does not meet the criteria for classification.

Precautionary statements

PreventionNot applicable.ResponseNot applicable.StorageNot applicable.DisposalNot applicable.

Supplemental label

information

None.

2.3. Other hazards This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

The substance is not included in the list established in accordance with REACH Article 59(1) for having endocrine disrupting properties. The substance is not considered to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation

(EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

General information Chemical name	%	CAS-No. / EC	REACH Registration No	. Index No.	Notes
Distillates (petroleum), hydrotreated heavy naphthenic	<=100	64742-52-5 265-155-0	01-2119467170-45	649-465-00-7	
Classification:	_				L

Composition comments

A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces finished oil with a viscosity near 500 SUS at 100°F. Note L - Not classified as a carcinogen. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

SECTION 4: First aid measures

General information Contact physician if discomfort continues.

4.1. Description of first aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Flush thoroughly with water. If irritation occurs, get medical assistance. **Eve contact**

Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of **Ingestion**

aspiration. Call a poison control centre immediately.

4.2. Most important symptoms and effects, both acute and delayed

Defatting of the skin. Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any immediate medical attention Treat symptomatically.

and special treatment needed

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog.

5.2. Special hazards arising from the substance or mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Special fire fighting

procedures

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurised air mask if product is involved in a

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Local authorities should be advised if significant spillages cannot be contained. Do not touch or walk through spilled material.

For emergency responders

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.

Material name: HyGold L500 - Ergon International

6.3. Methods and material for containment and cleaning up

Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands after handling and before eating. Do not get this material in contact with eyes. Avoid prolonged exposure. Avoid contact with skin. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Store in a well-ventilated place.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Values Material	Туре	Value	Form
	Туре		
HyGold L500	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work Material Value

Material	Туре	Value	
HyGold L500	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy	TWA	5 mg/m3	

naphthenic (CAS 64742-52-5)

Denmark. Exposure Limit Values

Material	Туре	Value	Form	
HyGold L500	TLV	1 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS	TLV	1 mg/m3	Mist.	

64742-52-5)

Finland. Workplace Exposure Material	Limits Type	Value	Form	
HyGold L500	TWA	5 mg/m3	Mist.	
Components	Туре	Value	Form	
Distillates (petroleum),	TWA	5 mg/m3	Mist.	

hydrotreated heavy naphthenic (CAS 64742-52-5)

Material name: HyGold L500 - Ergon International

Compounds in the Work Area (DFG) Material	Туре	Value	Form
HyGold L500	TWA	5 mg/m3	Respirable fraction.
Greece. OELs (Decree No. 90/1999, as	amended)		
Material	Туре	Value	Form
HyGold L500	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Hungary. OELs. Joint Decree on Chemic Material	al Safety of Workplace Type	s Value	
HyGold L500	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	
Iceland. OELs. Regulation 154/1999 on Material	occupational exposure Type	e limits Value	Form
HyGold L500	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposure Limits Material	Туре	Value	Form
HyGold L500	TWA	5 mg/m3	Inhalable fraction.
Italy. Occupational Exposure Limits Material	Туре	Value	Form
HyGold L500	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Latvia. OELs. Occupational exposure lin Material	nit values of chemical s Type	substances in work enviro Value	onment
HyGold L500	TWA	5 mg/m3	
Components	Туре	Value	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	
Lithuania. OELs. Limit Values for Chem Material	ical Substances, Gener Type	ral Requirements Value	Form
HyGold L500	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Components	Туре	Value	Form
Distillates (petroleum),	STEL	3 mg/m3	Fume and mist.

Components	Туре	Value	Form
	TWA	1 mg/m3	Fume and mist.
Netherlands. OELs (binding)	Time	Value	Form
Material	Туре		
HyGold L500	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Mist.
Norway. Administrative Norm Material	s for Contaminants in the Wor Type	kplace Value	Form
HyGold L500	TLV	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), nydrotreated heavy naphthenic (CAS 64742-52-5)	TLV	1 mg/m3	Mist.
	ster of Labour and Social Polic s of harmful health factors in t Type		
HyGold L500	TWA	5 mg/m3	Inhalable fraction.
TyGold L500	TWA	0 ppm	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy	TWA	5 mg/m3	Inhalable fraction.
naphthenic (CAS 64742-52-5)		0	Tubalabla fuation
naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occu	pational exposure to chemical		Inhalable fraction.
naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occu Material	Туре	agents (NP 1796) Value	Inhalable fraction. Form
naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occu	Type TWA	agents (NP 1796) Value 5 mg/m3	Form Inhalable fraction.
naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occu Material HyGold L500	Туре	agents (NP 1796) Value	Form
naphthenic (CAS 64742-52-5) Portugal. VLEs. Norm on occu Material	Type TWA	agents (NP 1796) Value 5 mg/m3	Form Inhalable fraction.
Portugal. VLEs. Norm on occu Material HyGold L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Romania. OELs. Protection of	Type TWA Type	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
Portugal. VLEs. Norm on occumulaterial HyGold L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material	Type TWA Type TWA TWA workers from exposure to che	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
Portugal. VLEs. Norm on occumulaterial HyGold L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material	Type TWA Type TWA TWA Workers from exposure to che Type	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 whical agents at the workple Value	Form Inhalable fraction. Form Inhalable fraction.
Portugal. VLEs. Norm on occu Material HyGold L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5)	Type TWA Type TWA TWA Workers from exposure to che Type STEL	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 whical agents at the workple Value 10 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
Portugal. VLEs. Norm on occumulaterial HyGold L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyGold L500	Type TWA Type TWA Workers from exposure to che Type STEL TWA	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 smical agents at the workple Value 10 mg/m3 5 mg/m3	Form Inhalable fraction. Form Inhalable fraction.
Portugal. VLEs. Norm on occumulaterial HyGold L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyGold L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5)	Type TWA Type TWA TWA Workers from exposure to che Type STEL TWA Type	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 smical agents at the workplay Value 10 mg/m3 5 mg/m3 Value	Form Inhalable fraction. Form Inhalable fraction.
Portugal. VLEs. Norm on occumulaterial HyGold L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyGold L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5)	Type TWA Type TWA Workers from exposure to che Type STEL TWA Type STEL STEL STEL STEL STEL	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 mical agents at the workple Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 10 mg/m3	Form Inhalable fraction. Form Inhalable fraction. ace
Portugal. VLEs. Norm on occumulaterial HyGold L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Romania. OELs. Protection of Material HyGold L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Romania. OELs. Protection of Material HyGold L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 54742-52-5) Slovakia. OELs. Regulation No Material	Type TWA Type TWA Workers from exposure to che Type STEL TWA Type STEL TWA Type STEL TWA Type STEL	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 mical agents at the workple Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 10 mg/m3	Form Inhalable fraction. Form Inhalable fraction. ace chemical agents
Portugal. VLEs. Norm on occumulaterial HyGold L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyGold L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Slovakia. OELs. Regulation No	Type TWA Type TWA Type TWA Workers from exposure to che Type STEL TWA Type STEL TWA Type STEL TWA Type STEL TWA Type STEL	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 mical agents at the workplay Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 **Triangle of the strength of	Form Inhalable fraction. Form Inhalable fraction. ace chemical agents Form
Portugal. VLEs. Norm on occumulaterial HyGold L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyGold L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Romania. OELs. Protection of Material HyGold L500 Components Distillates (petroleum), hydrotreated heavy haphthenic (CAS 64742-52-5) Slovakia. OELs. Regulation No Material	Type TWA Type TWA Type TWA Workers from exposure to che Type STEL TWA Type STEL TWA Type STEL TWA Type STEL TWA Type STEL	agents (NP 1796) Value 5 mg/m3 Value 5 mg/m3 mical agents at the workple Value 10 mg/m3 5 mg/m3 Value 10 mg/m3 5 mg/m3 value 3 mg/m3	Form Inhalable fraction. Form Inhalable fraction. ace chemical agents Form Fume and mist.

Material name: HyGold L500 - Ergon International

SDS EU 5 / 10 5589 Version #: 10 Revision date: 16-November-2022 Issue date: 19-April-2018

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Spain. Occupational Expo Material	sure Limits Type	Value	Form
HyGold L500	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Envi Material	ronment Authority (AV), Occupation Type	nal Exposure Limit Values Value	(AFS 2015:7) Form
HyGold L500	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenzv Material	werte am Arbeitsplatz Type	Value	Form
HyGold L500	TWA	5 mg/m3	Inhalable fraction.
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
ogical limit values	No biological exposure limits noted fo	r the ingredient(s).	
ommended monitoring cedures	Follow standard monitoring procedure	es.	
ived no effect levels ELs)	Not available.		
dicted no effect	Not available.		
centrations (PNECs)			
Exposure controls			
• •	Adequate ventilation should be provice Provide adequate ventilation, includin occupational exposure limit is not exc	g appropriate local extraction,	
Exposure controls ropriate engineering trols	Provide adequate ventilation, includin	g appropriate local extraction, eeded. ipment I be chosen according to the C	to ensure that the defined
Exposure controls ropriate engineering trols ividual protection measure General information Eye/face protection	Provide adequate ventilation, includin occupational exposure limit is not exces, such as personal protective equipersonal protection equipment should	g appropriate local extraction, reeded. ipment I be chosen according to the C ective equipment.	to ensure that the defined EN standards and in discuss
Exposure controls ropriate engineering trols vidual protection measure General information	Provide adequate ventilation, includin occupational exposure limit is not exces, such as personal protective equipment should with the supplier of the personal protection.	g appropriate local extraction, eeded. ipment I be chosen according to the Cective equipment. d. Eye protection should meet	to ensure that the defined EN standards and in discuss standard EN 166.

Under normal conditions, respirator is not normally required. In case of inadequate ventilation and

work of brief duration, use suitable respiratory equipment.

Material name: HyGold L500 - Ergon International

Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

Environmental exposure

controls

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liauid. **Form** Liauid.

Colour Light Amber to Golden Odour Mild Petroleum Odor

Melting point/freezing point **Boiling point or initial boiling**

-31 °C (-23,8 °F) ASTM D5950/ISO 3016 323 °C (613,4 °F) ASTM D2887/ ISO 3294

point and boiling range

Flammability Will burn if involved in a fire.

> 200,0 °C (> 392,0 °F) Cleveland open cup ASTM D92/ ISO 2592 Flash point

Auto-ignition temperature > 315,56 °C (> 600 °F) ASTM E659

Decomposition temperature Not determined.

Not applicable (insoluble in water).

Kinematic viscosity $>=38,1 \text{ mm}^2/\text{s}$

Solubility

Solubility (water) Insoluble

Partition coefficient Not determined.

(n-octanol/water) (log value)

Not determined. Vapour pressure

Density and/or relative density

Relative density 0,92 (15,56 °C (60 °F) ASTM D4052/ ISO 12185)

Vapour density

Particle characteristics

Particle size Not determined.

9.2. Other information

9.2.1. Information with No relevant additional information available.

regard to physical hazard

9.2.2. Other safety characteristics

Viscosity 101 cSt (40 °C (104 °F) ASTM D445/ ISO 3104)

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Stable.

10.3. Possibility of hazardous Hazardous polymerisation does not occur.

reactions

10.4. Conditions to avoid Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

decomposition products weight hydrocarbons.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May be harmful if inhaled. However, this product does not currently meet the criteria for

classification.

Skin contact Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Eye contact May be irritating to eyes.

Ingestion May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration.

Symptoms Defatting of the skin. Exposure may cause temporary irritation, redness, or discomfort.

Material name: HyGold L500 - Ergon International 5589 Version #: 10 Revision date: 16-November-2022 Issue date: 19-April-2018

11.1. Information on toxicological effects

Acute toxicity

Skin corrosion/irritation Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

Not classified.

Respiratory sensitisation Not classified. Skin sensitisation Not classified.

Germ cell mutagenicity Non-mutagenic based on Modified Ames Assay.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Note L - Meets Carcinogenicity

EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

repeated exposure

Not classified.

Aspiration hazard Not classified.

Mixture versus substance

information

No information available.

11.2. Information on other hazards

Endocrine disrupting

properties

This substance does not have endocrine disrupting properties with respect to human health, as it does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No

2017/2100 and (EU) 2018/605.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Not expected to be harmful to aquatic organisms.

12.2. Persistence and

degradability

Not inherently biodegradable.

12.3. Bioaccumulative

potential

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition coefficient

n-octanol/water (log Kow)

Not available.

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil Not expected to be mobile in soil.

12.5. Results of PBT and

vPvB assessment

This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

12.6. Endocrine disrupting

properties

This substance does not have endocrine disrupting properties with respect to the environment, as it

does not meet the assessment criteria laid out in Regulations (EC) No 1907/2006, (EU) No

2017/2100 and (EU) 2018/605.

12.7. Other adverse effects

methods/information

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

EU waste code Not applicable. Waste codes should be assigned by the user based on the application for which the

product was used.

Disposal recommendations are based on material as supplied. Disposal must be in accordance with Disposal

current applicable laws and regulations, and material characteristics at time of disposal.

SECTION 14: Transport information

Material name: HyGold L500 - Ergon International

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

SDS EU 5589 Version #: 10 Revision date: 16-November-2022 Issue date: 19-April-2018

8 / 10

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Maritime transport in

Not available.

bulk according to IMO

instruments

General information Not regulated as dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Other regulations

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC)

No 1907/2006, as amended.

National regulations Germany: WGK 1

No Chemical Safety Assessment has been carried out. 15.2. Chemical safety

assessment

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No

Material name: HyGold L500 - Ergon International

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16: Other information

List of abbreviations Not available. **References** ACGIH

IARC Monographs. Overall Evaluation of Carcinogenicity

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

ILO Safety Cards

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

US DOT Hazardous Materials Regulations

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements, which are not written out in full under sections 2 to 15

None.

Revision information Training information This document has undergone significant changes and should be reviewed in its entirety.

Not available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Material name: HyGold L500 - Ergon International